

Maulana Mazharul Haque
Arabic And Persian University,
Patna

मौलाना मजहरूल हक
अरबी व फारसी विश्वविद्यालय,
पटना



CITY HEALTH OFFICE PATIENT INFORMATION SYSTEM

A PROJECT

**Submitted in partial fulfillment of the requirements for
the award of the degree of**

BACHELOR'S OF COMPUTER APPLICATION

BY

**Shaista Anjum
212970200020,
Ruchika Srivastava
212970200022
And
Sandhya Kumari
212970200021**

**VOCATIONAL DEPARTMENT (DEPARTMENT OF COMPUTER
APPLICATIONS)**

Maulana Mazharul Haque Arabic and Persian University(2020-2023)

Certificate

This is to certify that the contents of this project entitled “**CITY HEALTH OFFICE PATIENT INFORMATION SYSTEM**” is a bonafide work carried out by **Shaista Anjum, Ruchika Srivastava and Sandhya Kumari** in partial fulfillment of the requirement for the award of

Bachelor’s of Computer Application under my guidance.

This is to certify that the matter of the project has not been submitted by anyone else for the award of any degree.

(Mr. Gyan Ranjan)
Guided by

[Maa Sanjhari Devi Institute Siwan]

D.P.S
Director

[Maa Sanjhari Devi Institute Siwan]

ACKNOWLEDGEMENT

I have taken efforts in this project. However, It wouldnot have been possible without the kind support and help of many individuals. I would like to extend mysincere thanks to all of them.

We are highly indebted to **Mr. Gyan Ranjan** for his guidance and constant supervision as well as for providing necessary information regarding the project and also for his support in completing the project. Their constant guidance and willingness to share their vast knowledge made us understand this project and its manifestations in great depths and helped us to complete the assigned task on time.

We would like to thank our gratitude towards our parents and friends who willingly helped us out with their abilities, kind cooperation and encouragement which help us in completion of our project.

DECLARATION

We hereby declare that the project titled “CITY HEALTH OFFICE PATIENT INFORMATION SYSTEM” has been prepared by us and submitted under BCA curriculum. All the information, facts and figures are collected by us and are first hand in nature.

Any resemblance from existing work is purely coincidental nature.

Name of Candidate : Shaista Anjum

University Roll : 212970200020

Registration : 16202047799

Session: 2020-2023

Name of Candidate : Ruchika Srivastava

University Roll : 212970200022

Registration : 16202047797

Session: 2020-2023

Name of Candidate : Sandhya Kumari

University Roll : 212970200021

Registration : 16202047798

Session: 2020-2023

This is to certify **Shaista Anjum, Ruchika Srivastava And Sandhya Kumari** is a student of Maa Sanjhari Devi Institute of Mgt. & Science, P.O. Mahmda Bazar, via Basantpur, siwan

Table of Contents

| S.NO. | CONTENT | PAGE NO. |
|-------|--|----------|
| 1. | Introduction <ul style="list-style-type: none"> • Objective | |
| 2. | Requirement specification <ul style="list-style-type: none"> • Software requirement • Hardware requiremnt | |
| 3. | Module <ul style="list-style-type: none"> • Login System • Send Information • Manage patients • Patient Diagnose • Reports • History • Manage Messages • User management system • Notifications • | |
| 8. | Coding | |
| 9. | Screenshots | |

1.INTRODUCTION

Objective

City Health Office Patient Information System project is developed using VB.NET. The Project is based on the concept of managing products and transaction details of a City Health Office Patient Information System. Talking about the project, there's a login system. The user can easily add users, products, manage transactions, users here.

Talking about the features this system, the user can add patients by entering patient name. Simply, the user can also view all the available staff records as well as total patients and their report with the date of transaction and payment type. In order to manage transactions, the user has to select a patient name, enter information of the patient and then add it to the cart. Then the user has to select a payment option and enter the amount paid. The system also features other essential features like notepad and calculator.

Design of this is so simple that the user won't find difficulties while working on it. City Health Office Patient Information System project helps the user for easy management of transaction activities. For handling data, MS- Access is used as a database. This project is easy to operate and understood by the users. To run this project you must have installed Visual Studio IDE and Microsoft Access on your PC. City Health Office Patient Information System in VB.NET is free to download with source code. For theproject demo, have a look at the video below.

2. REQUIREMENT SPECIFICATION

Software Requirements:-

Front-End : .NET FRAMEWORK
Back -End : Microsoft Access Database (.mdb)
Operating System : Independent
Operating System (For running Application): INDEPENDENT

Hardware Requirements:-

System: PC (windows10)
RAM: 1GB (At least)
Processor: Intel Core I3 2nd Generation Or Above Harddisk: 40GB
Networking: No Need

3. MODULE

Features:

- 1.Login System
- 2.Send Information
- 3.Manage patients
- 4.Patient Diagnose
- 5.Reports
- 6.History
- 7.Manage Messages
- 8.User management system
- 9.Notifications

4.

DATA DICTIONARY

Staff registration

| Column Name | Type | Constraint |
|-------------|--------|------------------|
| staff name | Text | Primary Key |
| datebirth | dob | Not null |
| phone | number | Not null |
| Designation | text | Not null, unique |
| username | test | Not Null, unique |
| password | string | Not null |
| Address | text | Not null |
| Photo | photo | Not null |

4.2 Billing

| Column Name | Type | Constraint |
|-------------|--------|------------|
| productid | number | Not null |
| productname | text | Not null |
| Qty | Number | Not null |
| Unitprice | Rupees | Not null |
| Totalamt | Rupees | Not null |
| billdate | Date | Not null |

Coding

```
Public Class Form1
```

```
    Private Sub Timerhome_Tick(sender As Object, e As  
EventArgs) Handles Timerhome.Tick
```

```
        lbltime.Text = TimeOfDay
```

```
    End Sub
```

```
    Private Sub Form1_Load(sender As Object, e As  
EventArgs) Handles MyBase.Load
```

```
        Timerhome.Start()
```

```
    End Sub
```

```
    Private Sub Button1_Click(sender As Object, e As  
EventArgs)
```

```
        frm_Barangay.ShowDialog()
```

```
    End Sub
```

```
    Private Sub Button2_Click(sender As Object, e As  
EventArgs)
```

```
        Frm__Cho.ShowDialog()
```

End Sub

```
Private Sub Button3_Click(sender As Object, e As  
EventArgs)  
    frm_Admin.ShowDialog()  

```

End Sub

```
Private Sub BunifuGradientPanel1_Paint(sender As  
Object, e As PaintEventArgs) Handles  
BunifuGradientPanel1.Paint
```

End Sub

```
Private Sub BtnLogin_Click(sender As Object, e As  
EventArgs)
```

End Sub

```
Private Sub  
ComboBoBarangay_SelectedIndexChanged(sender As Object,  
e As EventArgs)
```

End Sub

```
Private Sub BunifuGradientPanel3_Paint(sender As  
Object, e As PaintEventArgs) Handles  
BunifuGradientPanel3.Paint
```

```
End Sub
```

```
Private Sub BunifuFlatButton1_Click(sender As  
Object, e As EventArgs) Handles BunifuFlatButton1.Click  
    Frm_UserLogin.LBDistention.Text = "!!!Reinders  
Your Distination Login to Admin!!"  
    Frm_UserLogin.ComboxBrangay.Text = ("Admin")  
    Frm_UserLogin.ShowDialog()
```

```
End Sub
```

```
Private Sub bgnbarangay_Click(sender As Object, e  
As EventArgs)
```

```
End Sub
```

```
Private Sub BtnCH0_Click(sender As Object, e As  
EventArgs) Handles BtnCH0.Click  
    Frm_UserLogin.LBDistention.Text = "!!!Reinders  
Your Distination Login to CH0 Office!!"
```

```

        Frm_UserLogin.ComboxBrangay.Text = ("CH0")
        Frm_UserLogin.ShowDialog()
    End Sub

    Private Sub BunifuCustomLabel4_Click(sender As
Object, e As EventArgs) Handles
BunifuCustomLabel4.Click

    End Sub

    Private Sub BunifuFlatButton2_Click(sender As
Object, e As EventArgs) Handles BunifuFlatButton2.Click
        Frm_UserLogin.LBDistention.Text = "!!!Reinders
Your Distination Login to Barangay!!"
        Frm_UserLogin.btnlogin.Enabled = True
        Frm_UserLogin.ShowDialog()
    End Sub

    Private Sub Btnoff_Click(sender As Object, e As
EventArgs) Handles Btnoff.Click
        Me.Close()

    End Sub
End Class

```

```
Public Class Frm__Cho
```

```
    Private Sub Timercho_Tick(sender As Object, e As  
EventArgs) Handles Timercho.Tick
```

```
        lbtimer.Text = TimeOfDay
```

```
    End Sub
```

```
    Private Sub BunifuCustomLabel13_Click(sender As  
Object, e As EventArgs)
```

```
    End Sub
```

```
    Private Sub Frm__Cho_Load(sender As Object, e As  
EventArgs) Handles MyBase.Load
```

```
        PanelMessage.Visible = False
```

```
        MsgBox("!Welcome to CHO Office!!")
```

```
        Timercho.Start()
```

```
        mySelectQuery("Select * from tblmessage where  
Sendto Like '" & Lbcho.Text & "%'")
```

```
        LoadData(dtgnotification, "Activity")
```

```
        mySelectQuery("SELECT `ID`, `Sendto`,  
`Sender_Name`, `Message`, `Time`, `DC`) FROM  
`tblmessage` WHERE 1")
```

```
mySelectQuery("Select * from `tblpcho`")  
LoadData(dtgCHOsearch, "tblsearch")  
mySelectQuery("SELECT `PCNO`, `DC`, `Fn`, `Mn`,  
`Ln`, `Gender`, `Age`, `CNTP`, `MT`, `NT`, `BRGY`,  
`CNST`) FROM `tblpcho` WHERE 1 ")
```

End Sub

```
Private Sub btnexit_Click(sender As Object, e As  
EventArgs) Handles btnexit.Click  
Me.Close()
```

End Sub

```
Private Sub btnSched_Click(sender As Object, e As  
EventArgs) Handles btnSched.Click  
frm_PatientBasicInfo.ComboBoxPH_M.Enabled =  
False  
frm_PatientBasicInfo.ComboBoBarangay.Enabled =  
False  
frm_PatientBasicInfo.ComboBox4PS.Enabled =  
False  
frm_PatientBasicInfo.ComboBoxDSWD.Enabled =  
False
```

```
frm_PatientBasicInfo.ComboBoxEmployee.Enabled =  
False  
frm_PatientBasicInfo.ComboBoxPosistion.Enabled  
= False  
frm_PatientBasicInfo.ComboBoxPtype.Enabled =  
False  
frm_PatientBasicInfo.Combocivil.Enabled = False  
frm_PatientBasicInfo.Combomode.Enabled = False  
frm_PatientBasicInfo.ComboBoxPCB.Enabled =  
False  
frm_PatientBasicInfo.Comboeducation.Enabled =  
False  
frm_PatientBasicInfo.ComboxIndecatte.Enabled =  
False  
frm_PatientBasicInfo.ComboBonatureofvisit.Text  
= False  
frm_PatientBasicInfo.Combostatustype.Enabled =  
False  
frm_PatientBasicInfo.txtbp.Enabled = False  
frm_PatientBasicInfo.txtCM.Enabled = False  
frm_PatientBasicInfo.txtage.Enabled = False  
frm_PatientBasicInfo.txtdiagnose.Enabled =  
False  
frm_PatientBasicInfo.txthouseholdNO.Enabled =  
False
```



```
frm_PatientBasicInfo.txtfacilityhouseholdNO.Enabled =  
False  
    frm_PatientBasicInfo.txtphilhealthNO.Enabled =  
False  
    frm_PatientBasicInfo.txtNameAT.Enabled = False  
    frm_PatientBasicInfo.txttmp.Enabled = False  
    frm_PatientBasicInfo.txtadress.Enabled = False  
    frm_PatientBasicInfo.ShowDialog()  
End Sub  
  
Private Sub BtnNew_Click(sender As Object, e As  
EventArgs)  
  
End Sub  
  
Private Sub BunifuGradientPanel1_Paint(sender As  
Object, e As PaintEventArgs) Handles  
BunifuGradientPanel1.Paint  
  
End Sub  
  
Private Sub btnreplay_Click(sender As Object, e As  
EventArgs) Handles btnreplay.Click  
    PanelMessage.Visible = False
```

```
        frm_Message.ShowDialog()  
    End Sub
```

```
    Private Sub dtgnotification_CellContentClick(sender  
As Object, e As DataGridViewCellEventArgs) Handles  
dtgnotification.CellContentClick
```

```
    End Sub
```

```
    Private Sub RadioButtonOnline_CheckedChanged(sender  
As Object, e As EventArgs) Handles  
RadioButtonOnline.CheckedChanged
```

```
        If RadioButtonOnline.Checked = True Then  
            PanelMessage.Visible = True  
            PanelMessage.Size = New Size(890, 133)  
  
            mySelectQuery("Select * from tblmessage  
where Sendto Like '" & Lbcho.Text & "%' and DC Like '"  
& DateTimePicker1.Text & "%'")  
            LoadData(dtgnotification, "Activity")  
            mySelectQuery("SELECT `ID`, `Sendto`,  
`Sender_Name`, `Message`, `Time`, `DC`) FROM  
`tblmessage` WHERE 1")
```

```
        If txtnotifi.Text = Lbcho.Text = True Then
```

```

        MsgBox("You Have Message")
    End If
Else
    MsgBox("No Message Show!!")
    PanelMessage.Visible = False
End If
If RadioButtonOnline.Checked = False Then
    PanelMessage.Visible = False
End If
End Sub

Private Sub RadioButtonLogooof_CheckedChanged(sender
As Object, e As EventArgs) Handles
RadioButtonLogooof.CheckedChanged
    If RadioButtonLogooof.Checked = True Then
        PanelMessage.Size = New Size(890, 21)
        PanelMessage.Visible = False
        MsgBox("Logoff Notificatio!!")
    End If
End Sub

End Class

Public Class frm_Admin

    Private Sub Timer1_Tick(sender As Object, e As
EventArgs) Handles Timer1.Tick

```

```
lbttime.Text = TimeOfDay
```

```
End Sub
```

```
Private Sub BunifuGradientPanel3_Paint(sender As  
Object, e As PaintEventArgs) Handles
```

```
BunifuGradientPanel3.Paint
```

```
Timer1.Start()
```

```
End Sub
```

```
Private Sub btnexit_Click(sender As Object, e As  
EventArgs) Handles btnexit.Click
```

```
Me.Close()
```

```
End Sub
```

```
Private Sub
```

```
BunifuCustomDataGrid5_CellContentClick(sender As  
Object, e As DataGridViewCellEventArgs)
```

```
MsgBox("!!Welcome To Admin!!")
```

```
End Sub
```

```
Private Sub btnMessage_Click(sender As Object, e As EventArgs)
```

```
End Sub
```

```
Private Sub btnbarangay_Click(sender As Object, e As EventArgs) Handles btnbarangay.Click
```

```
    mySelectQuery("Select * from tblmessage where  
Sendto Like '" & Lbadmin.Text & "%' and DC Like '" &  
DateTimePicker1.Text & "%'")
```

```
    LoadData(dtgadmin, "Activity")
```

```
    mySelectQuery("SELECT `ID`, `Sendto`,  
`Sender_Name`, `Message`, `Time`, `DC`) FROM  
`tblmessage` WHERE 1")
```

```
End Sub
```

```
Private Sub btncho_Click(sender As Object, e As EventArgs) Handles btncho.Click
```

```
    Frm__Cho.ShowDialog()
```

```
End Sub
```

```
Private Sub btndiagnose_Click(sender As Object, e As EventArgs) Handles btndiagnose.Click
```

```
    frm_PatientBasicInfo.Show()
```

End Sub

```
Private Sub btnUser_Click(sender As Object, e As  
EventArgs) Handles btnUser.Click  
    frm_UserAdd.ShowDialog()
```

End Sub

```
Private Sub RadioButtonOnline_CheckedChanged(sender  
As Object, e As EventArgs) Handles  
RadioButtonOnline.CheckedChanged  
    If RadioButtonOnline.Checked = True Then  
        PanelMessage.Visible = True  
        PanelMessage.Size = New Size(890, 133)  
  
        mySelectQuery("Select * from tblmessage  
where Sendto Like '" & Lbadmin.Text & "%' and DC Like  
'" & DateTimePicker1.Text & "%'")  
        LoadData(dtgadmin, "Activity")  
        mySelectQuery("SELECT `ID`, `Sendto`,  
`Sender_Name`, `Message`, `Time`, `DC`) FROM  
`tblmessage` WHERE 1")
```

```
        If txtnotifi.Text = Lbadmin.Text = True
Then
            MsgBox("You Have Message")
        End If
    Else
        MsgBox("No Message Show!!")
        PanelMessage.Visible = False
    End If
    If RadioButtonOnline.Checked = False Then
        PanelMessage.Visible = False
    End If
End Sub
```

```
Private Sub RadioButtonLogooof_CheckedChanged(sender
As Object, e As EventArgs) Handles
RadioButtonLogooof.CheckedChanged
    If RadioButtonLogooof.Checked = True Then
        PanelMessage.Size = New Size(890, 21)
        PanelMessage.Visible = False
        MsgBox("Logoff Notificatio!!")
    End If
End Sub
```

```
Private Sub BunifuFlatButton1_Click(sender As
Object, e As EventArgs) Handles BunifuFlatButton1.Click
```

```
frm_Message.Lbsender.Text = Lbadmin.Text
```

```
frm_Message.ShowDialog()
```

```
End Sub
```

```
Private Sub
```

```
ComboxBrangay_SelectedIndexChanged(sender As Object, e  
As EventArgs) Handles
```

```
ComboxBrangay.SelectedIndexChanged
```

```
End Sub
```

```
End Class
```

```
Imports MySql.Data.MySqlClient
```

```
Public Class frm_Barangay
```

```
Private Sub
```

```
ComboBoBarangay_SelectedIndexChanged(sender As Object,  
e As EventArgs)
```

```
End Sub
```

```
Private Sub BunifuCustomLabel4_Click(sender As  
Object, e As EventArgs) Handles cheackonline.Click
```


End Sub

```
Private Sub Timerbarangay_Tick(sender As Object, e
As EventArgs) Handles Timerbarangay.Tick
    lbtime.Text = TimeOfDay
    Dim dt As New DataTable
    Dim cmd As New MySqlCommand
    Dim sql As String
    Try
        'sql = "Select Sender_Name from tblmessage
where Sendto Like '" & Txtnamebarangay.Text & "%'"
        sql = "Select Sender_Name from tblmessage
where Sendto Like '" & Txtnamebarangay.Text & "'" and
Time Like '" & lbtime.Text & "'" and DC Like '" &
DateTimePicker1.Text & "%'"
        connect.Open()
        With cmd
            .CommandText = sql
            .Connection = connect()
        End With
        da.SelectCommand = cmd
        da.Fill(dt)
        ComboxBrangay.Text =
dt.Rows(0).Item("Sender_Name")
    Catch ex As Exception
```

```
Finally
    connect.Close()
End Try
```

```
End Sub
```

```
Private Sub BunifuGradientPanel1_Paint(sender As
Object, e As PaintEventArgs) Handles
BunifuGradientPanel1.Paint
```

```
End Sub
```

```
Private Sub frm_Barangay_Load(sender As Object, e
As EventArgs) Handles MyBase.Load
```

```
    frm_reply.LbMessaaage.Text = ComboxBrangay.Text
    frm_reply.Label13.Text = Txtnamebarangay.Text
    PanelMessage.Visible = False
    BtnID.Visible = False
    BtnrelatedInfo.Visible = False
    MsgBox("!!Welcome to Barangay Patient
Information System!!")
    Timerbarangay.Start()
```

```

        mySelectQuery("Select * from tblmessage where
Sendto Like '" & Txtnamebarangay.Text & "%'")
        LoadData(dtgnotification, "Activity")
        mySelectQuery("SELECT `ID`, `Sendto`,
`Sender_Name`, `Message`, `Time`, `DC`) FROM
`tblmessage` WHERE ")
        mySelectQuery("Select * from tblregistered")
        'mySelectQuery("Select * from tblregistered
where BRGY Like '" & Txtnamebarangay.Text & "%'")
        LoadData(dtgbarangyasearch, "tblsearch2")
        mySelectQuery("SELECT `ID`, `PCNO`, `Fn`, `Mn`,
`Ln`, `Gender`, `O_N`, `BRGY`, `ADDSS`)FROM
`tblregistered` WHERE 1")

```

End Sub

```

Private Sub BTNSendInfo_Click(sender As Object, e
As EventArgs) Handles BTNSendInfo.Click
    frm_PatientBasicInfo.txtdiagnose.Enabled =
False
    frm_PatientBasicInfo.txtMED_TRET.Enabled =
False
    frm_PatientBasicInfo.txtLFI.Enabled = False

```

```
        frm_PatientBasicInfo.txtPerformlab.Enabled =  
False
```

```
frm_PatientBasicInfo.txtnameofhealthcaareprovider.Enabled = False
```

```
frm_PatientBasicInfo.txtchiefcomplainants.Enabled =  
False
```

```
        btngetPantientregistredInfoYeee_Click(sender,  
e)
```

```
        frm_PatientBasicInfo.Text = "Send Patient  
Information"
```

```
        frm_PatientBasicInfo.btn Diagnose.Enabled =  
False
```

```
        frm_PatientBasicInfo.ShowDialog()
```

```
End Sub
```

```
Private Sub BtnNew_Click(sender As Object, e As  
EventArgs) Handles BtnNew.Click
```

```
        frm_RegisteredPatient.ComboBoxBRGY.Text =  
Txtnamebarangay.Text
```

```
        If Txtnamebarangay.Text = "Bantayan" Then
```

```

        Dim sql As String
        Try
            sql = "select * from tblregistered"
            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "6660060054BY#"
        Catch ex As Exception

        End Try
        frm_RegisteredPatient.ShowDialog()
    ElseIf Txtnamebarangay.Text = "Binicuil" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"
            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "003112899BN#"
        Catch ex As Exception

        End Try
    End If
End Sub

```

```

        frm_RegisteredPatient.ShowDialog()
    ElseIf Txtnamebarangay.Text = "Camansi" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "102976CS#"
        Catch ex As Exception
        End Try
        frm_RegisteredPatient.ShowDialog()
    ElseIf Txtnamebarangay.Text = "Camingawan" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)

```

```

        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "100650CG#"
    Catch ex As Exception
    End Try
    frm_RegisteredPatient.ShowDialog()
ElseIf Txtnamebarangay.Text = "Camugao" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "4310650A#"
    Catch ex As Exception
    End Try
    frm_RegisteredPatient.ShowDialog()
ElseIf Txtnamebarangay.Text = "Carol-an" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"
        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)

```

```

        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "10650B#"
    Catch ex As Exception
    End Try
    frm_RegisteredPatient.ShowDialog()
ElseIf Txtnamebarangay.Text = "Daan Banua" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "910600D#"
    Catch ex As Exception
    End Try
    frm_RegisteredPatient.ShowDialog()
ElseIf Txtnamebarangay.Text = "Hilamonan" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"

```



```

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "210658H#"
    Catch ex As Exception
    End Try
    frm_RegisteredPatient.ShowDialog()
ElseIf Txtnamebarangay.Text = "Inapoy" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "0909910I#"
    Catch ex As Exception
    End Try
    frm_RegisteredPatient.ShowDialog()
ElseIf Txtnamebarangay.Text = "Linao" Then
    Dim sql As String

```

```

Try
    sql = "select * from tblregistered"
    Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
    Dim dt As New DataTable
    da.Fill(dt)
    frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "08880650L#"
Catch ex As Exception
End Try
frm_RegisteredPatient.ShowDialog()
ElseIf Txtnamebarangay.Text = "Locotan" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "12110680LT#"
    Catch ex As Exception
    End Try
    frm_RegisteredPatient.ShowDialog()

```

```

ElseIf Txtnamebarangay.Text = "Magballo" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"
        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "05650650M#"
    Catch ex As Exception
    End Try
    frm_RegisteredPatient.ShowDialog()
ElseIf Txtnamebarangay.Text = "Oringao" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "7787060000#"
    Catch ex As Exception

```

```

        End Try
    ElseIf Txtnamebarangay.Text = "Orong" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "323200500G#"
        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Pinaguinpinan"
Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)

```

```

        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "00023110PN#"

    Catch ex As Exception
    End Try

ElseIf Txtnamebarangay.Text = "5 (Pob.)" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "0045450POB5#"

    Catch ex As Exception
    End Try

ElseIf Txtnamebarangay.Text = "6 (Pob.)" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"
        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)

```

```

        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "1612000POB6#"
    Catch ex As Exception
    End Try
ElseIf Txtnamebarangay.Text = "7 (Pob.)" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"
        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "30003500POB7#"
    Catch ex As Exception
    End Try
ElseIf Txtnamebarangay.Text = "8 (Pob.)" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"
        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)

```

```

        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "3612300POB8#"

        Catch ex As Exception
        End Try

    ElseIf Txtnamebarangay.Text = "9 (Pob.)" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"
            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "22113200POB9#"

            Catch ex As Exception
            End Try

        ElseIf Txtnamebarangay.Text = "1 (Pob.)" Then
            Dim sql As String
            Try
                sql = "select * from tblregistered"

                Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
                Dim dt As New DataTable
                da.Fill(dt)

```

```

        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "000847400POB1#"

        Catch ex As Exception

        End Try

    ElseIf Txtnamebarangay.Text = "1 (Pob.)" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"
            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "000847400POB1#"
        Catch ex As Exception
        End Try

    ElseIf Txtnamebarangay.Text = "2 (Pob.)" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable

```



```

        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "0999110POB2#"
    Catch ex As Exception
    End Try
ElseIf Txtnamebarangay.Text = "3 (Pob.)" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "0777232POB3#"
    Catch ex As Exception
    End Try
ElseIf Txtnamebarangay.Text = "4 (Pob.)" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)

```

```

        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "03312080POB4#"
    Catch ex As Exception
    End Try
ElseIf Txtnamebarangay.Text = "Salong()" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "11001211SL#"
    Catch ex As Exception
    End Try
ElseIf Txtnamebarangay.Text = "Tabugon" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"

```

```

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "231100TB#"
    Catch ex As Exception
    End Try
ElseIf Txtnamebarangay.Text = "Tagoc" Then
    Dim sql As String
    Try
        sql = "select * from tblpatientlist"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "0322222TC#"
    Catch ex As Exception
    End Try
ElseIf Txtnamebarangay.Text = "Talubangi" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"

```

```

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "4404214TB#"
    Catch ex As Exception
    End Try
ElseIf Txtnamebarangay.Text = "Tampalon" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "75555TL#"
    Catch ex As Exception
    End Try
ElseIf Txtnamebarangay.Text = "Tan-Awan" Then
    Dim sql As String
    Try

```

```

        sql = "select * from tblregisteredt"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "78780000TL#"
        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Tapi" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "033660TPI#"
            Catch ex As Exception
            End Try
        ElseIf Txtnamebarangay.Text = "Tagukon" Then
            Dim sql As String

```

```

        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "0000777TK#"
        Catch ex As Exception
        End Try
    End If

```

```

    frm_RegisteredPatient.ShowDialog()

```

```

End Sub

```

```

Private Sub btnSched_Click(ByVal sender As Object,
ByVal e As EventArgs) Handles btnSched.Click
    frm_PatientBasicInfo.ComboBoxPH_M.Enabled =
False
    frm_PatientBasicInfo.ComboBoBarangay.Enabled =
False

```

```
frm_PatientBasicInfo.ComboBox4PS.Enabled =  
False  
frm_PatientBasicInfo.ComboBoxDSWD.Enabled =  
False  
frm_PatientBasicInfo.ComboBoxEmploye.Enabled =  
False  
frm_PatientBasicInfo.ComboBoxPosistion.Enabled  
= False  
frm_PatientBasicInfo.ComboBoxPtype.Enabled =  
False  
frm_PatientBasicInfo.Combocivil.Enabled = False  
frm_PatientBasicInfo.Combomode.Enabled = False  
frm_PatientBasicInfo.ComboBoxPCB.Enabled =  
False  
frm_PatientBasicInfo.Comboeducation.Enabled =  
False  
frm_PatientBasicInfo.ComboxIndecatthe.Enabled =  
False  
frm_PatientBasicInfo.ComboBonatureofvisit.Text  
= False  
frm_PatientBasicInfo.Combostatustype.Enabled =  
False  
frm_PatientBasicInfo.txtbp.Enabled = False  
frm_PatientBasicInfo.txtCM.Enabled = False  
frm_PatientBasicInfo.txtage.Enabled = False
```

```
        frm_PatientBasicInfo.txthouseholdNO.Enabled =  
False
```

```
        frm_PatientBasicInfo.txtfacilityhouseholdNO.Enabled =  
False
```

```
        frm_PatientBasicInfo.txtphilhealthNO.Enabled =  
False
```

```
        frm_PatientBasicInfo.txtNameAT.Enabled = False
```

```
        frm_PatientBasicInfo.txttmp.Enabled = False
```

```
        frm_PatientBasicInfo.txtadress.Enabled = False
```

```
        frm_PatientBasicInfo.ShowDialog()
```

```
End Sub
```

```
Private Sub btnexit_Click(ByVal sender As Object,  
ByVal e As EventArgs) Handles btnexit.Click  
    Me.Close()
```

```
End Sub
```

```
Private Sub PictureBox3_Click(ByVal sender As  
Object, ByVal e As EventArgs)
```

```
End Sub
```



```
Private Sub Txtnamebarangay_Click(ByVal sender As  
Object, ByVal e As EventArgs) Handles  
Txtnamebarangay.Click
```

```
End Sub
```

```
Private Sub  
dtgbarangyasearch_CellContentClick(ByVal sender As  
Object, ByVal e As DataGridViewCellEventArgs) Handles  
dtgbarangyasearch.CellContentClick  
    Dim dt As New DataTable  
    Dim cmd As New MySqlCommand  
    Dim sql As String  
    For Each CheckBox As DataGridViewRow In  
dtgbarangyasearch.Rows  
        CheckBox.Cells(0).Value = False  
        If  
CheckBox.Cells(0).DataGridView.CurrentRow.Cells(0).RowI  
ndex = CheckBox.Cells(0).RowIndex = True Then  
            frm_PatientBasicInfo.TXTidno.Text =  
dtgbarangyasearch.CurrentRow.Cells(1).Value  
            BtnID_Click(sender, e)  
        Try
```

```

        sql = "Select * from tblpcho where
PCNO like '" & frm_PatientBasicInfo.TXTidno.Text & "%'"
        'sql = "SELECT * from
tblbasicinfo;"

        connect.Open()
        With cmd
            .CommandText = sql
            .Connection = connect()
        End With
        da.SelectCommand = cmd
        da.Fill(dt)
        frm_PatientBasicInfo.txttct.Text =
dt.Rows(0).Item("ID")
        Catch ex As Exception
        Finally
            connect.Close()
        End Try
    Else
        CheckBox.Cells(0).Value = False

    End If

Next

```

End Sub

Private Sub

btngetPantientregistredInfoYeee_Click(ByVal sender As
Object, ByVal e As EventArgs)

Dim cmd As New MySqlCommand

Dim sql As String

Dim dt As New DataTable

Try

sql = "Select * from tblregistered where
PCNO like '" & frm_PatientBasicInfo.TXTidno.Text & "%'"

'sql = "SELECT * from tblbasicinfo;"

connect.Open()

With cmd

.CommandText = sql

.Connection = connect()

End With

da.SelectCommand = cmd

da.Fill(dt)

frm_PatientBasicInfo.Lbcontrol.Text =
dt.Rows(0).Item("O_N")

frm_PatientBasicInfo.LBLname.Text =
dt.Rows(0).Item("Fn")

```

        frm_PatientBasicInfo.LBMname.Text =
dt.Rows(0).Item("Mn")
        frm_PatientBasicInfo.LBPname.Text =
dt.Rows(0).Item("Ln")
        frm_PatientBasicInfo.LBGender.Text =
dt.Rows(0).Item("Gender")
        frm_PatientBasicInfo.ComboBoBarangay.Text =
dt.Rows(0).Item("BRGY")
        frm_PatientBasicInfo.txtadress.Text =
dt.Rows(0).Item("ADDSS")
        frm_PatientBasicInfo.LBdatebirth.Text =
dt.Rows(0).Item("DB")
        frm_PatientBasicInfo.LbbirthPlace.Text =
dt.Rows(0).Item("DP")
        frm_PatientBasicInfo.Lbbloodtype.Text =
dt.Rows(0).Item("BTYPE")
    Catch ex As Exception
    Finally
        connect.Close()

    End Try
End Sub

```

```

Private Sub BtnID_Click(ByVal sender As Object,
ByVal e As EventArgs) Handles BtnID.Click

```

```

Dim dt As New DataTable
Dim cmd As New MySqlCommand
Dim sql As String
Try
    sql = "Select * from tblregistered where
PCNO like '" & frm_PatientBasicInfo.TXTidno.Text & "%'"
    'sql = "SELECT * from tblbasicinfo;"
    connect.Open()
    With cmd
        .CommandText = sql
        .Connection = connect()
    End With
    da.SelectCommand = cmd
    da.Fill(dt)
    frm_PatientBasicInfo.TXTIDNOREgiatered.Text
= dt.Rows(0).Item("ID")
Catch ex As Exception
Finally
    connect.Close()
End Try
BtnrelatedInfo_Click(sender, e)
End Sub

```

```

Private Sub BtnrelatedInfo_Click(ByVal sender As
Object, ByVal e As EventArgs) Handles
BtnrelatedInfo.Click

    Dim cmd As New MySqlCommand
    Dim sql As String
    Dim dt As New DataTable

    Try
        sql = "Select * from tblpralatedinfo where
PCNO like '" & frm_PatientBasicInfo.TXTidno.Text &
"%"
        connect.Open()
        With cmd
            .CommandText = sql
            .Connection = connect()
        End With
        da.SelectCommand = cmd
        da.Fill(dt)
        frm_PatientBasicInfo.txtage.Text =
dt.Rows(0).Item("Age")
        frm_PatientBasicInfo.Combocivil.Text =
dt.Rows(0).Item("CVS")
    
```

```
        frm_PatientBasicInfo.txtcontact.Text =  
dt.Rows(0).Item("CONT#")
```

```
    Catch ex As Exception
```

```
    Finally
```

```
        connect.Close()
```

```
    End Try
```

```
End Sub
```

```
Private Sub btnMessage_Click(ByVal sender As  
Object, ByVal e As EventArgs) Handles btnMessage.Click
```

```
    'frm_Message.Lbsender.Text =  
Txtnamebarangay.Text
```

```
    'frm_Message.ShowDialog()
```

```
    frm_reply.ShowDialog()
```

```
End Sub
```

```
Private Sub CheckBox1_CheckedChanged(ByVal sender  
As Object, ByVal e As EventArgs)
```

```
End Sub
```

```
Private Sub txtnotifi_TextChanged(ByVal sender As  
Object, ByVal e As EventArgs) Handles  
txtnotifi.TextChanged
```

```
End Sub
```

```
Private Sub RadioButtonOnline_CheckedChanged(ByVal  
sender As Object, ByVal e As EventArgs) Handles  
RadioButtonOnline.CheckedChanged
```

```
    If RadioButtonOnline.Checked = True Then
```

```
        PanelMessage.Visible = True
```

```
        PanelMessage.Size = New Size(890, 133)
```

```
        mySelectQuery("Select * from tblmessage  
where Sendto Like '" & Txtnamebarangay.Text & "%' and  
DC Like '" & DateTimePicker1.Text & "%'")
```

```
        LoadData(dtgnotification, "Activity")
```

```
        mySelectQuery("SELECT `ID`, `Sendto`,  
`Sender_Name`, `Message`, `Time`, `DC`) FROM  
`tblmessage` WHERE 1")
```

```
    If txtnotifi.Text = Txtnamebarangay.Text =  
True Then
```

```
        MsgBox("You Have Message")
```

```
    End If
```



```
Else
    MsgBox("No Message Show!!")
    PanelMessage.Visible = False
End If
If RadioButtonOnline.Checked = False Then
    PanelMessage.Visible = False
End If
```

```
End Sub
```

```
Private Sub RadioButtonLogooof_CheckedChanged(ByVal sender As Object, ByVal e As EventArgs) Handles RadioButtonLogooof.CheckedChanged
    If RadioButtonLogooof.Checked = True Then
        PanelMessage.Size = New Size(890, 21)
        PanelMessage.Visible = False
        MsgBox("Logoff Notificatio!!")
    End If
End Sub
```

```
Private Sub btnreplay_Click(ByVal sender As Object, ByVal e As EventArgs) Handles btnreplay.Click
    PanelMessage.Visible = False
    frm_Message.ShowDialog()
End Sub
```

```
Private Sub btnhistory_Click(ByVal sender As  
Object, ByVal e As EventArgs) Handles btnhistory.Click  
    Frm_History.ShowDialog()  
End Sub
```

```
Private Sub lbtime_Click(ByVal sender As Object,  
ByVal e As EventArgs) Handles lbtime.Click  
  
End Sub
```

```
Private Sub lbtime_TextAlignChanged(ByVal sender As  
Object, ByVal e As EventArgs) Handles  
lbtime.TextAlignChanged  
  
End Sub
```

```
Private Sub frm_Barangay_MouseMove(ByVal sender As  
Object, ByVal e As MouseEventArgs) Handles Me.MouseMove  
  
End Sub
```

```
Private Sub  
ComboxBrangay_SelectedIndexChanged(ByVal sender As
```

Object, ByVal e As EventArgs) Handles

ComboxBrangay.SelectedIndexChanged

```
If Txtnamebarangay.Text = "Bantayan" Then
    MsgBox("You Have Message From Banttayan")
    frm_reply.ShowDialog()
ElseIf Txtnamebarangay.Text = "Binicuil" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Camansi" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Camingawan" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Camugao" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Carol-an" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Daan Banua" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Hilamonan" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Inapoy" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Linao" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Locotan" Then
    MsgBox("You Have Message From Binicuil")
```

```
ElseIf Txtnamebarangay.Text = "Magballo" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Oringao" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Orong" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Pinaguinpinan"
Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "5 (Pob.)" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "6 (Pob.)" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "7 (Pob.)" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "8 (Pob.)" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "9 (Pob.)" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "1 (Pob.)" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "1 (Pob.)" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "2 (Pob.)" Then
    MsgBox("You Have Message From Binicuil")
```

```
ElseIf Txtnamebarangay.Text = "3 (Pob.)" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "4 (Pob.)" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Salong()" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Tabugon" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Tagoc" Then
    MsgBox("You Have Message From Binicuil")
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Talubangi" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Tampalon" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Tan-Awan" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Tapi" Then
    MsgBox("You Have Message From Binicuil")
ElseIf Txtnamebarangay.Text = "Tagukon" Then
    MsgBox("You Have Message From Binicuil")
End If
```

```
End Sub
```

```

Private Sub txtseacrhbarangay_TextChanged(sender As
Object, e As EventArgs) Handles
txtseacrhbarangay.TextChanged
    mySelectQuery("Select * from tblregistered
where PCNO Like '" & txtseacrhbarangay.Text & "%'")
    LoadData(dtgbarangyasearch, "tblsearch2")
    mySelectQuery("SELECT `ID`, `PCNO`, `Fn`, `Mn`,
`Ln`, `Gender`, `O_N`, `BRGY`, `ADDSS`)FROM
`tblregistered` WHERE 1")
End Sub

```

```

Private Sub btnPrint_Click(sender As Object, e As
EventArgs) Handles btnPrint.Click

```

```

    'frm_m1.ShowDialog()
    'myreporting("Select * From `tblregistered`,
"reoportID")
    With frmreports
        .Show()
        .Focus()
    End With

```

```

End Sub

```

```
End Class
```

```
Imports MySql.Data.MySqlClient
```

```
Public Class frm_Getcode
```

```
    Private Sub
```

```
btngetPantientregistredInfoYeee_Click(sender As Object,  
e As EventArgs)
```

```
End Sub
```

```
    Private Sub frm_Getcode_Load(sender As Object, e As  
EventArgs) Handles MyBase.Load
```

```
        TimerLoad.Start()
```

```
        Lbtime.Text = 0
```

```
End Sub
```

```
    Private Sub TimerLoad_Tick(sender As Object, e As  
EventArgs) Handles TimerLoad.Tick
```

```
        Progressload.Value += 5
```

```
        Lbtime.Text += 1
```

```
        If Lbtime.Text = "20" Then
```

```
            TimerLoad.Stop()
```

```
            Progressload.Value = 100
```

```
        End If
```

```
If Txtnamebarangay.Text = "CHO Office" Then
```

```
    If Progressload.Value = 95 Then
```

```
        Btnregisrt_Click(sender, e)
```

```
        Dim sql As String
```

```
        sql = "INSERT INTO `tblpvital` " & _  
              "(`PCSN`, `DC`, `BP`, `TMP`,  
`KG`, `CM`, `NV`, `MT`, `RF_FRM`, `RF_TO`, `RF_BY`,  
`RSN`) " & _
```

```
              " VALUES ('" &  
frm_PatientBasicInfo.TXTidno.Text & "', '" &  
frm_PatientBasicInfo.DateTimePickeryear.Text & "', '" &  
frm_PatientBasicInfo.txtbp.Text & "', '" &  
frm_PatientBasicInfo.txttmp.Text & _  
              " ', '" &  
frm_PatientBasicInfo.txtKG.Text & "', '" &  
frm_PatientBasicInfo.txtCM.Text & "', '" &  
frm_PatientBasicInfo.ComboBonatureofvisit.Text & "', '"  
& frm_PatientBasicInfo.Combomode.Text & _  
              " ', '" &  
frm_PatientBasicInfo.txtreferredfrom.Text & "', '" &  
frm_PatientBasicInfo.txtreferredto.Text & "', '" &  
frm_PatientBasicInfo.txtreferredby.Text & "', '" &  
frm_PatientBasicInfo.txtresonreferral.Text & "');"  
        myInsert(sql)
```



```

        sql = "INSERT INTO `tbl livelihood` " &
        _
            "(" `PCNO` , `DC` , `4PS` , `PH_M` ,
            `PCB` , `DSWD` , `HS_NO` , `EM_S` , `FH_NO` , `PH_NO` , `PF` ,
            `ED_T` , `N_AT` , `ST` ) " & _
            " VALUES ('" &
            frm_PatientBasicInfo.TXTidno.Text & "','" &
            frm_PatientBasicInfo.DateTimePickeryear.Text & "','" &
            frm_PatientBasicInfo.ComboBox4PS.Text & "','" &
            frm_PatientBasicInfo.ComboBoxPH_M.Text & _
            "','" &
            frm_PatientBasicInfo.ComboBoxPCB.Text & "','" &
            frm_PatientBasicInfo.ComboBoxDSWD.Text & _
            "','" &
            frm_PatientBasicInfo.txthouseholdNO.Text & "','" &
            frm_PatientBasicInfo.ComboBoxEmploye.Text & "','" &
            frm_PatientBasicInfo.txtfacilityhouseholdNO.Text &
            "','" & frm_PatientBasicInfo.txtphilhealthNO.Text & _
            "','" &
            frm_PatientBasicInfo.ComboBoxPosistion.Text & "','" &
            frm_PatientBasicInfo.Comboeducation.Text & "','" &
            frm_PatientBasicInfo.txtNameAT.Text & "','" &
            frm_PatientBasicInfo.Combostatustype.Text & "');";
        myInsert(sql)

```

```
        MsgBox("Sending Patient Information  
Success")
```

```
        TimerLoad.Stop()
```

```
        Progressload.Value = 100
```

```
    End If
```

```
End If
```

```
End Sub
```

```
Private Sub Button1_Click(sender As Object, e As  
EventArgs)
```

```
End Sub
```

```
Private Sub Btncancel_Click(sender As Object, e As  
EventArgs) Handles Btncancel.Click
```

```
    frm_PatientBasicInfo.TXTidno.Clear()
```

```
    frm_PatientBasicInfo.ComboBoBarangay.ResetText()
```

```
    frm_PatientBasicInfo.ComboBoxPtype.ResetText()
```

```
    frm_PatientBasicInfo.txtcontact.Clear()
```

```
    frm_PatientBasicInfo.Combocivil.ResetText()
```

```
    frm_PatientBasicInfo.txtage.Clear()
```

```
frm_PatientBasicInfo.txtreferredby.Clear()  
frm_PatientBasicInfo.txtreferredto.Clear()  
frm_PatientBasicInfo.txtreferredfrom.Clear()  
frm_PatientBasicInfo.txtresonreferral.Clear()  
frm_PatientBasicInfo.LBPname.Text = "No Data"  
frm_PatientBasicInfo.LBMname.Text = "No Data"  
frm_PatientBasicInfo.LBLname.Text = "No Data"  
frm_PatientBasicInfo.LBGender.Text = "No Data"  
frm_PatientBasicInfo.LBdatebirth.Text = "No
```

Data"

```
frm_PatientBasicInfo.LbbirthPlace.Text = "No
```

Data"

```
frm_PatientBasicInfo.Lbbloodtype.Text = "No
```

Data"

```
frm_PatientBasicInfo.txtadress.Clear()  
frm_PatientBasicInfo.ComboBoxPCB.ResetText()  
frm_PatientBasicInfo.ComboBox4PS.ResetText()  
frm_PatientBasicInfo.ComboBoxDSWD.ResetText()
```

```
frm_PatientBasicInfo.ComboBoxEmploye.ResetText()
```

```
frm_PatientBasicInfo.ComboBoxPH_M.ResetText()
```

```
frm_PatientBasicInfo.Comboeducation.ResetText()
```

```
frm_PatientBasicInfo.ComboxIndecatte.ResetText()
```

```
frm_PatientBasicInfo.Combomode.ResetText()
```

```
frm_PatientBasicInfo.ComboBonatureofvisit.ResetText()
```

```
    frm_PatientBasicInfo.Combomode.ResetText()
```

```
frm_PatientBasicInfo.ComboBoxPosistion.ResetText()
```

```
frm_PatientBasicInfo.Combostatustype.ResetText()
```

```
    frm_PatientBasicInfo.txtdiagnose.Clear()
```

```
    frm_PatientBasicInfo.txttmp.Clear()
```

```
    frm_PatientBasicInfo.txtKG.Clear()
```

```
    frm_PatientBasicInfo.txtCM.Clear()
```

```
    frm_PatientBasicInfo.txtMED_TRET.Clear()
```

```
    frm_PatientBasicInfo.txtLFI.Clear()
```

```
    frm_PatientBasicInfo.txtphilhealthNO.Clear()
```

```
frm_PatientBasicInfo.txtnameofhealthcaareprovider.Clear  
( )
```

```
frm_PatientBasicInfo.txtchiefcomplainants.Clear()
```

```
    Me.Close()
```

```
    frm_PatientBasicInfo.Close()
```

```
End Sub
```

```
Private Sub Btnregisrt_Click(sender As Object, e As  
EventArgs) Handles Btnregisrt.Click
```

```
Dim sql As String
```

```
Dim cmd As New MySqlCommand
```

```
Dim dt As New DataTable
```

```
Try
```

```
    sql = "UPDATE `tblpreregistered` SET  
`PCNO`='" & frm_PatientBasicInfo.TXTidno.Text &  
"' , `Fn`='" & frm_PatientBasicInfo.LBPname.Text &  
"' , `Mn`='" & frm_PatientBasicInfo.LBMname.Text &  
"' , `Ln`='" & frm_PatientBasicInfo.LBLname.Text &  
"' , `Gender`='" & frm_PatientBasicInfo.LBGender.Text &  
"' , `O_N`='" & frm_PatientBasicInfo.LBcomplete.Text &  
"' , `BRGY`='" &  
frm_PatientBasicInfo.ComboBoBarangay.Text &  
"' , `ADDSS`='" & frm_PatientBasicInfo.txtadress.Text &  
"' , `DC`='" &  
frm_PatientBasicInfo.DateTimePickeryear.Text &  
"' , `DB`='" & frm_PatientBasicInfo.LBdatebirth.Text &  
"' , `DP`='" & frm_PatientBasicInfo.LbbirthPlace.Text &  
"' , `BTYP`='" & frm_PatientBasicInfo.Lbbloodtype.Text &  
"' WHERE `ID`=" &  
frm_PatientBasicInfo.TXTIDNOREgiatered.Text  
    connect.Open()
```

```
With cmd
    .CommandText = sql
    .Connection = connect()

End With

da.SelectCommand = cmd
da.Fill(dt)

Catch ex As Exception
    MsgBox(ex.Message)

Finally
    connect.Close()

End Try

Btnupcho_Click(sender, e)
End Sub
```

```
Private Sub Btnupcho_Click(sender As Object, e As
EventArgs) Handles Btnupcho.Click
    Dim cmd As New MySqlCommand
    Dim sql As String
    Dim dt As New DataTable
```

Try

```
sql = "UPDATE `tblpcho` SET `PCNO`='" &  
frm_PatientBasicInfo.TXTidno.Text & "',`DC`='" &  
frm_PatientBasicInfo.DateTimePickeryear.Text &  
"',`Fn`='" & frm_PatientBasicInfo.LBPname.Text &  
"',`Mn`='" & frm_PatientBasicInfo.LBMname.Text &  
"',`Ln`='" & frm_PatientBasicInfo.LBLname.Text &  
"',`Gender`='" & frm_PatientBasicInfo.LBGender.Text &  
"',`Age`='" & frm_PatientBasicInfo.txtage.Text &  
"',`CNTP`='" & frm_PatientBasicInfo.ComboBoxPtype.Text  
& "',`MT`='" & frm_PatientBasicInfo.Combomode.Text &  
"',`NT`='" &  
frm_PatientBasicInfo.ComboBonatureofvisit.Text &  
"',`BRGY`='" &  
frm_PatientBasicInfo.ComboBoBarangay.Text &  
"',`CNST`='" & frm_PatientBasicInfo.LBdiagnoses.Text &  
"' WHERE `ID`=" & frm_PatientBasicInfo.txttct.Text  
connect.Open()
```

With cmd

```
.CommandText = sql  
.Connection = connect()
```

End With

```
da.SelectCommand = cmd
```

```
da.Fill(dt)
```

```
Catch ex As Exception
```

```
MsgBox(ex.Message)
```

```
Finally
```

```
connect.Close()
```

```
End Try
```

```
BNTUSEINFO_Click(sender, e)
```

```
End Sub
```

```
Private Sub BNTUSEINFO_Click(sender As Object, e As  
EventArgs) Handles BNTUSEINFO.Click
```

```
Dim cmd As New MySqlCommand
```

```
Dim sql As String
```

```
Dim dt As New DataTable
```

```
Try
```

```
sql = "UPDATE `tblusepinfo` SET `PCNO`='" &  
frm_PatientBasicInfo.TXTidno.Text & "',`DNS`='" &  
frm_PatientBasicInfo.txtdiagnose.Text & "',`MT`='" &  
frm_PatientBasicInfo.txtMED_TRET.Text & "',`LFI`='" &  
frm_PatientBasicInfo.txtLFI.Text & "',`PLT`='" &  
frm_PatientBasicInfo.txtPerformlab.Text & "',`NHCP`='"
```



```

&
frm_PatientBasicInfo.txtnameofhealthcaareprovider.Text
& "'",`CC`=" &
frm_PatientBasicInfo.txtchiefcomplainants.Text &
"',`IND_M`=' " &
frm_PatientBasicInfo.ComboxIndecatte.Text & "'",`4PS`=' "
& frm_PatientBasicInfo.ComboBox4PS.Text & "'",`PH_M`=' "
& frm_PatientBasicInfo.ComboBoxPH_M.Text & "'",`PCB`=' "
& frm_PatientBasicInfo.ComboBoxPCB.Text & "'",`DSWD`=' "
& frm_PatientBasicInfo.ComboBoxDSWD.Text &
"',`HS_NO`=' " &
frm_PatientBasicInfo.txthouseholdNO.Text &
"',`PH_NO`=' " &
frm_PatientBasicInfo.txtphilhealthNO.Text & "'",`PF`=' "
& frm_PatientBasicInfo.ComboBoxPosistion.Text &
"',`ED_T`=' " &
frm_PatientBasicInfo.ComboxIndecatte.Text & "'",`NT`=' "
& frm_PatientBasicInfo.txtNameAT.Text & "'",`ST`=' " &
frm_PatientBasicInfo.Combostatustype.Text & "'" Where
`D`=" & frm_PatientBasicInfo.txtiduseinfo.Text
        myupdate(sql)
        connect.Open()
        With cmd
            .CommandText = sql
            .Connection = connect()

```

End With

da.SelectCommand = cmd

da.Fill(dt)

Catch ex As Exception

MsgBox(ex.Message)

Finally

connect.Close()

End Try

Btncancel_Click(sender, e)

End Sub

End Class

Public Class Frm_History

Private Sub Label1_Click(sender As Object, e As
EventArgs) Handles Label1.Click

End Sub

Private Sub btnview_Click(sender As Object, e As
EventArgs) Handles btnview.Click

```
mySelectQuery("Select * from tblregistered")  
LoadData(dtgHistory, "PtientLoadHistory1")  
mySelectQuery("SELECT `ID`, `PCNO`, `Fn`,  
`Mn`, `Ln`, `Gender`, `O_N`, `BRGY`, `ADDSS`, `DC`,  
`DB`, `DP`, `BTYP` )FROM `tblregistered` WHERE 1")  
End Sub
```

```
Private Sub  
BunifuCustomDataGrid1_CellContentClick(sender As  
Object, e As DataGridViewCellEventArgs) Handles  
dtgHistory.CellContentClick
```

```
End Sub
```

```
Private Sub Panel4_Paint(sender As Object, e As  
PaintEventArgs)
```

```
End Sub
```

```
Private Sub BunifuCustomLabel13_Click(sender As  
Object, e As EventArgs) Handles  
BunifuCustomLabel13.Click
```

```
End Sub
```

End Class

Imports MySql.Data.MySqlClient

Public Class Frm_Load

Public con As MySqlConnection = connect()

Dim cmd As New MySqlCommand

Dim da As New MySqlDataAdapter

Dim dbreader As MySqlDataReader

Dim ds As DataSet

Dim dt As New DataTable

Dim sql As String

Private Sub Timer2_Tick(sender As Object, e As
EventArgs)

End Sub

Private Sub TimerLoad_Tick(sender As Object, e As
EventArgs) Handles TimerLoad.Tick

Progressload.Value += 5

Lbtime.Text += 1

If Lbtime.Text = "20" Then

TimerLoad.Stop()

Progressload.Value = 100

End If

If Progressload.Value = 95 Then

```

        If Txtnamebarangay.Text = "Creating
Patient.ID" Then

End If

Dim sql As String
sql = "INSERT INTO `tblpregristered` " & _
      "(`PCNO`, `Fn`, `Mn`, `Ln`, `Gender`,
`O_N`, `BRGY`, `ADDSS`, `DC`, `DB`, `DP`, `BTYP`)" & _
      " VALUES ('" &
frm_RegisteredPatient.txtidno.Text & "', '" &
frm_RegisteredPatient.txtfaname.Text & "', '" &
frm_RegisteredPatient.txtmmname.Text & "', '" &
frm_RegisteredPatient.txtlname.Text & _
      " ', '" &
frm_RegisteredPatient.ComboBoxGender.Text & "', '" &
frm_RegisteredPatient.Lbbrangaydata.Text & "', '" &
frm_RegisteredPatient.ComboBoxBRGY.Text & "', '" &
frm_RegisteredPatient.txtadd.Text & _
      " ', '" &
frm_RegisteredPatient.DateTimePicker1.Text & "', '" &
frm_RegisteredPatient.DateTimePickerbirth.Text & "', '"
& frm_RegisteredPatient.txtBp.Text & "', '" &
frm_RegisteredPatient.txtbtp.Text & "');";

```

```

myInsert(sql)
sql = "INSERT INTO `tblpcho` " & _
      "(`PCNO`, `DC`, `Fn`, `Mn`, `Ln`,
`Gender`, `Age`, `CNP`, `MT`, `NT`, `BRGY`, `CNST`) "
& _
      " VALUES ('" &
frm_RegisteredPatient.txtidno.Text & "', '" &
frm_RegisteredPatient.DateTimePicker1.Text & "', '" &
frm_RegisteredPatient.txtfname.Text & "', '" &
frm_RegisteredPatient.txtmmname.Text & _
      "', '" &
frm_RegisteredPatient.txtlname.Text & "', '" &
frm_RegisteredPatient.ComboBoxGender.Text & "', '" &
frm_RegisteredPatient.txtage.Text & "', '" &
frm_PatientBasicInfo.ComboBoxPtype.Text & _
      "', '" &
frm_RegisteredPatient.LbChodata.Text & "', '" &
frm_RegisteredPatient.LbChodata.Text & "', '" &
frm_RegisteredPatient.ComboBoxBRGY.Text & "', '" &
frm_RegisteredPatient.Lbbrangaydata.Text & "'); "
myInsert(sql)
sql = "INSERT INTO `tblPhotos` " & _
      " (`Pc#`, `Photos`, `Date_Created`) " &
_

```

```

        " VALUES ('" &
frm_RegisteredPatient.txtidno.Text & "',''" &
frm_RegisteredPatient.PictureBoxPatientimage.BackgroundImageLayout & "',''" &
frm_RegisteredPatient.DateTimePicker1.Text & "');"
```

myInsert(sql)

```

sql = "INSERT INTO `tblpralatedinfo` " & _
      " (`PCNO`, `Age`, `CVS`, `CONT#`, `DC`)"
" & _

        " VALUES ('" &
frm_RegisteredPatient.txtidno.Text & "',''" &
frm_RegisteredPatient.txtage.Text & "',''" &
frm_RegisteredPatient.ComboBoxCivil.Text & "',''" &
frm_RegisteredPatient.btnContactNUMBER.Text & "',''" &
frm_RegisteredPatient.DateTimePicker1.Text & "');"
```

myInsert(sql)

```

TimerLoad.Stop()
Progressload.Value = 100
frm_RegisteredPatient.txtfname.Clear()
frm_RegisteredPatient.txtlname.Clear()
frm_RegisteredPatient.txtmmname.Clear()
frm_RegisteredPatient.txtage.Clear()

frm_RegisteredPatient.ComboBoxGender.ResetText()
```

```
frm_RegisteredPatient.ComboBoxCivil.ResetText()
```

```
frm_RegisteredPatient.btnContactNUMBER.Clear()
```

```
frm_RegisteredPatient.ComboBoxBRGY.ResetText()
```

```
frm_RegisteredPatient.DateTimePickerbirth.Refresh()
```

```
    frm_RegisteredPatient.txtbtp.Clear()
```

```
    frm_RegisteredPatient.txtBp.Clear()
```

```
    frm_RegisteredPatient.txtadd.Clear()
```

```
    frm_RegisteredPatient.txtadd.Text =
```

```
    "Kabankalan City Negross Occidental"
```

```
    frm_RegisteredPatient.ComboBoxBRGY.Text =
```

```
    frm_Barangay.Txtnamebarangay.Text
```

```
    MsgBox("Patient Registered Success")
```

```
    Btncancel_Click(sender, e)
```

```
End If
```

```
If Txtnamebarangay.Text = "CHO Office" Then
```

```
    If Progressload.Value = 95 Then
```

```
        btnup_Click(sender, e)
```

```
        sql = "INSERT INTO `tblusepinfo` " & _
```



```
        "(" & PCNO & ", " & DNS & ", " & MT & ", " & LFI & ",  
        PLT & ", " & NHCP & ", " & CC & ", " & IND_M & ", " & 4PS & ", " & PH_M & ", " & PCB & ",  
        DSWD & ", " & HS_NO & ", " & FH_NO & ", " & PH_NO & ", " & PF & ", " & ED_T & ", " & NT & ",  
        ST & ") " & _
```

```
        " VALUES ('" &  
        frm_PatientBasicInfo.TXTidno.Text & "', '" &  
        frm_PatientBasicInfo.txtdiagnose.Text & "', '" &  
        frm_PatientBasicInfo.txtMED_TRET.Text & "', '" &  
        frm_PatientBasicInfo.txtLFI.Text & _  
        "', '" &  
        frm_PatientBasicInfo.txtPerformlab.Text & "', '" &  
        frm_PatientBasicInfo.txtnameofhealthcaareprovider.Text  
        & "', '" &  
        frm_PatientBasicInfo.txtchiefcomplainants.Text & "', '"  
        & frm_PatientBasicInfo.ComboxIndecatte.Text & _  
        "', '" &  
        frm_PatientBasicInfo.ComboBox4PS.Text & "', '" &  
        frm_PatientBasicInfo.ComboBoxPH_M.Text & "', '" &  
        frm_PatientBasicInfo.ComboBoxPCB.Text & "', '" &  
        frm_PatientBasicInfo.ComboBoxDSWD.Text & _  
        "', '" &  
        frm_PatientBasicInfo.txthouseholdNO.Text & "', '" &  
        frm_PatientBasicInfo.txtfacilityhouseholdNO.Text &  
        "', '" & frm_PatientBasicInfo.txtphilhealthNO.Text &  
        "', '" & frm_PatientBasicInfo.ComboBoxPosistion.Text & _
```

```

        "',' &
frm_PatientBasicInfo.Comboeducation.Text & "',' &
frm_PatientBasicInfo.txtNameAT.Text & "',' &
frm_PatientBasicInfo.Combostatustype.Text & ');"
        myInsert(sql)
        sql = "INSERT INTO `tblpvital` " & _
            "(`PCSN`, `DC`, `BP`, `TMP`, `KG`,
`CM`, `NV`, `MT`, `RF_FRM`, `RF_TO`, `RF_BY`, `RSN`) "
& _
            " VALUES ('" &
frm_PatientBasicInfo.TXTidno.Text & "',' &
frm_PatientBasicInfo.DateTimePickeryear.Text & "',' &
frm_PatientBasicInfo.txtbp.Text & "',' &
frm_PatientBasicInfo.txttmp.Text & _
            "',' &
frm_PatientBasicInfo.txtKG.Text & "',' &
frm_PatientBasicInfo.txtCM.Text & "',' &
frm_PatientBasicInfo.ComboBonatureofvisit.Text & "',' &
& frm_PatientBasicInfo.Combomode.Text & _
            "',' &
frm_PatientBasicInfo.txtreferredfrom.Text & "',' &
frm_PatientBasicInfo.txtreferredto.Text & "',' &
frm_PatientBasicInfo.txtreferredby.Text & "',' &
frm_PatientBasicInfo.txtresonreferral.Text & ');"
        myInsert(sql)

```

```

        sql = "INSERT INTO `tbl livelihood` " &
        _
            "(`PCNO`, `DC`, `4PS`, `PH_M`,
`PCB`, `DSWD`, `HS_NO`, `EM_S`, `FH_NO`, `PH_NO`, `PF`,
`ED_T`, `N_AT`, `ST`) " & _
            " VALUES ('" &
frm_PatientBasicInfo.TXTidno.Text & "',''" &
frm_PatientBasicInfo.DateTimePickeryear.Text & "',''" &
frm_PatientBasicInfo.ComboBox4PS.Text & "',''" &
frm_PatientBasicInfo.ComboBoxPH_M.Text & _
            "',''" &
frm_PatientBasicInfo.ComboBoxPCB.Text & "',''" &
frm_PatientBasicInfo.ComboBoxDSWD.Text & _
            "',''" &
frm_PatientBasicInfo.txthouseholdNO.Text & "',''" &
frm_PatientBasicInfo.ComboBoxEmploye.Text & "',''" &
frm_PatientBasicInfo.txtfacilityhouseholdNO.Text &
 "',''" & frm_PatientBasicInfo.txtphilhealthNO.Text & _
            "',''" &
frm_PatientBasicInfo.ComboBoxPosistion.Text & "',''" &
frm_PatientBasicInfo.Comboeducation.Text & "',''" &
frm_PatientBasicInfo.txtNameAT.Text & "',''" &
frm_PatientBasicInfo.Combostatustype.Text & "')";
        myInsert(sql)
        sql = "INSERT INTO `tblreffer` " & _

```

```
        "(" & PCNO & ", " & RF_BY & ", " & RF_TO & ",  
        RF_FROM & ", " & RF_REASON & ", " & DC & ") " & _  
        " VALUES ('" &  
frm_PatientBasicInfo.TXTidno.Text & "', '" &  
frm_PatientBasicInfo.txtreferredby.Text & "', '" &  
frm_PatientBasicInfo.txtreferredto.Text & "', '" &  
frm_PatientBasicInfo.txtreferredfrom.Text & "', '" &  
frm_PatientBasicInfo.txtresonreferral.Text & "', '" &  
frm_PatientBasicInfo.DateTimePickeryear.Text & "');"
```

```
        myInsert(sql)
```

```
        TimerLoad.Stop()
```

```
        Progressload.Value = 100
```

```
        MsgBox("Sending Patient Information  
Success")
```

```
        frm_PatientBasicInfo.TXTidno.Clear()
```

```
frm_PatientBasicInfo.ComboBoBarangay.ResetText()
```

```
frm_PatientBasicInfo.ComboBoxPtype.ResetText()
```

```
        frm_PatientBasicInfo.txtcontact.Clear()
```

```
frm_PatientBasicInfo.Combocivil.ResetText()
```

```
        frm_PatientBasicInfo.txtage.Clear()
```

```
frm_PatientBasicInfo.txtreferredby.Clear()
```

```
frm_PatientBasicInfo.txtreferredto.Clear()
```

```
frm_PatientBasicInfo.txtreferredfrom.Clear()
```

```
frm_PatientBasicInfo.txtresonreferral.Clear()
```

```
        frm_PatientBasicInfo.LBPname.Text = "No  
Data"
```

```
        frm_PatientBasicInfo.LBMname.Text = "No  
Data"
```

```
        frm_PatientBasicInfo.LBLname.Text = "No  
Data"
```

```
        frm_PatientBasicInfo.LBGender.Text =  
"No Data"
```

```
        frm_PatientBasicInfo.LBdatebirth.Text =  
"No Data"
```

```
        frm_PatientBasicInfo.LbbirthPlace.Text  
= "No Data"
```

```
        frm_PatientBasicInfo.Lbbloodtype.Text =  
"No Data"
```

```
        frm_PatientBasicInfo.txtadress.Clear()
```

```
frm_PatientBasicInfo.ComboBoxPCB.ResetText()
```

```
frm_PatientBasicInfo.ComboBox4PS.ResetText()
```

frm_PatientBasicInfo.ComboBoxDSWD.ResetText()

frm_PatientBasicInfo.ComboBoxEmploye.ResetText()

frm_PatientBasicInfo.ComboBoxPH_M.ResetText()

frm_PatientBasicInfo.Comboeducation.ResetText()

frm_PatientBasicInfo.ComboxIndecatte.ResetText()

frm_PatientBasicInfo.Combomode.ResetText()

frm_PatientBasicInfo.ComboBonatureofvisit.ResetText()

frm_PatientBasicInfo.Combomode.ResetText()

frm_PatientBasicInfo.ComboBoxPosistion.ResetText()

frm_PatientBasicInfo.Combostatustype.ResetText()

frm_PatientBasicInfo.txtdiagnose.Clear()

frm_PatientBasicInfo.txttmp.Clear()

frm_PatientBasicInfo.txtKG.Clear()

frm_PatientBasicInfo.txtCM.Clear()

```
frm_PatientBasicInfo.txtMED_TRET.Clear()
```

```
frm_PatientBasicInfo.txtLFI.Clear()
```

```
frm_PatientBasicInfo.txtphilhealthNO.Clear()
```

```
frm_PatientBasicInfo.txtnameofhealthcaareprovider.Clear()  
( )
```

```
frm_PatientBasicInfo.txtchiefcomplainants.Clear()
```

```
End If
```

```
End If
```

```
If Txtnamebarangay.Text = "Bantayan" Then
```

```
Dim sql As String
```

```
Try
```

```
sql = "select * from tblregistered"
```

```
Dim da As MySqlDataAdapter = New
```

```
MySqlDataAdapter(sql, connect)
```

```
Dim dt As New DataTable
```

```
da.Fill(dt)
```

```
frm_RegisteredPatient.txtidno.Text =
```

```
dt.Rows.Count & "6660060054BY#"
```

```
Catch ex As Exception
```

```

        End Try
    ElseIf Txtnamebarangay.Text = "Binicuil" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"
            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "003112899BN#"
        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Camansi" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"
            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "102976CS#"
        Catch ex As Exception
        End Try
    End If
End Sub

```



```

        frm_RegisteredPatient.ShowDialog()
    ElseIf Txtnamebarangay.Text = "Camingawan" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"
            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "100650CG#"
        Catch ex As Exception
        End Try

    ElseIf Txtnamebarangay.Text = "Camugao" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "4310650A#"

```

```

        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Carol-an" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"
            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "10650B#"
        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Daan Banua" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "910600D#"

```

```

        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Hilamonan" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"
            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "210658H#"
        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Inapoy" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "0909910I#"

```

```

        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Linao" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"
            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "08880650L#"
        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Locotan" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "12110680LT#"

```

```

        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Magballo" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"
            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "05650650M#"
        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Oringao" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "7787060000#"

```

```

        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Orong" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "323200500G#"
        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Pinaguinpinan"
Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)

```

```

        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "00023110PN#"

        Catch ex As Exception
        End Try

    ElseIf Txtnamebarangay.Text = "Barangay 5
(Pob.)" Then

        Dim sql As String
        Try

            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)

            Dim dt As New DataTable
            da.Fill(dt)

            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "0045450POB5#"

            Catch ex As Exception
            End Try

        ElseIf Txtnamebarangay.Text = "Barangay 6
(Pob.)" Then

            Dim sql As String
            Try

                sql = "select * from tblregistered"

                Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)

```

```

        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "1612000POB6#"
    Catch ex As Exception
    End Try
    ElseIf Txtnamebarangay.Text = "Barangay 7
(Pob.)" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"
            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "30003500POB7#"
        Catch ex As Exception
        End Try
        ElseIf Txtnamebarangay.Text = "Barangay 8
(Pob.)" Then
            Dim sql As String
            Try
                sql = "select * from tblregistered"

```



```

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "3612300POB8#"
        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Barangay 9
(Pob.)" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"
            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "22113200POB9#"
            Catch ex As Exception
            End Try
        ElseIf Txtnamebarangay.Text = "Barangay 1
(Pob.)" Then
            Dim sql As String
            Try

```

```

        sql = "select * from tblregistered"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "000847400POB1#"
        Catch ex As Exception

        End Try
        ElseIf Txtnamebarangay.Text = "Barangay 1
(Pob.)" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"
            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "000847400POB1#"
            Catch ex As Exception
            End Try

```

```

        ElseIf Txtnamebarangay.Text = "Barangay 2
(Pob.)" Then
            Dim sql As String
            Try
                sql = "select * from tblregistered"

                Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
                Dim dt As New DataTable
                da.Fill(dt)
                frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "0999110POB2#"
            Catch ex As Exception
            End Try
        ElseIf Txtnamebarangay.Text = "Barangay 3
(Pob.)" Then
            Dim sql As String
            Try
                sql = "select * from tblregistered"

                Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
                Dim dt As New DataTable
                da.Fill(dt)

```

```

        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "0777232POB3#"
        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Barangay 4
(Pob.)" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "03312080POB4#"
        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Salong()" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)

```

```

        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "11001211SL#"
    Catch ex As Exception
    End Try
ElseIf Txtnamebarangay.Text = "Tabugon" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "231100TB#"
    Catch ex As Exception
    End Try
ElseIf Txtnamebarangay.Text = "Tagoc" Then
    Dim sql As String
    Try
        sql = "select * from tblpatientlist"

```

```

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "0322222TC#"
    Catch ex As Exception
    End Try
ElseIf Txtnamebarangay.Text = "Talubangi" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "4404214TB#"
    Catch ex As Exception
    End Try
ElseIf Txtnamebarangay.Text = "Tampalon" Then
    Dim sql As String
    Try
        sql = "select * from tblregistered"

```

```

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "75555TL#"
    Catch ex As Exception
    End Try
ElseIf Txtnamebarangay.Text = "Tan-Awan" Then
    Dim sql As String
    Try
        sql = "select * from tblregisteredt"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "78780000TL#"
    Catch ex As Exception
    End Try
ElseIf Txtnamebarangay.Text = "Tapi" Then
    Dim sql As String
    Try

```

```

        sql = "select * from tblregistered"

        Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
        Dim dt As New DataTable
        da.Fill(dt)
        frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "033660TPI#"
        Catch ex As Exception
        End Try
    ElseIf Txtnamebarangay.Text = "Tagukon" Then
        Dim sql As String
        Try
            sql = "select * from tblregistered"

            Dim da As MySqlDataAdapter = New
MySqlDataAdapter(sql, connect)
            Dim dt As New DataTable
            da.Fill(dt)
            frm_RegisteredPatient.txtidno.Text =
dt.Rows.Count & "0000777TK#"
            Catch ex As Exception
            End Try
        End If
    End If

```


End Sub

```
Private Sub Frm_Load_Load(sender As Object, e As  
EventArgs) Handles MyBase.Load
```

```
    TimerLoad.Start()
```

```
    Lbtime.Text = 0
```

```
    Btncancel.Visible = False
```

```
    btnup.Visible = False
```

End Sub

```
Private Sub Lbtime_Click(sender As Object, e As  
EventArgs) Handles Lbtime.Click
```

End Sub

```
Private Sub Lbtime_TextAlignChanged(sender As  
Object, e As EventArgs) Handles Lbtime.TextAlignChanged
```

End Sub

```
Private Sub Btncancel_Click(sender As Object, e As  
EventArgs) Handles Btncancel.Click
```

```
Me.Close()
```

```
End Sub
```

```
Private Sub btnup_Click(sender As Object, e As  
EventArgs) Handles btnup.Click
```

```
Try
```

```
    sql = "UPDATE `tblpregiatered` SET  
`PCNO`='" & frm_PatientBasicInfo.TXTidno.Text &  
"',`Fn`='" & frm_PatientBasicInfo.LBLname.Text &  
"',`Mn`='" & frm_PatientBasicInfo.LBMname.Text &  
"',`Ln`='" & frm_PatientBasicInfo.LBLname.Text &  
"',`Gender`='" & frm_PatientBasicInfo.LBGender.Text &  
"',`O_N`='" & frm_PatientBasicInfo.LBcomplete.Text &  
"',`BRGY`='" &  
frm_PatientBasicInfo.ComboBoBarangay.Text &  
"',`ADDSS`='" & frm_PatientBasicInfo.txtadress.Text &  
"',`DC`='" &  
frm_PatientBasicInfo.DateTimePickeryear.Text &  
"',`DB`='" & frm_PatientBasicInfo.LBdatebirth.Text &  
"',`DP`='" & frm_PatientBasicInfo.LbbirthPlace.Text &  
"',`BTYP`='" & frm_PatientBasicInfo.Lbbloodtype.Text &  
"' WHERE `ID` =" &  
frm_PatientBasicInfo.TXTIDNOREgiatered.Text
```

```

        connect.Open()
        With cmd
            .CommandText = sql
            .Connection = connect()

        End With
        da.SelectCommand = cmd
        da.Fill(dt)

    Catch ex As Exception
        MsgBox(ex.Message)
    Finally
        connect.Close()
    End Try
    Btnregisrt_Click(sender, e)
End Sub

```

```

Private Sub Btnupcho_Click(sender As Object, e As
EventArgs) Handles Btnupcho.Click
    'Dim cmd As New MySqlCommand
    'Dim sql As String
    'Dim dt As New DataTable
    'Try
        '    sql = "UPDATE `tblusepinfo` SET `PCNO`='"
        & frm_PatientBasicInfo.TXTidno.Text & "',`DNS`='" &

```

```

frm_PatientBasicInfo.txtdiagnose.Text & "','`MT`='" &
frm_PatientBasicInfo.txtMED_TRET.Text & "','`LFI`='" &
frm_PatientBasicInfo.txtLFI.Text & "','`PLT`='" &
frm_PatientBasicInfo.txtPerformlab.Text & "','`NHCP`='"
&
frm_PatientBasicInfo.txtnameofhealthcaareprovider.Text
& "','`CC`=" &
frm_PatientBasicInfo.txtchiefcomplainants.Text &
 "','`IND_M`='" &
frm_PatientBasicInfo.ComboxIndecatte.Text & "','`4PS`='"
& frm_PatientBasicInfo.ComboBox4PS.Text & "','`PH_M`='"
& frm_PatientBasicInfo.ComboBoxPH_M.Text & "','`PCB`='"
& frm_PatientBasicInfo.ComboBoxPCB.Text & "','`DSWD`='"
& frm_PatientBasicInfo.ComboBoxDSWD.Text &
 "','`HS_NO`='" &
frm_PatientBasicInfo.txthouseholdNO.Text &
 "','`PH_NO`='" &
frm_PatientBasicInfo.txtphilhealthNO.Text & "','`PF`='"
& frm_PatientBasicInfo.ComboBoxPosistion.Text &
 "','`ED_T`='" &
frm_PatientBasicInfo.ComboxIndecatte.Text & "','`NT`='"
& frm_PatientBasicInfo.txtNameAT.Text & "','`ST`='" &
frm_PatientBasicInfo.Combostatustype.Text & "'" Where
`ID`=" & frm_PatientBasicInfo.txtiduseinfo.Text & "');"
```

' myupdate(sql)

```

'    connect.Open()
'    With cmd
'        .CommandText = sql
'        .Connection = connect()

'    End With
'    da.SelectCommand = cmd
'    da.Fill(dt)

'Catch ex As Exception
'    MsgBox(ex.Message)
'Finally
'    connect.Close()
'End Try
'Btnregisrt_Click(sender, e)
End Sub

```

```

Private Sub Btnregisrt_Click(sender As Object, e As
EventArgs) Handles Btnregisrt.Click
Try
    sql = "UPDATE `tblpcho` SET `PCNO`='" &
frm_PatientBasicInfo.TXTidno.Text & "',`DC`='" &
frm_PatientBasicInfo.DateTimePickeryear.Text &
"',`Fn`='" & frm_PatientBasicInfo.LBLname.Text &
"',`Mn`='" & frm_PatientBasicInfo.LBMname.Text &

```

```
"" , `Ln` = ' ' & frm_PatientBasicInfo.LBLname.Text &
"" , `Gender` = ' ' & frm_PatientBasicInfo.LBGender.Text &
"" , `Age` = ' ' & frm_PatientBasicInfo.txtage.Text &
"" , `CNP` = ' ' & frm_PatientBasicInfo.ComboBoxPtype.Text
& "" , `MT` = ' ' & frm_PatientBasicInfo.Combomode.Text &
"" , `NT` = ' ' &
frm_PatientBasicInfo.ComboBonatureofvisit.Text &
"" , `BRGY` = ' ' &
frm_PatientBasicInfo.ComboBoBarangay.Text &
"" , `CNST` = ' ' & frm_PatientBasicInfo.LBdiagnoses.Text &
"" WHERE `ID` = " & frm_PatientBasicInfo.txttct.Text
```

```
connect.Open()
```

```
With cmd
```

```
    .CommandText = sql
```

```
    .Connection = connect()
```

```
End With
```

```
da.SelectCommand = cmd
```

```
da.Fill(dt)
```

```
Catch ex As Exception
```

```
    MsgBox(ex.Message)
```

```
Finally
```

```

        connect.Close()
    End Try
    Btncancel_Click(sender, e)
End Sub
End Class
Imports MySql.Data.MySqlClient
Public Class frm_m1

    Private Sub txtsearchdiagnose_TextChanged(sender As
Object, e As EventArgs) Handles
txtsearchdiagnose.TextChanged
        Dim dt As New DataTable
        Dim cmd As New MySqlCommand
        Dim sql As String
        Try

            sql = "SELECT COUNT(*) FROM tbl livelihood
where `4PS` like '" & txtsearchdiagnose.Text & "%'"
            connect.Open()
            With cmd
                .CommandText = sql
                .Connection = connect()
            End With
            da.SelectCommand = cmd
            da.Fill(dt)

```

```

        dtgdiagnose.DataSource = dt
        LBTooldiagnose.Text =
da.Fill(dtgdiagnose.CurrentCell.Value)

Catch ex As Exception
Finally
    connect.Close()
End Try
If dt.Rows.Count > 0 Then
    LBTooldiagnose.Text = dt.Rows(0).Item(0)
End If
End Sub

```

```

Private Sub frm_m1_Load(sender As Object, e As
EventArgs) Handles MyBase.Load
    'Dim dt As New DataTable
    'Dim cmd As New MySqlCommand
    'Dim sql As String
    'Try

    '    sql = "SELECT * FROM tbllivelihood"
    '    connect.Open()
    '    With cmd
    '        .CommandText = sql
    '    End With
    'End Try

```



```

        .Connection = connect()
    End With
    da.SelectCommand = cmd
    da.Fill(dt)
    BunifuCustomDataGrid2.DataSource = dt
Catch ex As Exception
Finally
    connect.Close()
End Try

```

End Sub

```

Private Sub btnage_Click(sender As Object, e As
EventArgs)

```

```

    Dim dt As New DataTable

```

```

    Dim cmd As New MySqlCommand

```

```

    Dim sql As String

```

```

    Try

```

```

        sql = "SELECT COUNT(*) FROM tbldiagnose
where `Gender` like '" & combomm1gender.Text & "%' and
DNS like '" & txtsearchdiagnose.Text & "%' BRGY like'"
& ComboBoxbarangay.Text & "%'"
        connect.Open()

```

```

        With cmd
            .CommandText = sql
            .Connection = connect()
        End With
        da.SelectCommand = cmd
        da.Fill(dt)
        dtgdiagnose.DataSource = dt
        Lbttotalrelatedinfo.Text =
da.Fill(dtgdiagnose.CurrentCell.Value)
    Catch ex As Exception
    Finally
        connect.Close()
    End Try
    If dt.Rows.Count > 0 Then
        Lbttotalrelatedinfo.Text =
dt.Rows(0).Item(0)
    End If

```

```
End Sub
```

```

Private Sub txtAgesearch_TextChanged(sender As
Object, e As EventArgs) Handles
txtAgesearch.TextChanged
    Dim dt As New DataTable
    Dim cmd As New MySqlCommand

```

```

Dim sql As String
Try

    sql = "SELECT COUNT(*) FROM tbldiagnose
where `Age` like '" & txtAgesearch.Text & "%' and DNS
like '" & txtsearchdiagnose.Text & "%' BRGY like'" &
ComboBoxbarangay.Text & "%'"

    connect.Open()
    With cmd
        .CommandText = sql
        .Connection = connect()
    End With
    da.SelectCommand = cmd
    da.Fill(dt)
    dtgrelated.DataSource = dt
    Lbttotalrelatedinfo.Text =
da.Fill(dtgrelated.CurrentCell.Value)
    Catch ex As Exception
    Finally
        connect.Close()
    End Try

    If dt.Rows.Count > 0 Then
        Lbttotalrelatedinfo.Text =
dt.Rows(0).Item(0)

```

```
End If
```

```
End Sub
```

```
Private Sub
```

```
combomm1gender_SelectedIndexChanged(sender As Object, e  
As EventArgs) Handles
```

```
combomm1gender.SelectedIndexChanged
```

```
End Sub
```

```
End Class
```

```
Imports MySql.Data.MySqlClient
```

```
Public Class frm_Message
```

```
Private Sub BTNSEND_Click(sender As Object, e As  
EventArgs) Handles BTNSEND.Click
```

```
Dim cmd As New MySqlCommand
```

```
Dim sql As String
```

```
Dim dt As New DataTable
```

```
If BTNSEND.Text = "Reply" Then
```

```
sql = "INSERT INTO `tblmshistorys` " & _
```

```
"(`Sendto`, `Sender_Name`,
```

```
`Message`, `Time`, `DC`) " & _
```

```
        " VALUE ('" & ComboxBrangay.Text  
& "', '" & Lbsender.Text & "', '" & TXTMESSAGE.Text &  
        "', '" & LBTIME.Text & "', '" & DateTimePicker1.Text &  
        "');"
```

```
myInsert(sql)
```

```
Try
```

```
        sql = "UPDATE `tblmessage` SET  
        `Sendto`='" & ComboxBrangay.Text & "', `Sender_Name`='"  
& Lbsender.Text & "', `Message`='" & TXTMESSAGE.Text &  
        "', `Time`='" & LBTIME.Text & "', `DC`='" &  
DateTimePicker1.Text & "' Where ID=" & txtid.Text
```

```
myupdate(sql)
```

```
connect.Open()
```

```
With cmd
```

```
        .CommandText = sql
```

```
        .Connection = connect()
```

```
End With
```

```
da.SelectCommand = cmd
```

```
da.Fill(dt)
```

```
Catch ex As Exception
```

```
        MsgBox(ex.Message)
```

```
Finally
```

```

        connect.Close()
    End Try
    Timer2.Start()
End If
If BTNSEND.Text = "Send" Then

    sql = "INSERT INTO `tblmessage` " & _
        "(`Sendto`, `Sender_Name`,
`Message`, `Time`, `DC`) " & _
        " VALUE ('" & ComboxBrangay.Text
& "',''" & Lbsender.Text & "',''" & TXTMESSAGE.Text &
"'','" & LBTIME.Text & "',''" & DateTimePicker1.Text &
"'');"

    myInsert(sql)
    sql = "INSERT INTO `tblmshistorys` " & _
        "(`Sendto`, `Sender_Name`,
`Message`, `Time`, `DC`) " & _
        " VALUE ('" & ComboxBrangay.Text
& "',''" & Lbsender.Text & "',''" & TXTMESSAGE.Text &
"'','" & LBTIME.Text & "',''" & DateTimePicker1.Text &
"'');"

    myInsert(sql)
    Panel1.Visible = True
    Timer2.Start()
End If

```

End Sub

```
Private Sub Timer1_Tick(sender As Object, e As  
EventArgs) Handles Timer1.Tick
```

```
    LBTIME.Text = TimeOfDay
```

End Sub

```
Private Sub frm_Message_Load(sender As Object, e As  
EventArgs) Handles MyBase.Load
```

```
    Panel1.Visible = False
```

```
    Timer1.Start()
```

```
    mySelectQuery("Select * from tblmshistorys  
where Sendto Like '" & Lbsender.Text & "%'")
```

```
    LoadData(dtgmessage2, "Activity")
```

```
    mySelectQuery("SELECT `ID`, `Sendto`,  
`Sender_Name`, `Message`, `Time`, `DC`) FROM  
`tblmshistorys` WHERE 1 ")
```

```
    mySelectQuery("Select * from tblmessage where  
Sendto Like '" & Lbsender.Text & "%'")
```

```
    LoadData(dtgmessage1, "Chats")
```

```
    mySelectQuery("SELECT `ID`, `Sendto`,  
`Sender_Name`, `Message`, `Time`, `DC`) FROM  
`tblmessage` WHERE 1")
```

End Sub

```
Private Sub Timer2_Tick(sender As Object, e As  
EventArgs) Handles Timer2.Tick
```

```
    ProgressBarLoadMeesage.Value += 3
```

```
    LBsecond.Text += 3
```

```
    If LBsecond.Text = 99 Then
```

```
        Timer2.Stop()
```

```
        LBsecond.Text = 100
```

```
        MsgBox("Message Sent!!")
```

```
        ProgressBarLoadMeesage.Value = 0
```

```
        LBsecond.Text = 0
```

```
        TXTMESSAGE.Clear()
```

```
    End If
```

```
End Sub
```

```
Private Sub btnexit_Click(sender As Object, e As  
EventArgs) Handles btnexit.Click
```

```
    Me.Close()
```

```
End Sub
```

```
Private Sub
```

```
ComboxBrangay_SelectedIndexChanged(sender As Object, e
```


As EventArgs) Handles

ComboxBrangay.SelectedIndexChanged

```
'Dim dt As New DataTable
'Dim cmd As New MySqlCommand
'Dim sql As String
'Try
'    sql = "Select * from tblmessage where
Sender_Name like '" & ComboxBrangay.Text & "%'"
'    'sql = "SELECT * from tblbasicinfo;"
'    connect.Open()
'    With cmd
'        .CommandText = sql
'        .Connection = connect()
'    End With
'    da.SelectCommand = cmd
'    da.Fill(dt)
'    txtid.Text = dt.Rows(0).Item("ID")
'Catch ex As Exception
'Finally
'    connect.Close()
'End Try

'mySelectQuery("Select * from tblmessage where
Sendto Like '" & Lbsender.Text & "%' and Sender_Name
Like '" & ComboxBrangay.Text & "%'")
'LoadData(dtgmessage1, "Activity")
```

```
        'mySelectQuery("SELECT `ID`, `Sendto`,  
`Sender_Name`, `Message`, `Time`, `DC`) FROM  
`tblmessage` WHERE 1")
```

```
End Sub
```

```
Private Sub dtgmessage1_CellContentClick(sender As  
Object, e As DataGridViewCellEventArgs) Handles  
dtgmessage1.CellContentClick
```

```
End Sub
```

```
Private Sub ComboxBrangay_TextChanged(sender As  
Object, e As EventArgs) Handles  
ComboxBrangay.TextChanged
```

```
    Dim dt As New DataTable
```

```
    Dim cmd As New MySqlCommand
```

```
    Dim sql As String
```

```
    Try
```

```
        sql = "Select * from tblmessage where  
Sender_Name like '" & ComboxBrangay.Text & "%'"
```

```
        'sql = "SELECT * from tblbasicinfo;"
```

```
        connect.Open()
```

```
        With cmd
```

```
            .CommandText = sql
```

```
            .Connection = connect()
```

```

        End With
        da.SelectCommand = cmd
        da.Fill(dt)
        txtid.Text = dt.Rows(0).Item("ID")
    Catch ex As Exception
    Finally
        connect.Close()
    End Try
    mySelectQuery("Select * from tblmessage where
Sendto Like '" & Lbsender.Text & "%' and Sender_Name
Like '" & ComboxBrangay.Text & "%'")
    LoadData(dtgmessage1, "Chats")
    mySelectQuery("SELECT `ID`, `Sendto`,
`Sender_Name`, `Message`, `Time`, `DC`) FROM
`tblmessage` WHERE 1")
End Sub

```

```

    Private Sub dtgmessage2_CellContentClick(sender As
Object, e As DataGridViewCellEventArgs) Handles
dtgmessage2.CellContentClick

```

```

    End Sub

End Class

Public Class Frm_Mssg

```

```
Private Sub btnexit_Click(sender As Object, e As  
EventArgs) Handles btnexit.Click  
    Me.Close()  
End Sub  
End Class
```

```
Imports MySql.Data.MySqlClient  
Public Class frm_PatientBasicInfo
```

```
Private Sub btnexit_Click(sender As Object, e As  
EventArgs) Handles btnexit.Click  
    Me.Close()
```

```
End Sub
```

```
Private Sub Panel2_Paint(sender As Object, e As  
PaintEventArgs)
```

```
End Sub
```

```
Private Sub yyyy(sender As Object, e As  
QueryAccessibilityHelpEventArgs) Handles  
DateTimePickeryear.QueryAccessibilityHelp
```

```
End Sub
```

```

Private Sub frm_PatientBasicInfo_Load(sender As
Object, e As EventArgs) Handles MyBase.Load
    Dim cmd As New MySqlCommand
    Dim sql As String
    Dim dt As New DataTable
    Try
        sql = "Select * from `tblusepinfo` where
PCNO like '" & TXTidno.Text & "%'"
        'sql = "SELECT * from tblbasicinfo;"
        connect.Open()
        With cmd
            .CommandText = sql
            .Connection = connect()
        End With
        da.SelectCommand = cmd
        da.Fill(dt)

        txtiduseinfo.Text = dt.Rows(0).Item("ID")
        txtdiagnose.Text = dt.Rows(0).Item("DNS")
        Combomode.Text = dt.Rows(0).Item("MT")
        txtLFI.Text = dt.Rows(0).Item("LFI")
        txtPerformlab.Text = dt.Rows(0).Item("PLT")
        txtnameofhealthcaareprovider.Text =
dt.Rows(0).Item("NHCP")
    
```

```

        txtchiefcomplainants.Text =
dt.Rows(0).Item("CC")
        ComboxIndecatte.Text =
dt.Rows(0).Item("IND_M")
        ComboBox4PS.Text = dt.Rows(0).Item("4PS")
        ComboBoxPH_M.Text = dt.Rows(0).Item("PH_M")
        ComboBoxPCB.Text = dt.Rows(0).Item("PCB")
        ComboBoxDSWD.Text = dt.Rows(0).Item("DSWD")
        txthouseholdNO.Text =
dt.Rows(0).Item("HS_NO")
        txtfacilityhouseholdNO.Text =
dt.Rows(0).Item("FH_NO")
        txtphilhealthNO.Text =
dt.Rows(0).Item("PH_NO")
        ComboBoxPosistion.Text =
dt.Rows(0).Item("PF")
        Comboeducation.Text =
dt.Rows(0).Item("ED_T")
        txtNameAT.Text = dt.Rows(0).Item("NT")
        Combostatustype.Text =
dt.Rows(0).Item("ST")
    Catch ex As Exception
    Finally
        connect.Close()

```

```
End Try  
End Sub
```

```
Private Sub panelreffered_Paint(sender As Object, e  
As PaintEventArgs) Handles panelreffered.Paint
```

```
End Sub
```

```
Private Sub Combomode_SelectedIndexChanged(sender  
As Object, e As EventArgs) Handles  
Combomode.SelectedIndexChanged
```

```
    If Combomode.Text = "Referral" Then  
        txtreferredby.Clear()  
        txtreferredfrom.Clear()  
        txtreferredto.Clear()  
        txtresonreferral.Clear()  
        panelreffered.Size = New Size(738, 108)
```

```
    Else  
        panelreffered.Size = New Size(738, 10)
```

```
    End If  
End Sub
```

```
Private Sub Combomode_TextChanged(sender As Object,  
e As EventArgs) Handles Combomode.TextChanged
```

```
If Combomode.Text = "Referral" Then
    txtreferredby.Clear()
    txtreferredfrom.Clear()
    txtreferredto.Clear()
    txtresonreferral.Clear()
    panelreffered.Size = New Size(738, 108)
Else
    panelreffered.Size = New Size(738, 10)
End If
```

```
End Sub
```

```
Private Sub Panel17_Paint(sender As Object, e As
PaintEventArgs) Handles Panel17.Paint
```

```
End Sub
```

```
Private Sub btnsend_Click(sender As Object, e As
EventArgs) Handles btnsend.Click
```

```
If Lbcontrol1.Text = "Barangay Only?" Then
```

```
    Frm_Load.Txtnamebarangay.Text = "CHO
Office"
```

```
    Frm_Load.Label12.Text = "Please Wate"
```



```

        Frm_Load.ShowDialog()
    Else
        frm_Getcode.Label12.Text = "Please Wate"
        frm_Getcode.Txtnamebarangay.Text = "CHO
Office"

        frm_Getcode.ShowDialog()
    End If

End Sub

Private Sub btnupdateregistred_Click(sender As
Object, e As EventArgs)

End Sub

Private Sub BunifuFlatButton1_Click(sender As
Object, e As EventArgs)

End Sub

Private Sub btnnew_Click(sender As Object, e As
EventArgs) Handles btnclear.Click

```

End Sub

```
Private Sub Btndone_Click(sender As Object, e As  
EventArgs) Handles Btndone.Click
```

```
    panelreffered.Size = New Size(738, 10)
```

End Sub

Private Sub

```
ComboBoBarangay_SelectedIndexChanged(sender As Object,  
e As EventArgs) Handles
```

```
ComboBoBarangay.SelectedIndexChanged
```

End Sub

```
Private Sub ComboBoBarangay_TextChanged(sender As  
Object, e As EventArgs) Handles
```

```
ComboBoBarangay.TextChanged
```

```
    If ComboBoBarangay.Text = "Bantayan" = True  
Then
```

```
        txtbarang.Text = "131200"
```

```
    ElseIf ComboBoBarangay.Text = "Binicuil" = True  
Then
```

```
        txtbarang.Text = "231200"
```

```
ElseIf ComboBoBarangay.Text = "Camansi" = True
Then
    txtbarang.Text = "331200"

ElseIf ComboBoBarangay.Text = "Camingawan" =
True Then
    txtbarang.Text = "431200"

ElseIf ComboBoBarangay.Text = "Camugao" = True
Then
    txtbarang.Text = "531200"

ElseIf ComboBoBarangay.Text = "Carol -an" =
True Then
    txtbarang.Text = "631200"

ElseIf ComboBoBarangay.Text = "Daan Banua" =
True Then
    txtbarang.Text = "731200"

ElseIf ComboBoBarangay.Text = "Hilamonan" =
True Then
    txtbarang.Text = "831200"
```

```
ElseIf ComboBoBarangay.Text = "Inapoy" = True
Then
    txtbarang.Text = "931200"

ElseIf ComboBoBarangay.Text = "Linao" = True
Then
    txtbarang.Text = "1031200"

ElseIf ComboBoBarangay.Text = "Locotan" = True
Then
    txtbarang.Text = "1131200"

ElseIf ComboBoBarangay.Text = "Magballo" = True
Then
    txtbarang.Text = "1231200"

ElseIf ComboBoBarangay.Text = "Oringao" = True
Then
    txtbarang.Text = "1331200"

ElseIf ComboBoBarangay.Text = "Orong" = True
Then
    txtbarang.Text = "1431200"
```

```
ElseIf ComboBoBarangay.Text = "Pinaguinpinan" =  
True Then
```

```
txtbarang.Text = "1531200"
```

```
ElseIf ComboBoBarangay.Text = "Barangay 5  
(Pob.)" = True Then
```

```
txtbarang.Text = "1631200"
```

```
ElseIf ComboBoBarangay.Text = "Barangay 6  
(Pob.)" = True Then
```

```
txtbarang.Text = "1731200"
```

```
ElseIf ComboBoBarangay.Text = "Barangay 7  
(Pob.)" = True Then
```

```
txtbarang.Text = "1831200"
```

```
ElseIf ComboBoBarangay.Text = "Barangay 8  
(Pob.)" = True Then
```

```
txtbarang.Text = "1931200"
```

```
ElseIf ComboBoBarangay.Text = "Barangay 9  
(Pob.)" = True Then
```

```
txtbarang.Text = "2031200"
```

```
ElseIf ComboBoBarangay.Text = "Barangay 1  
(Pob.)" = True Then  
    txtbarang.Text = "2131200"
```

```
ElseIf ComboBoBarangay.Text = "Barangay 2  
(Pob.)" = True Then  
    txtbarang.Text = "2231200"
```

```
ElseIf ComboBoBarangay.Text = "Barangay 3  
(Pob.)" = True Then  
    txtbarang.Text = "2331200"
```

```
ElseIf ComboBoBarangay.Text = "Barangay 4  
(Pob.)" = True Then  
    txtbarang.Text = "2431200"
```

```
ElseIf ComboBoBarangay.Text = "Salong" = True  
Then  
    txtbarang.Text = "2531200"
```

```
ElseIf ComboBoBarangay.Text = "Tabugon" = True  
Then  
    txtbarang.Text = "2631200"
```

```
ElseIf ComboBoBarangay.Text = "Tagoc" = True
Then
    txtbarang.Text = "2731200"

ElseIf ComboBoBarangay.Text = "Talubangi" =
True Then
    txtbarang.Text = "2831200"

ElseIf ComboBoBarangay.Text = "Tampalon" = True
Then
    txtbarang.Text = "2931200"

ElseIf ComboBoBarangay.Text = "Tan -Awan" =
True Then
    txtbarang.Text = "3031200"

ElseIf ComboBoBarangay.Text = "Tapi" = True
Then
    txtbarang.Text = "3131200"

ElseIf ComboBoBarangay.Text = "Tagukon" = True
Then
    txtbarang.Text = "3231200"

End If
```

End Sub

```
Private Sub btncho_Click(sender As Object, e As
EventArgs) Handles btncho.Click
    'Dim cmd As New MySqlCommand
    'Dim sql As String
    'Dim dt As New DataTable
    'Try
    '    sql = "UPDATE `tblpregistered` SET
`PCNO`='" & TXTidno.Text & "',`Fn`='" & LBLname.Text &
"'`,`Mn`='" & LBMname.Text & "',`Ln`='" & LBLname.Text &
"'`,`Gender`='" & LBGender.Text & "',`O_N`='" &
LBcomplete.Text & "',`BRGY`='" & ComboBoBarangay.Text &
"'`,`ADDSS`='" & txtadress.Text & "',`DC`='" &
DateTimePickeryear.Text & "',`DB`='" & LBdatebirth.Text
& "',`DP`='" & LbbirthPlace.Text & "',`BTPE`='" &
Lbbloodtype.Text & "' WHERE `ID` =" &
TXTIDNOREgiatered.Text
    '    connect.Open()
    '    With cmd
    '        .CommandText = sql
    '        .Connection = connect()

    '    End With
    '    da.SelectCommand = cmd
```



```
        da.Fill(dt)

    'Catch ex As Exception
    '    MsgBox(ex.Message)

    'Finally
    '    connect.Close()

    'End Try
    'MsgBox("Sending Patient Information Success2")
End Sub
```

```
Private Sub btndiagnosepatient_Click(sender As
Object, e As EventArgs) Handles
btndiagnosepatient.Click
    Dim cmd As New MySqlCommand
    Dim sql As String
    Dim dt As New DataTable

    Try
```

```
sql = "UPDATE `tblpcho` SET `PCNO`='" &  
TXTidno.Text & "',`DC`='" & DateTimePickeryear.Text &  
"',`Fn`='" & LBLname.Text & "',`Mn`='" & LBMname.Text &  
"',`Ln`='" & LBLname.Text & "',`Gender`='" &  
LBGender.Text & "',`Age`='" & txtage.Text &  
"',`CNP`='" & ComboBoxPtype.Text & "',`MT`='" &  
Combomode.Text & "',`NT`='" & ComboBonatureofvisit.Text  
& "',`BRGY`='" & ComboBoBarangay.Text & "',`CNST`='" &  
LBcomplete.Text & "' WHERE `ID`=" & txttct.Text
```

```
connect.Open()
```

```
With cmd
```

```
.CommandText = sql
```

```
.Connection = connect()
```

```
End With
```

```
da.SelectCommand = cmd
```

```
da.Fill(dt)
```

```
Catch ex As Exception
```

```
MsgBox(ex.Message)
```

```
Finally
```

```
connect.Close()
```

```
End Try
```

```

sql = "INSERT INTO `tblldiagnose` " & _
      " (`PCNO`, `DC`, `DNS`, `MT`,
`LFI`, `PLT`, `NHCP`, `CC`, `IND_M`, `Age`, `Gender`,
`BRGY`,DateDiagnos) " & _
      " VALUES ('" & TXTidno.Text &
"', '" & DateTimePickeryear.Text & "', '" &
txtldiagnose.Text & "', '" & txtMED_TRET.Text & _
      "', '" & txtLFI.Text & "', '" &
txtPerformlab.Text & _
      "', '" &
txtnameofhealthcaareprovider.Text & "', '" &
txtchiefcomplainants.Text & "', '" &
ComboIndecatthe.Text & "', '" & txtage.Text & "', '" &
LBGender.Text & "', '" & ComboBoBarangay.Text &
"', Now());"
myInsert(sql)

```

Try

```

sql = "UPDATE `tblusepinfo` SET `PCNO`='" &
TXTidno.Text & "', `DNS`='" & txtldiagnose.Text &
"', `MT`='" & txtMED_TRET.Text & "', `LFI`='" &
txtLFI.Text & "', `PLT`='" & txtPerformlab.Text &
"', `NHCP`='" & Text & "', `CC`=" &

```

```
txtchiefcomplainants.Text & "','`IND_M`='" &  
ComboxIndecatte.Text & "','`4PS`='" & ComboBox4PS.Text &  
 "','`PH_M`='" & ComboBoxPH_M.Text & "','`PCB`='" &  
ComboBoxPCB.Text & "','`DSWD`='" & ComboBoxDSWD.Text &  
 "','`HS_NO`='" & txthouseholdNO.Text & "','`PH_NO`='" &  
txtphilhealthNO.Text & "','`PF`='" &  
ComboBoxPosistion.Text & "','`ED_T`='" &  
ComboxIndecatte.Text & "','`NT`='" & txtNameAT.Text &  
 "','`ST`='" & Combostatustype.Text & "' Where `D`=" &  
txtiduseinfo.Text
```

```
myupdate(sql)
```

```
connect.Open()
```

```
With cmd
```

```
    .CommandText = sql
```

```
    .Connection = connect()
```

```
End With
```

```
da.SelectCommand = cmd
```

```
da.Fill(dt)
```

```
Catch ex As Exception
```

```
    MsgBox(ex.Message)
```

```
Finally
```

```
connect.Close()
```

```
End Try
```

```
MsgBox("Patient Diagnose Information Save  
Success")
```

```
End Sub
```

```
Private Sub btndiagnose_Click(sender As Object, e  
As EventArgs) Handles btndiagnose.Click
```

```
End Sub
```

```
Private Sub TXTidno_TextChanged(sender As Object, e  
As EventArgs) Handles TXTidno.TextChanged
```

```
Dim cmd As New MySqlCommand
```

```
Dim sql As String
```

```
Dim dt As New DataTable
```

```
Try
```

```
sql = "Select * from tblregistered where  
PCNO like '" & TXTidno.Text & "%'"
```

```
'sql = "SELECT * from tblbasicinfo;"
```

```
connect.Open()
```

```
With cmd
```

```
.CommandText = sql
```

```
.Connection = connect()
```

```

        End With
        da.SelectCommand = cmd
        da.Fill(dt)
        Lbcontrol1.Text = dt.Rows(0).Item("O_N")
        LBLname.Text = dt.Rows(0).Item("Fn")
        LBMname.Text = dt.Rows(0).Item("Mn")
        LBPname.Text = dt.Rows(0).Item("Ln")
        LBGender.Text = dt.Rows(0).Item("Gender")
        ComboBoBarangay.Text =
dt.Rows(0).Item("BRGY")
        txtadress.Text = dt.Rows(0).Item("ADDSS")
        LBdatebirth.Text = dt.Rows(0).Item("DB")
        LbbirthPlace.Text = dt.Rows(0).Item("DP")
        Lbbloodtype.Text = dt.Rows(0).Item("BTYP")
    Catch ex As Exception
    Finally
        connect.Close()

    End Try
End Sub
End Class
Public Class frm_RegisteredPatient

    Private Sub btnexit_Click(sender As Object, e As
EventArgs)

```

```

        Me.Close()
    End Sub

    Private Sub btnPrint_Click(sender As Object, e As
EventArgs) Handles btnPrint.Click
        Dim sql As String
        sql = "INSERT INTO `tblbrgy` " & _
            "( `P_IDNO`, `DC`, `Fn`, `Mn`, `Ln`,
`Gender`, `BRGY` ) " & _
            " VALUES ('" & txtidno.Text & "', '" &
DateTimePicker1.Text & "', '" & txtfaname.Text & "', '" &
txtmmname.Text & _
            "', '" & txtlname.Text & "', '" &
ComboBoxGender.Text & "', '" & ComboBoxBRGY.Text & "');"
        myInsert(sql)
        Frm_Load.Txtnamebarangay.Text = "Creating
Patient.ID"
        Frm_Load.Show()
    End Sub

    Private Sub frm_RegisteredPatient_Load(sender As
Object, e As EventArgs) Handles MyBase.Load
        txtadd.Text = " Kabankalan City Negross
Occidental"
        btnPrint.Enabled = False
    End Sub

```

End Sub

Private Sub

ComboBoxBRGY_SelectedIndexChanged(sender As Object, e As EventArgs) Handles ComboBoxBRGY.SelectedIndexChanged

End Sub

Private Sub ComboBoxBRGY_TextChanged(sender As Object, e As EventArgs) Handles
ComboBoxBRGY.TextChanged

End Sub

Private Sub txtadd_TextChanged(sender As Object, e As EventArgs) Handles txtadd.TextChanged

End Sub

Private Sub btnbrowsphotos_Click(sender As Object, e As EventArgs) Handles btnbrowsphotos.Click
 btnPrint.Enabled = True
 Dim mjk As New OpenFileDialog
 mjk.Filter = "Choose
image(*.jpg;*.png;*.gif)|jpg;*.png;*.gif"


```

        If mjk.ShowDialog = DialogResult.OK Then
            PictureBoxPatientimage.Image =
Image.FromFile(mjk.FileName)
        End If
    End Sub

    Private Sub BtnExit_Click_1(sender As Object, e As
EventArgs) Handles BtnExit.Click
        Me.Close()
    End Sub

    Private Sub
Chechdeafaultaddress_CheckedChanged(sender As Object, e
As EventArgs) Handles
Chechdeafaultaddress.CheckedChanged
        txtBp.Text = txtBp.Text + ComboBoxBRGY.Text
        txtBp.Text = txtBp.Text + txtadd.Text
    End Sub
End Class

Imports MySql.Data.MySqlClient

Public Class frm_reply

    Private Sub frm_reply_Load(sender As Object, e As
EventArgs) Handles MyBase.Load
        Timer1.Start()
    End Sub
End Class

```

```

Dim dt As New DataTable
Dim cmd As New MySqlCommand
Dim sql As String
Try
    sql = "Select * from tblmessage where
Sendto Like '" & Label3.Text & "%' and Sender_Name
Like '" & LbMessaaage.Text & "%'"
    'sql = "Select Sender_Name from tblmessage
where Sendto Like '" & Txtnamebarangay.Text & "%' and
Time Like '" & lbttime.Text & "%' and DC Like '" &
DateTimePicker1.Text & "%'"
    connect.Open()
    With cmd
        .CommandText = sql
        .Connection = connect()
    End With
    da.SelectCommand = cmd
    da.Fill(dt)
    TXTMESSAGE.Text =
dt.Rows(0).Item("Message")
    LbMessaaage.Text =
dt.Rows(0).Item("Sender_Name")
    cdcec.Text = dt.Rows(0).Item("Time")
    LBdate.Text = dt.Rows(0).Item("DC")
    txtreply.Focus()

```

```
        Catch ex As Exception
        Finally
            connect.Close()
        End Try
    End Sub
```

```
    Private Sub Timer1_Tick(sender As Object, e As
EventArgs) Handles Timer1.Tick
        LBTIME.Text = TimeOfDay
    End Sub
```

```
    Private Sub btnexit_Click(sender As Object, e As
EventArgs) Handles btnexit.Click
        Me.Close()
    End Sub
```

```
    Private Sub BunifuGradientPanel2_Paint(sender As
Object, e As PaintEventArgs) Handles
BunifuGradientPanel2.Paint

    End Sub
```

```
End Class
```

Screenshot



Send In To

Sender

Message

Time

Date

City Health Office Patient Information System

New Consultation

Diagnose Patient

Patient History

Report

Search









| CaseNO# | Date | Patient Name | Gender | Age | Consultation | Mode | Nature Of Visit |
|---------|------|--------------|--------|-----|--------------|------|-----------------|
|---------|------|--------------|--------|-----|--------------|------|-----------------|



Admin

Show Notification

Logoff



Barangay



CHO



History



Diagnose



M1Report



Manage User



Create Message

Send In To

Sender

Message


Time

Date

This Day Activity



| Activity NO# | Activity Name | Description | Barangay | Incharge |
|--------------|---------------|-------------|----------|----------|
|--------------|---------------|-------------|----------|----------|



Barangay

Send In To

Sender

Message

Time

Search

Send Information

Add New Patient

Patient Diagnose

Report

History

Send Mes

| PatientCase | Patient Name | Gender | History | Barangay | Address |
|-------------|--------------|--------|---------|----------|---------|
|-------------|--------------|--------|---------|----------|---------|

Loading

Sending To:

0%

28 January 2024



Search

PcaseNO# Patient Name Gender

History

First Name: Mark Jason Middle Name:

Age: Civil Status: Gender:

Date Of Birth: Birth Place:

Barangay: Address:

History:

Name of Health Care Prov

Nature of Visit

Name of Attending

Consultation Type

Educational Trainment

Mode Of Transaction

Chief Complaints:

Blood Pressure:

High(cm):