

From: [Legacy](#)
To: [Villa, Daniel L.](#)
Subject: Re: [EXTERNAL] ok to share but must ask to not distribute further.
Date: Wednesday, December 27, 2023 8:42:11 AM

Yes, absolutely.

Hope you had a very nice Christmas.

Frances
Sent from my iPhone

On Dec 26, 2023, at 2:10 PM, Villa, Daniel L. <dlvilla@sandia.gov> wrote:

Merry Christmas Frances!

I think this might have dropped off my radar. I wanted to know if you will allow me to post the building models from our NMSBA on a publicly available webpage in

https://github.com/sandialabs/MEWS/tree/main/examples/example_data/ClimateZone5B_SantaFe

This would greatly enhance the credibility of the publication that I am still working on and hope to submit to Applied Energy early next year. Let me know or else we can meet if you want to discuss further.

Daniel Villa, P.E.
Energy-Water System Integration Department 08932
Sandia National Laboratories
dlvilla@sandia.gov
505-321-1269
Link to type of work I do: <https://energy.sandia.gov/download/64483/>

From: legacy <legacy@cybermesa.com>
Sent: Thursday, November 30, 2023 4:05 PM
To: Villa, Daniel L. <dlvilla@sandia.gov>
Subject: Re: [EXTERNAL] ok to share but must ask to not distribute further.

This is his email Address: michael@iconbuild.com

Tell him I told you to email you. If you want you can send the report directly, that way it will have more impact. You can cc me too, so he can make the connection (even though I told him about it already).

Frances

On Nov 30, 2023, at 2:23 PM, Villa, Daniel L. <dlvilla@sandia.gov> wrote:

Thanks for letting me know Frances. Do you have Michael's email so that I can reach out to him directly?

From: legacy <legacy@cybermesa.com>

Sent: Monday, November 20, 2023 2:29 PM

To: Villa, Daniel L. <dlvilla@sandia.gov>

Subject: [EXTERNAL] Re: ok to share but must ask to not distribute further.

OK.

The name of the Company is Icon. Their website is iconbuild.com
Contact is Michael Harper. Michael is out of the office until next Monday.

F.

On Nov 20, 2023, at 12:26 PM, Villa, Daniel L.
<dlvilla@sandia.gov> wrote:

Frances,

I seem to have deleted your previous message to me and lost the contact and website for the company you sent to me.

I am ok with you sharing as long as you state that they are not to distribute any further and also, please use the attached copy because it is more up to date.

Daniel Villa, P.E.
Energy-Water System Integration Department 08932
Sandia National Laboratories
dlvilla@sandia.gov
505-321-1269
Link to type of work I
do: <https://energy.sandia.gov/download/64483/>

<2024-VillaHahnAndPavich-
FutureConditionsForSolarPassiveHousingInNewMexico.pdf>

