

root

March 26, 2021

This document was generated on 2021-03-26, 15:24:00 with the Automatic Report Generator (ARG) version "develop" on the Linux system runner-72989761-project-18732201-concurrent-0.

	Abstract
This report mocks a Solution VERificatio	n (SVER) study of a pressurized vessel stress analysis.

## Contents

1	Introduction	4
2	Analysis Workflow Structure	5
3	Study Definition	8
4	Study Workflow Structure	9
5	Results – Sample 1 5.1 Model Parameters	10 10 10
6	Results – Sample 2 6.1 Model Parameters	
7	Results – Sample 3	16
8	Ensemble Results	17

# List of Figures

2.1	1.0-Construct
2.2	1.1-Analyze
2.3	1.2-QoIs
2.4	1.3-Report
2.5	1.3.1-Report-Detailed
4.1	Solution-Verification-Workflow
5.1 5.2	Sample 1 - Contour plot of the inboard von Mises stress (psi)
6.1 6.2	Sample 2 - Contour plot of the inboard von Mises stress (psi)
8.1 8.2	Displacement Margin Solution Verification

## List of Tables

3.1	Meta-information of dakota_results.h5	8
5.1	Values for params.txt	10
6.1	Values for params.txt.	13

#### Introduction

This report summarizes one instance of the Pressure Vessel exemplar. The model is an analytic double series displacement field for a pressurized cylindrical partially filled with fluid. Strains and stresses are also calculated. Boundary conditions are simple support at the ends of the vessel (zero displacement, zero reaction moment).

## Analysis Workflow Structure




Figure 2.1: 1.0-Construct




Figure 2.2: 1.1-Analyze




Figure 2.3: 1.2-QoIs




Figure 2.4: 1.3-Report




Figure 2.5: 1.3.1-Report-Detailed

## Study Definition

List study with the following points:

property	value
number of attributes	74
number of datasets	28
number of groups	44

Table 3.1: Meta-information of dakota\_results.h5

## Study Workflow Structure




Figure 4.1: Solution-Verification-Workflow

## Results – Sample 1

#### 5.1 Model Parameters

key	value
accuracy	1.00000000000000e-02
h_ratio	9.00000000000000e-01
p	2.500000000000000e+02
FSY	3.00000000000000e+00
max_displ	2.000000000000000e-02
VESSEL_L_nom	4.450000000000000e+01
VESSEL_A_nom	2.510000000000000e+01
VESSEL_T_nom	1.100000000000000e+00
rho_nom	3.179000000000000e-02
EE_nom	3.000000000000000e+07
FTY_nom	8.00000000000000e+04

Table 5.1: Values for params.txt.

#### 5.2 Quantities of Interest




Figure 5.1: Sample 1 - Contour plot of the inboard von Mises stress (psi)




Figure 5.2: Sample 1 - Contour plot of the outboard von Mises stress (psi)

## Results – Sample 2

#### 6.1 Model Parameters

key	value
accuracy	1.50000000000000e-02
h_ratio	9.000000000000000e-01
p	2.500000000000000e+02
FSY	3.00000000000000e+00
max_displ	2.000000000000000e-02
VESSEL_L_nom	4.450000000000000e+01
VESSEL_A_nom	2.510000000000000e+01
VESSEL_T_nom	1.100000000000000e+00
rho_nom	3.179000000000000e-02
EE_nom	3.000000000000000e+07
FTY_nom	8.00000000000000e+04

Table 6.1: Values for params.txt.

#### 6.2 Quantities of Interest




Figure 6.1: Sample 2 - Contour plot of the inboard von Mises stress (psi)




Figure 6.2: Sample 2 - Contour plot of the outboard von Mises stress (psi)

# Results - Sample 3

•

•

•

## Ensemble Results




Figure 8.1: Displacement Margin Solution Verification




Figure 8.2: Stress Margin Solution Verification