

# Disk Test Report

root

March 26, 2021

This document was generated on 2021-03-26, 15:18:10 with the Automatic Report Generator (ARG) version "develop" on the Linux system `runner-z3wu8uu-project-18732201-concurrent-0`.

### **Abstract**

This report is about the numerical simulation of a heated disk spinning in air at ambient temperature.

It was generated using the Automatic Report Generator (ARG).

# Contents

<b>1</b>	<b>Introduction</b>	<b>4</b>
<b>2</b>	<b>The Spinning Heated Disk Case</b>	<b>5</b>
2.1	Model Meta-Information . . . . .	5
2.2	Visualizations of Some Available Attributes . . . . .	6
2.2.1	Surface Renderings . . . . .	6
2.2.2	Isocontours . . . . .	8
2.2.3	Clips . . . . .	9
<b>3</b>	<b>Results</b>	<b>10</b>
3.1	Quantities of Interest – Margin . . . . .	10
3.1.1	Requirements . . . . .	10
3.1.2	Calculated Performance . . . . .	10

# List of Figures

# List of Tables

2.1	Topological properties of <code>disk_out_ref.ex2</code> . . . . .	5
2.2	Element blocks of <code>disk_out_ref.ex2</code> . . . . .	5
2.3	Node sets of <code>disk_out_ref.ex2</code> . . . . .	5
2.4	Side sets of <code>disk_out_ref.ex2</code> . . . . .	6
2.5	Variables of <code>disk_out_ref.ex2</code> . . . . .	6

# Chapter 1

## Introduction

The current implementation offers the ability to integrate text, VTK-generated visualizations, Matplotlib plots, and other artifacts, in a LaTeX or Word document. PyLaTeX and Python-docx are used to glue of all this together.

## Chapter 2

# The Spinning Heated Disk Case

### 2.1 Model Meta-Information

This section provides an overview of the data set used for this analysis.

item	number
Exodus II files	1
element blocks	1
elements	7472
node fields	7
node sets	3
nodes	8499
side sets	7

Table 2.1: Topological properties of `disk_out_ref.ex2`

block ID	block name
1	Unnamed block ID: 1

Table 2.2: Element blocks of `disk_out_ref.ex2`

node set ID	node set name
1	Unnamed set ID: 1
2	Unnamed set ID: 2
3	Unnamed set ID: 3

Table 2.3: Node sets of `disk_out_ref.ex2`



side set ID	side set name
1	Unnamed set ID: 1
2	Unnamed set ID: 2
3	Unnamed set ID: 3
4	Unnamed set ID: 4
5	Unnamed set ID: 5
6	Unnamed set ID: 6
7	Unnamed set ID: 7

Table 2.4: Side sets of `disk_out_ref.ex2`


variable	type
AsH3	NODAL
CH4	NODAL
GaMe3	NODAL
H2	NODAL
Pres	NODAL
Temp	NODAL
V	NODAL

Table 2.5: Variables of `disk_out_ref.ex2`


## 2.2 Visualizations of Some Available Attributes

### 2.2.1 Surface Renderings


We begin by presenting some surface renderings of the data set for several of its scalar or vector attributes.




**V Magnitude**  
0.000E+00 1.995



**H2**  
8.076E-01 9.177




**CH4**  
0.000E+00 1.170



### 2.2.2 Isocontours

We now look at two different isocontours for the temperature values contained in this data set.





Note that, unlike surface renderings, isocontouring only makes sense for point-centered, scalar attributes. If the variable is cell-centered instead, it must be interpolated before iso-contours can be computed. As a result, interpolation errors will occur.

We chose two isocontour values that are close enough from the minimum and maximum values for that attribute, because we want to highlight: - the heated disk; - the cooler air mass surrounding it.

In a more refined implementation of this generator, we could specify a range of values so several contours can be shown in the same image.

### 2.2.3 Clips

We finish by clipping the dataset with a plane, and surface rendering the result.



# Chapter 3

## Results

This chapter describes key results of the analysis workflow instance.

### 3.1 Quantities of Interest – Margin

#### 3.1.1 Requirements

1. Tensile yield stress is 20000 psi
2. Required factor of safety is 3.

#### 3.1.2 Calculated Performance

- The calculated maximum nodal projected Mises stress is 7904.79 psi.
- The calculated normalized margin of maximum von Mises stress is -0.062.