

Index.html :-

```
<!DOCTYPE html>
<html lang="en">

    <head>
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>kindergarten About</title>
        <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/5.0.0-alpha1/css/bootstrap.min.css">
        <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></script>
        <script src="https://stackpath.bootstrapcdn.com/bootstrap/5.0.0-alpha1/js/bootstrap.min.js"></script>
        <link rel="stylesheet" href="../css/Main.css">
    </head>

    <body>
        <!-- navbar -->
        <nav class="navbar navbar-expand-md navbar-light nav_main">
            <div class="container container-fluid">
                <a class="navbar-brand text-white" href="index.html">
                    
                    <b class="align-bottom txt"> BRIGHTON </b>
                </a>
                <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarID"
aria-controls="navbarID" aria-expanded="false" aria-label="Toggle navigation">
                    <span class="navbar-toggler-icon"></span>
                </button>
                <ul class="nav justify-content-end collapse navbar-collapse" id="navbarID">
                    <li class="nav-item">
                        <a class="nav-link text-white active" aria-current="page"
href="index.html">Home</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link text-white" aria-current="page"
href="About.html">About</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link text-white" aria-current="page"
href="Programs.html">Programs</a>
                    </li>
                </ul>
            </div>
        </nav>
    </body>

```

```

        </li>
        <li class="nav-item">
            <a class="nav-link text-white" aria-current="page" href="Contact
us.html">Contact us</a>
        </li>
    </ul>
</div>
</nav>
<div class="con">
    <div class="home_main">

        <div class="heading_slider">
            <p class="h2 m-0 mt-5" style="color: yellow;">A PERFECT LEARNING
CENTER</p>
            <p class="header_slider text-white font-weight-bold mb-5"> FOR YOUR
KIDS</p>
            <p class="font-weight-bold text-white">It is a long established fact
that a reader will be distraced
                by the readable content of a page when looking at it's layout. The
point of using Lorem Ipsum is
                    that it has a more-or-less normal distribution of letters, as</p>

        <div class="mt-5">

            <button class="btn pl-5 pr-5 btn-lg" style="background:
yellow;">READ MORE</button>
            <button class="btn btn-light pl-5 pr-5 btn-lg">READ MORE</button>
        </div>

        <div class="mt-5 d-flex ">
            <div class="slider_sign_w ml-2"></div>
            <div class="slider_sign ml-2"></div>
            <div class="slider_sign ml-2"></div>
            <div class="slider_sign ml-2"></div>
            <div class="slider_sign ml-2"></div>
        </div>
    </div>
</div>
</body>

</html>

```

Output :-

The screenshot shows a website for 'BRIGHTON'. At the top left is a logo of two cartoon characters. The top right features a navigation bar with links for 'Home', 'About', 'Programs', and 'Contact us'. Below the header is a large image of a young girl with dark hair and bangs, looking directly at the camera. Overlaid on the image is the text 'A PERFECT LEARNING CENTER FOR YOUR KIDS' in white. Below this, a paragraph of placeholder text (Lorem Ipsum) is visible. At the bottom of the main content area are two yellow buttons labeled 'READ MORE' and a set of five circular navigation dots.

About.html :-

```
<!DOCTYPE html>
<html lang="en">

    <head>
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>kindergarten About</title>
        <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/5.0.0-alpha1/css/bootstrap.min.css">
        <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></script>
        <script src="https://stackpath.bootstrapcdn.com/bootstrap/5.0.0-alpha1/js/bootstrap.min.js"></script>
        <link rel="stylesheet" href="../css/Main.css">
    </head>

    <body>
        <!-- navbar -->
        <nav class="navbar navbar-expand-md navbar-light nav_main">
            <div class="container container-fluid">
                <a class="navbar-brand text-white" href="index.html">
                    
                    <b class="align-bottom txt"> BRIGHTON </b>
                </a>
            </div>
        </nav>
    </body>
```

```

        </a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarID"
            aria-controls="navbarID" aria-expanded="false" aria-label="Toggle
navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <ul class="nav justify-content-end collapse navbar-collapse" id="navbarID">
            <li class="nav-item">
                <a class="nav-link text-white active " aria-current="page"
href="index.html">Home</a>
            </li>
            <li class="nav-item">
                <a class="nav-link text-white " aria-current="page"
href="About.html">About</a>
            </li>
            <li class="nav-item">
                <a class="nav-link text-white " aria-current="page"
href="Programs.html">Programs</a>
            </li>
            <li class="nav-item">
                <a class="nav-link text-white " aria-current="page" href="Contact
us.html">Contact us</a>
            </li>
        </ul>
    </div>
</nav>

<!-- body --&gt;
&lt;div class="d-flex "&gt;
    &lt;div class="about_main"&gt;&lt;/div&gt;
    &lt;div class="about_contain"&gt;
        &lt;div class="about_contain_main"&gt;
            &lt;p class="h3 font-weight-bold mb-4"&gt;A FEW WORDS ABOUT US&lt;/p&gt;
            &lt;p style=""&gt;Lorem ipsum dolor sit amet, consectetur adipisicing elit.
Rem omnis architecto sit autem
                    soluta nihil
                    quis labore unde aliquid quisquam ipsa dignissimos dicta veritatis
ad alias eius eos assumenda
                    laborum praesentium dolorem saepe, beatae eaque. Repellendus
corrupti qui reprehenderit labore
                    asperiores sit? Neque perspiciatis eos provident eligendi! Illum,
distinctio soluta.&lt;/p&gt;
    </pre>

```

```

        <button class="btn btn-lg pl-5 pr-5 mt-4" style=" background: yellow;">READ ME</button>
    </div>
</div>
</div>

</body>

</html>

```

Output :-

The screenshot shows a website layout. At the top is a green header bar with a logo on the left and navigation links for 'Home', 'About', 'Programs', and 'Contact us' on the right. Below the header is a large image of a young girl with blonde hair holding two brown eggs in front of her eyes. To the right of the image is a text block with the heading 'A FEW WORDS ABOUT US' and some placeholder Latin text. A yellow button labeled 'READ ME' is positioned below the text.

Program.html :-

```

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>kindergarten Programs</title>
        <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/5.0.0-alpha1/css/bootstrap.min.css">
        <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></script>
        <script src="https://stackpath.bootstrapcdn.com/bootstrap/5.0.0-alpha1/js/bootstrap.min.js"></script>

```

```
<link rel="stylesheet" href="../css/Main.css">
</head>

<body>
    <!-- navbar -->
    <nav class="navbar navbar-expand-md navbar-light nev_main">
        <div class="container-fluid container">
            <a class="navbar-brand text-white " href="index.html">
                
                <b class="align-bottom txt"> BRIGHTON </b>
            </a>
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarID"
                    aria-controls="navbarID" aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <ul class="nav justify-content-end collapse navbar-collapse" id="navbarID">
                <li class="nav-item">
                    <a class="nav-link text-white " aria-current="page"
                    href="index.html">Home</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link text-white " aria-current="page"
                    href="About.html">About</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link active text-white " aria-current="page"
                    href="Programs.html">Programs</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link text-white " aria-current="page" href="Contactus.html">Contact us</a>
                </li>
            </ul>
        </div>
    </nav>
    <!-- body -->
    <div class="container ">
        <div class="program_main">
            <p class="h2 font-weight-bold">WHAT WE OFFER</p>
            <p class="m-0">It is a long established fact that a reader will be
distracted by the readable content of
```

a page when looking at its layout. The point of using Lorem</p>

```
<div class="d-flex justify-content-between">
    <div class="program_main_con d-flex">
        
        <div class="program_main_con_deta">
            <p class="program_main_head font-weight-bold h4">SAFETY FIRST</p>
            <p class="program_main_con_para">It is a long established fact that a reader will be distracted by the readable content of a page when looking at its layout.

The point of using Lorem



```
 </p>
 </div>
</div>
<div class="program_main_con d-flex">

 <div class="program_main_con_deta">
 <p class="program_main_head font-weight-bold h4">SMALL CLASS SIZE</p>
 <p class="program_main_con_para">It is a long established fact that a reader will be distracted by the readable content of a page when looking at its layout. The point of using Lorem
```



CARE</p>



```
 </p>
 </div>
</div>
<div class="d-flex justify-content-between">
 <div class="program_main_con d-flex">

 <div class="program_main_con_deta">
 <p class="program_main_head font-weight-bold h4">INFANT CARE</p>
 <p class="program_main_con_para">It is a long established fact that a reader will be distracted by the readable content of a page when looking at its layout. The point of using Lorem
```


```

```

        </p>
    </div>
</div>
<div class="program_main_con d-flex">
    
    <div class="program_main_con_deta">
        <p class="program_main_con_head font-weight-bold h4">CRETIVE
LESSONS</p>
        <p class="program_main_con_para">
            It is a long established fact that a reader will be
distracted by the readable content
            of a page when looking at its layout. The point of using
Lorem
            </p>
        </div>
        </div>
        </div>
        </div>
        </div>
    </div>
</body>

</html>

```

Output :-

The screenshot shows a website with a green header bar. On the left is a logo of two cartoon characters, and next to it is the word "BRIGHTON". On the right side of the header are four navigation links: "Home", "About", "Programs", and "Contact us". Below the header, there is a section titled "WHAT WE OFFER" in bold capital letters. Under this title, there is a paragraph of placeholder text: "It is a long established fact that a reader will be distracted by the readable content of a page when looking at its layout. The point of using Lorem". Below this paragraph, there are four cards arranged in a grid. Each card has a small icon on the left and a title followed by a short description on the right.

Icon	Title	Description
	SAFETY FIRST	It is a long established fact that a reader will be distracted by the readable content of a page when looking at its layout. The point of using Lorem
	SMALL CLASS SIZE	It is a long established fact that a reader will be distracted by the readable content of a page when looking at its layout. The point of using Lorem
	INFANT CARE	It is a long established fact that a reader will be distracted by the readable content of a page when looking at its layout. The point of using Lorem
	CRETIVE LESSONS	It is a long established fact that a reader will be distracted by the readable content of a page when looking at its layout. The point of using Lorem

```
<!DOCTYPE html>
<html lang="en">

    <head>
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>kindergarten Contact us</title>
        <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/5.0.0-alpha1/css/bootstrap.min.css">
        <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></script>
        <script src="https://stackpath.bootstrapcdn.com/bootstrap/5.0.0-alpha1/js/bootstrap.min.js"></script>
        <link rel="stylesheet" href="../css/Main.css">
    </head>

    <body>
        <!-- navbar -->
        <nav class="navbar navbar-expand-md navbar-light nav_main">
            <div class="container-fluid container">
                <a class="navbar-brand text-white" href="index.html">
                    
                    <b class="align-bottom txt"> BRIGHTON </b>
                </a>
                <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarID"
                        aria-controls="navbarID" aria-expanded="false" aria-label="Toggle navigation">
                    <span class="navbar-toggler-icon"></span>
                </button>
                <ul class="nav justify-content-end collapse navbar-collapse" id="navbarID">
                    <li class="nav-item">
                        <a class="nav-link text-white" aria-current="page"
                           href="index.html">Home</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link text-white" aria-current="page"
                           href="About.html">About</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link text-white" aria-current="page"
                           href="Programs.html">Programs</a>
                    </li>
                </ul>
            </div>
        </nav>
    </body>

```

```
<li class="nav-item">
    <a class="nav-link active text-white" aria-current="page"
href="Contact us.html">Contact us</a>
</li>
</ul>
</div>
</nav>
<!-- body -->
<div class="con_main">
    <div class="contact_main d-flex justify-content-center align-items-center">
        <div class="contact_main_form">
            <div class="col-md-6 d-flex align-items-stretch">
                <div class="contact-wrap p-md-5 p-4 py-5">
                    <h2 class="mb-4 font-weight-bold">Contact us</h2>
                    <form>
                        <div class="row">
                            <div class="col-md-12">
                                <div>
                                    <input class="f_style mb-2" type="text"
name="name" id="name"
                                        placeholder="Name">
                                </div>
                            </div>
                            <div class="col-md-12">
                                <div>
                                    <input class="f_style mb-2" type="email"
name="email" id="email"
                                        placeholder="Email">
                                </div>
                            </div>
                            <div class="col-md-12">
                                <div>
                                    <input class="f_style mb-2" type="text"
name="subject" id="subject"
                                        placeholder="Subject">
                                </div>
                            </div>
                            <div class="col-md-12">
                                <div>
                                    <textarea class="f_style mb-2" name="message"
id="message" cols="30"
                                        rows="6" placeholder="Message"></textarea>
                                </div>
                            </div>
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </div>
</div>
```


```

        </div>
        <div class="col-md-12">
            <div>
                <input class="btn btn-primary mt-4" type="submit" value="Send Message">
                    <div class="submitting"></div>
                </div>
            </div>
        </form>
    </div>
</div>
</div>
</body>

</html>

```

Output :-



Css File :-

```

* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}

```

```
}

/* Nav start */
.nav_main {
  background: #90953b;
}
.nav-item:hover {
  border-bottom: 3px solid yellow;
}
.txt {
  font-size: x-large;
}
/* Nav end */

/* index start */
.con {
  width: 100vw;
  height: 79vh;
  background: #78853f;
}
.home_main {
  width: 90vw;
  height: 81.5vh;
  background: url(..../IMG/slider-bg.jpg);
  background-size: cover;
  background-attachment: inherit;
  position: relative;
  left: 76px;
  top: 45px;
}
.heading_slider {
  position: absolute;
  left: 90px;
  top: 130px;
  width: 35vw;
}
.header_slider {
  font-size: 60px;
}
.slider_sign {
  width: 3vh;
  height: 3vh;
  background: #ffff00;
```

```
border-radius: 2vh;
-webkit-border-radius: 2vh;
-moz-border-radius: 2vh;
-ms-border-radius: 2vh;
-o-border-radius: 2vh;
}

.slider_sign_w {
  width: 3vh;
  height: 3vh;
  border: white solid 3px;
  border-radius: 2vh;
  -webkit-border-radius: 2vh;
  -moz-border-radius: 2vh;
  -ms-border-radius: 2vh;
  -o-border-radius: 2vh;
}

/* index end */

/* About start */
.about_main {
  width: 50vw;
  height: 73vh;
  background: url(..../IMG/about-img.jpg);
  background-size: contain;
  background-repeat: no-repeat;
}

.about_contain {
  float: right;
  width: 45vw;
  height: 73vh;
}

.about_contain_main {
  position: absolute;
  top: 180px;
  right: 50px;
  width: 40vw;
}

/* About end */

/* program start */
.program_main {
  top: 80px;
  position: relative;
```

```
}

.program_main_con {
  width: 40vw;
  margin-top: 80px;
  position: relative;
}

.program_main_con_deta {
  left: 20px;
  top: 10px;
  position: relative;
}

.program_main_con_para {
  width: 25vw;
}

img {
  border-radius: 15px;
  -webkit-border-radius: 15px;
  -moz-border-radius: 15px;
  -ms-border-radius: 15px;
  -o-border-radius: 15px;
}

/* program end */

/* Contact start */
.con_main {
  background: url(../IMG/contect_bg.jpg);
  background-size: cover;
  height: 89vh;
}

.contact_main {
  height: 89vh;
  width: 100vw;
}

.contact_main_form {
  width: 22vw;
  height: 56vh;
  color: #98c1d9;
  background: #3d5a80;
  border-radius: 20px;
  -webkit-border-radius: 20px;
  -moz-border-radius: 20px;
  -ms-border-radius: 20px;
  -o-border-radius: 20px;
```

```
}

input,
textarea {
    background: #e0fbfc;
    color: #293241;
    padding-left: 10px;
    width: 300px;
    height: 40px;
    margin-top: 5px;
    border-style: none;
    border-radius: 5px;
    -webkit-border-radius: 5px;
    -moz-border-radius: 5px;
    -ms-border-radius: 5px;
    -o-border-radius: 5px;
    font-size: 15px;
}

textarea {
    height: 150px;
}

.f_style {
    border-bottom: #7a7b82 solid 2px;
}

/* Contact end */
```