Cucumber Report

Start : Dec 27, 12:09:44.740 pm	End : Dec 27, 12:10:29.814 pm	Duration : 45.074 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 1 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 5

Pass % — 0 %

Pass % — 0 %

Pass % — 80 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Products page feature	45.074 s	1	0	1	0	5	4	1	0

#	Feature Name	Scenario Name
1	*Products page feature*	*Verify All Products and product details page*

| #	Feature Name	T	P	F	S	Duration
1	Products page feature	1	0	1	0	45.074 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Products page feature	Verify All Products and product details page	5	4	1	0	45.071 s

Products page feature

FAILED	DURATION - 45.074 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 12:09:44.740 pm // 12:10:29.814 pm /					

Verify All Products and product details page

FAILED	DURATION - 45.071 s		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 12:09:44.743 pm // 12:10:29.814 pm /				
Products page feature				

#	Step / Hook Details	Status	Duration
1	Given I Navigate to url "http://automationexercise.com"	PASSED	2.945 s
2	Then I Verify that home page is visible successfully	PASSED	0.013 s
3	When I Click on "Products" button	PASSED	0.231 s
4	Then I Verify user is navigated to ALL PRODUCTS page successfully	PASSED	7.343 s
5	And I Click on View Product of first product	FAILED	27.007 s

	org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: unable to send message to renderer (Session info: chrome=120.0.6099.130) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [46c0562623655899e55ab7258c34a83a, executeScript {script=arguments[0].click();, args=[{element-6066-11e4-a52e-4f735466cecf=F744B339A838D925FBE7AC61412B4C1D_element_62}]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\sandi\AppData\Loca. ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53018}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53018/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 46c0562623655899e55ab7258c34a83a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:472) at com.automationexercise.pages.ProductPage.clickOnViewProductOfFirstProduct(ProductPage.java:50) at com.automationexercise.steps.ProductsSteps.iClickOnViewProductOfFirstProduct(ProductsSteps.java:39) at ?.I Click on View Product of first product(file:///C:/Users/sandi/IdeaProjects/automation-exercise-cucumber/src/test/resources/features/product.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.automationexercise.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.012 s
	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.130) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [46c0562623655899e55ab7258c34a83a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\sandi\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53018}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53018/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 46c0562623655899e55ab7258c34a83a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.automationexercise.Utility.Utility.getScreenShot(Utility.java:360) at com.automationexercise.steps.Hooks.tearDown(Hooks.java:19)		