Codio Project File Edit Find View Tools Education Help Configure... Virtual Desktop Configure... SANDIPAN-DEY

exercise3.py ×

```python
  def get_checking(self):
    return self._checking

  def get_savings(self):
    return self._savings

  def set_checking(self, new_checking):
    self._checking = new_checking

  def set_savings(self, new_savings):
    self._savings = new_savings

my_account = BankAccount()
print(my_account.set_checking(523.48))
print(my_account.get_checking())
print(my_account.set_savings(386.15))
print(my_account.get_savings())
```

100% (22:33)

Guide ×

Collapse **Encapsulation -> Coding Exercises - Encapsulation**

Encapsulation Exercise 3

Exercise 3

Define the `BankAccount` class which has attributes for `checking` and `savings`. Use the Python convention to make these attributes private. Create the getters `get_checking` and `get_savings`, and create the setters `set_checking` and `set_savings`.

Expected Output

Initialize an object of the `BankAccount` class as follows:

```python
my_account = BankAccount()
```

Task	Output
`my_account.set_checking(523.48)`	N/A
`print(my_account.get_checking())`	`523.48`
`my_account.set_savings(386.15)`	N/A
`print(my_account.get_savings())`	`386.15`

Important

Do not use the property decorator or function; follow the Python convention for private attributes.

TRY IT

```
None
523.48
None
386.15
```

Submit your code when ready.

Here is one possible answer:

```python
class BankAccount():
  def __init__(self):
    self._checking = 0
    self._savings = 0

  def get_checking(self):
    return self._checking

  def set_checking(self, new_value):
    self._checking = new_value

  def get_savings(self):
    return self._savings

  def set_savings(self, new_value):
    self._savings = new_value
```

The getters and setters should be regular methods for the `BankAccount` class. In addition, the class should have the attributes `_checking` and `_savings`.

Check It!

LAST RUN on 12/28/2023, 2:06:08 AM

Test passed

Next