Concept Check: Model-Assisted Labeling

Submit your assignment

Try again

Receive grade

To Pass 75% or higher

Your grade
100%

View Feedback
We keep your highest score

Like Dislike Report an issue

Congratulations! You passed!

Grade received 100% **To pass** 75% or higher

Go to next item

1. What is the primary benefit of performing model-assisted labeling? **1 / 1 point**

- ○ To increase the accuracy of the model
- ◉ To reduce the time and effort of labeling many images
- ○ To evaluate different detection models

Correct
Manually labeling images is labor-intensive, time-consuming, and tedious. Because editing labels is much easier than creating them from scratch, model-assisted labeling saves time and effort.

2. Which of the following situations would benefit from model-assisted labeling? **1 / 1 point**

- ○ You need to label thousands of images and have a detector trained on 100 images covering the same classes.
- ○ You have an existing model that you want to retrain with additional images.
- ○ You have an existing model that detects many objects of interest, but want to create a new model with additional classes.
- ◉ All of the above

Correct
Model-assisted labeling can be used to iteratively train new models or improve existing models.

3. If you are using model-assisted labeling to iteratively improve your model, what do you do after the model automatically labels the images? **1 / 1 point**

- ○ Use another model to check the labels.
- ○ Accept all labels as they are.
- ◉ Manually review and adjust the labels as needed.

Correct
The labels may have some mistakes, but it is much easier to adjust labels than to create them from scratch.

4. Which of the following is accomplished by the automation function used in model-assisted labeling? Check all that apply. **1 / 1 point**

- ☑ It runs the detection model for every unlabeled image.

Correct
`[bbox,~,labels] = detect(detector,I)`

- ☐ It evaluates the intersection over union (IoU) of each detection to iteratively improve itself.
- ☑ It outputs the name, label type, and bounding box coordinates for each object.

Correct
The results are stored in the output variable `autoLabels`.