

Hide menu

Build a Chatbot with ChatGPT-4

✓

Ungraded Plugin: KnowItAll Intro

3 min

✓

Ungraded Plugin: Starter code

3 min

✓

Ungraded Plugin: Aside: How ChatGPT models work for chatbots

5 min

✓

Ungraded Plugin: Conversation and instructions

2 min

✓

Ungraded Plugin: Add user input to conversation array

3 min

✓

Ungraded Plugin: The createChatCompletion endpoint

1 min

✓

Ungraded Plugin: The model and object

4 min

✓

Ungraded Plugin: Render the output, update the array

5 min

✓

Ungraded Plugin: Aside: Theory: Frequency and presence penalties

3 min

✓

Ungraded Plugin: presence_penalty practice

1 min

✓

Ungraded Plugin: frequency_penalty practice

6 min

✓

Ungraded Plugin: The chatbot's personality

2 min

✓

Ungraded Plugin: Firebase Intro

1 min

✓

Ungraded Plugin: Firebase Account and database set up

2 min

✓

Ungraded Plugin: Firebase dependency and set up

5 min

✓

Ungraded Plugin: Push method and instructions object

3 min

✓

Ungraded Plugin: Update fetchReply

4 min

✓

Ungraded Plugin: Update fetchReply 2

2 min

✓

Ungraded Plugin: Update the database

2 min

✓

Ungraded Plugin: Render the conversation from the DB

5 min

✓

Ungraded Plugin: The "start over" button

3 min

✓

Quiz: AI Quiz Submitted

🔗

Ungraded Plugin: Outro

2 min

AI Quiz

Submit your assignment

Due Dec 10, 11:59 PM IST

Receive grade

To Pass 80% or higher

Congratulations! You passed!

Grade received 100%

Latest Submission Grade 100%

To pass 80% or higher

Go to next item

Try again

Like Dislike Report an issue Correct

Your grade 100% View Feedback We keep your highest score

1. Which of these best describes an OpenAI model's behaviour? 1 / 1 point
- ☐ It can remember the previous prompts it has been given.

☒ It has no memory of previous prompts, so all of the context of a conversation must be included in every prompt.

☐ There's no way of making it capable of logically continuing a conversation.

☐ It can remember just the previous prompt.

2. What should happen when *presence_penalty* is increased? 1 / 1 point
- ☐ The model should repeat itself more.

☒ The model should talk about new topics more often.

☐ The model will use the same words more frequently.

☐ The model should supply you with a list of answers.
- ☒ Correct

3. Which one of the following is true? 1 / 1 point
- ☒ When working with the *createChatCompletions* endpoint, the *messages* property must contain and array of objects.

☐ When using the *createChatCompletions* endpoint, you send a prompt to the *GPT-3.5-turbo*/*GPT-4* models in exactly the same way as when using the *text-davinci-003* model on the *createCompletions* endpoint.

☐ When working with the *createChatCompletions* endpoint, the *messages* property must contain and array of strings.

☐ It's important to set a LOW *max_tokens* property when working with the *createChatCompletions* endpoint
- ☒ Correct

4. The *frequency_penalty* setting gives us some control over... 1 / 1 point
- ☐ how frequently we can make requests to the API.

☐ how frequently the model discusses new topics.

☐ how creative and unusual the completions are.

☒ how likely the model is to use the same words and phrases in a completion.
- ☒ Correct

5. Which of the following is true about the array we send to the API in the *messages* property. 1 / 1 point
- ☐ The first object in the array should contain a *key/value* pair where the *key* is *content* and the value is the request we are making to the API.

☐ The first object in the array should hold the previous completion that came back from the API.

☐ Each object in the array should have a *key/value* pair where the key is *role* and the value is *user*.

☒ The first object in the array should contain instructions telling the model how we want it to behave.
- ☒ Correct

6. Which of these best describes a firebase 'snapshot'. 1 / 1 point
- ☐ A backup of data from the database which is created once in a 24 hour period.

☒ A copy of all of the database data as it exists at that moment.

☐ An array of objects holding the current data from the database and a history of changes made to that data.

☐ An object which mirrors the database's data. When you mutate the object, you change the database data.
- ☒ Correct