





Like this course? Become an expert by joining the [Excel to MySQL: Analytic Techniques for Business Specialization \(/specializations/excel-mysql\)](#).

Upgrade

(https://accounts.coursera.org/i/zendesk/courserahelp?return_to=https://learner.coursera.help/hc)

Course Forums

All Course Discussions (/learn/analytics-excel/discussions?sort=lastActivityAtDesc&page=1)
General Discussion (/learn/analytics-excel/forum/DGt1wXFBEEWy9BLIActDnw/discussions?sort=lastActivityAtDesc&page=1)
Meet and Greet (/learn/analytics-excel/forum/GQ-LCnFBEEWgtQq7brjg6Q/discussions?sort=lastActivityAtDesc&page=1)
Mathematical Supplement (/learn/analytics-excel/forum/lz73eHFBEEWb4g4qCdqdUQ/discussions?sort=lastActivityAtDesc&page=1)

Module Forums

About this Specialization and Course (/learn/analytics-excel/module/iM0zV/discussions?sort=lastActivityAtDesc&page=1)
Excel Essentials for Beginners (/learn/analytics-excel/module/rcad5/discussions?sort=lastActivityAtDesc&page=1)
Binary Classification (/learn/analytics-excel/module/9YFew/discussions?sort=lastActivityAtDesc&page=1)
Information Measures (/learn/analytics-excel/module/SgyrB/discussions?sort=lastActivityAtDesc&page=1)
Linear Regression (/learn/analytics-excel/module/yXasu/discussions?sort=lastActivityAtDesc&page=1)
Samples and Random Variables (/learn/analytics-excel/module/qaamC/discussions?sort=lastActivityAtDesc&page=1)
Final Course Project (/learn/analytics-excel/module/5m5Am/discussions?sort=lastActivityAtDesc&page=1)

← All Course Discussions

(/learn/analytics-excel/discussions?sort=lastActivityAtDesc&page=1&q=Part%204)



Mentor Hints for Week 6 Quiz Part IV ★

Heng Ye · Teaching Staff · Final Course Project (/learn/analytics-excel/module/5m5Am/discussions) · a month ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ) · Edited excel/profiles/31e005485fd9b580de1415dc1)

Update on 11/17/15: Solution is given after submitting the quiz

Click to review LINEST FUNCTION (<http://www.excelfunctions.net/Excel-Linest-Function.html>)

Click to download week 6 Excel workbook (<https://www.coursera.org/learn/analytics-excel/supplement/5Tld7>)

Question 1 What are your values for each “beta” on the training set?

Use the Excel “Linest” function. For more information, please refer to Week 4 video (<https://www.coursera.org/learn/analytics-excel/lecture/q7uig/differential-entropy-and-information-gain-from-linear-regression>).

*The betas from Linest function are reversed in order

Question 2 What is the root mean square residual error of your model on the standardized training set?

Root mean square residual error = $SQRT(1-R^2)$

Question 3 What is the Correlation, R, of your model on the training set?

Correlation $R = SQRT(R^2)$; R^2 is given by LINEST function

Question 4 Using the parametric formula [parametric because it assumes inputs and errors are Gaussian and continuous PDF is appropriate] $I(X;Y) = \log(1/SQRT(1-R^2))$. Assuming results on training set were sustainable (a very big assumption) what is the information gain of your linear regression model on the training set, in average bits per event?

$I(X;Y) = \log(1/SQRT(1-R^2))$

Question 5 In the Final Project workbook, the 7.4 Datapoints and Questions Spreadsheet lists data for 5 new credit card applicants (labeled “Final A,” “Final B,” “Final C,” “Final D,” and “Final E”). Assume the mean profitability is \$2,000 and the standard deviation of profitability is \$5,100.

Calculate the expected profit point estimate in dollars (\$) for the 5 new applicants.

Profitability = mean + std. profitability * std. deviation

Question 6 What is the profit range that would cover 90% of outcomes (if model performance is assumed stable on future data)

Range = Mean +/- Std.Dev * z-score * Root Mean Square Error

Question 7 What is the root mean square residual error of your model (with betas optimized on the training set), when you run it on the test set?

$y = \text{Actual profitability}$

$y^{\wedge} = \text{Predicted profitability using the model with betas from training set}$

$SS1 = \text{Sum of } (y - y^{\wedge})^2$

$SS2 = \text{Sum of } y^{\wedge 2}$

Root mean square residual error = $SQRT(SS1/SS2)$

Question 8a What is the Correlation, R, of your model on the *test set*?

$y = \text{Actual profitability}$

$y^{\wedge} = \text{Predicted profitability using the model with betas from training set}$

$SS1 = \text{Sum of } (y - y^{\wedge})^2$

$SS2 = \text{Sum of } y^{\wedge 2}$

$R = SQRT(1 - SS1/SS2)$

Question 8b If your model performs worse on the test set (which I expect it will) this is because the multivariate linear regression over-fits noise in the original Training Set. However, for now we will not try to correct or improve the original “linest” model.

Using the same parametric assumptions as above, what is the information gain of the linear regression model on the training set, in average bits per event?

$I(X;Y) = \log(1/SQRT(1 - R^2))$

Question 9 Based on your new root mean square error, what is the new 90% confidence interval for your profitability estimates for the five applicants above?

Range = Mean +/- Std.Dev * z-score * Root Mean Square Error

▲ 2 Upvote · Follow 38 · Reply to Heng Ye

Earliest

(/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ?sort=createdAtAsc&page=1)

Top

(/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ?sort=upvotesDesc&page=1)

Most Recent

RC Richard Crowe · a month ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/hMF1o4csEeWA9w4ipzCZ2Q)

(/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ?sort=createdAtDesc&page=1)

(/learn/analytics-excel/profiles/efb5a86e8321cc0594d4c38c98614aa7) Log(Standard Error) = -Log((1-R^2)^0.5)= Log (1/(1-R^2)^0.5)

In the formula in question 4 the Square Root in this formula as disappeared.and the formula is

$I(X;Y) = \log(1/(1 - R^2))$

take any value for R let's say 0.6

$R^2 = .36$
 $1 - R^2 = .64$
 $Sq Rt (1 - R^2) = 0.8$
 $1/.8 = 1.25$
So $I = \log 1.25 = 0.32$

This result is confirmed in the Workbook Tab 5-9 Row 18

If we use the formula in the Quiz we get $\log (1/0.64) = 0.64$

So the formula derived by Prof in the Video, the one in the Math Supplement and the Workbook all agree but the formula in the Quiz gives a different result (the answer is doubled). I can pass the quiz with the formula in the quiz but I believe the answer is incorrect and in conflict with the answer given by the 3 other sources. Futher details and

screenshots are in other posts I have made on this topic

Can you comment please.

▲ 1 Upvote · Hide 7 Replies

JX Jennifer Xu · a month ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/hMF1o4csEeWA9w4ipzCZ2Q/comments/4VZbnoouEeWfyQ7wUMeYyw)

(/learn/analytics-excel/profiles/efb5a86e8321cc0594d4c38c98614aa7) $R=0.6, R^2R=0.36, 1-R^2R=0.64, 1/(1-R^2R)=1.5625, \log(1.5625) = 0.64.$ no sqrt.

▲ 0 Upvote

DP Damien Papworth · a month ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/hMF1o4csEeWA9w4ipzCZ2Q/comments/s0dYiYpCEeWw8BKLWolBUQ)

(/learn/analytics-excel/profiles/a09f94f04593086de2a7fa7077722f8e) Jennifer

I'm a bit confused by this definition for information gain too.

If I use either the standard deviation of error (calculated in Q2), i.e. -ln(std dev of error) or if I use the correlation, i.e. $-0.5 * \ln(1 - R^2)$ (using the formula provided in the math supplement), I get the same result, but it doesn't correspond to any of the answers given.

Also, given the R values in Q3, none of the calculated information gains for these values match the answers in Q4. Am I missing something really obvious? Your help would be much appreciated!

Thanks,

Damien.

▲ 0 Upvote

JX Jennifer Xu · a month ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/hMF1o4csEeWA9w4ipzCZ2Q/comments/YIC-jop6EeWH0w7fQkp2-w)

(/learn/analytics-excel/profiles/efb5a86e8321cc0594d4c38c98614aa7) Damien

Information gain = $H(X) - H(X/Y)$ which is $I(X;Y)$ in the lecture. There is a spreadsheet 4-1 calculator shows the

detail.

▲ 0 Upvote

Hazem Abdelazim · 24 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/hMF1o4csEeWA9w4ipzCZ2Q/comments/Zck_SY3bEeWH0w7fQkp2-w)

I believe some answers are incorrect .. pls check initially Q4 related to the Mutual Information for Regression model. ALL answers I believe are WRONG, one of them could be correct if for a wrong formula $I(X;Y) = \log(1/(1-R^2))$ without putting the square root in the denominator . I believe the instructor forgot to put the square root in the correct formula $I(X;Y) = \log(1/\sqrt{1-R^2}))$!!!!!!!

▲ 1 Upvote

JX Jennifer Xu · 23 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/hMF1o4csEeWA9w4ipzCZ2Q/comments/u6-YUY7_EeWSw7ngxeQVw)

(/learn/analytics-excel/profiles/efb5a86e8321cc0594d4c38c98614aa7) Yes, I looked at the math again, it should be $I(X;Y) = -1/2 * \ln(1-R^2)$

▲ 1 Upvote

Carlos Castillo · 22 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/hMF1o4csEeWA9w4ipzCZ2Q/comments/oDjkk1_fEeWUChK_4yGk2Q)

(/learn/analytics-excel/profiles/245094804057eb14b3f0c263414d4ebf) Q4. If this is the correct math, then by using $R = .81$ from Q3 we have: $R^2 = .656$; $1-R^2 = .34$; $\ln(1-R^2) = -1.06$. Finally, $-1/2 * \ln(1-R^2) = .53$ which does NOT match any of the given answers. Can you clarify what I'm missing? Even if use the other R's from Q2 (.78 or .75), I still don't get to match any of the given answers in Q4.

▲ 0 Upvote

M Madhu · 20 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/hMF1o4csEeWA9w4ipzCZ2Q/comments/ozskLZFJEeWJSQr5zqhI6w)

(/learn/analytics-excel/profiles/211844370e0fe6dcf715a4fc8d60634) The options are incorrect. One of the option is matching if we omit the SQRT in the information gain formula.

▲ 0 Upvote

SD

Reply

(/learn/analytics-excel/profiles/f34069ce8df6de7dbefdfb7e760d9f)

Reply

LC Laura Cabantous · a month ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/4bz5oleAEeWHkQpemRPqCw)

Hj

(/learn/analytics-excel/profiles/e1eaa5c6b6817ca003dfc64bffa57)

can't get the question right. I standardized my training set and my test set.

I've copy&paste the first 25 customer standardized values (from age to automobile debt) from my training set to the Linest spreadsheet, along with my default outcome values.

The betas don't match any of the answer... I don't understand where I've got it wrong.

Can you please help?

▲ 4 Upvote · Hide 4 Replies

 Rob Nicholas · a month ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/4bz5oleAEeWHkQpemRPqCw/comments/xZ54QIzJEeWrDQr9ZhnP1w)

(/learn/analytics-excel/profiles/ae1346f82d1a8de6bb800d9a2f514639) I feel as though I'm the least prepared person in this class, so I hesitate to answer and give you wrong info, but I DID manage to get a match (although I have not tried it to see if it works).

I think you need to need to do more than 25...do all of them. But, I'd try this...it works a LOT better.

<https://www.youtube.com/watch?v=G4IEJBCNVjw> (<https://www.youtube.com/watch?v=G4IEJBCNVjw>)

Excel has a built in regression function (you have to install it, similar to the solver) the puts everything in a neat little spreadsheet tab with everything labeled. So far, I can't find the answer to question #2 on it, but I did get at least an answer for 1 and 3 that I think will be correct.

Good luck.

▲ 1 Upvote

MS Markus S · 22 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/4bz5oleAEeWHkQpemRPqCw/comments/91VGqI-YeEwVqwo8xhpijw)

(/learn/analytics-excel/profiles/9d2f539db4fa4c1d3aa10070811a4a71) I already had the Excel Data Analysis add-in installed for a different purpose, thanks for the hint it can do multiple regression. The output is so detailed!

▲ 0 Upvote

Pasquale Prosperati · 14 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/4bz5oleAEeWHkQpemRPqCw/comments/ZgVwWjYVEeWNbBIwwhtGwQ)

(/learn/analytics-excel/profiles/f438e854007f4c7c40ab356470e1cf1b) Well after I lost like 30min on it it turns out that the first number in the question is for the last variable in the question and so on... So if you tried to match your beta score for age with the first number in the answer,

https://www.coursera.org/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ

3/8

don't bother, it's supposed to be the last one...

▲ 1 Upvote

John Brew · 14 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/4bz5oleAEeWHkQpemRPqCw/comments/8H4vu5ZbEeW70BJZtLVfGQ)▼

(/learn/analytics-excel/profiles/627314bb2ff17aa79121452e3d8f8364)
Hi Pasquale - Thanks, I made this error as well and I am very glad to find your post. I was spinning my wheels for a bit.

▲ 1 Upvote

SD
Reply
(/learn/analytics-excel/profiles/f34069ce8df6de7dbebfedfb7e760d9f)

Reply

Luciano de Almeida Passos · a month ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/tzIqwlIOEeWuyQ7cgBxRNQ)▼

(/learn/analytics-excel/profiles/abbe7e1bdad4c94970e5c401c2e81e8f)
Dear Mentor,
Which data is to be used for Question 6? I'm struggling to understand the questions with limited information ...
Thank you.

▲ 3 Upvote · Hide 2 Replies

 Heng Ye · Teaching Staff · 23 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/tzIqwlIOEeWuyQ7cgBxRNQ/comments/1Do5vY8cEeWzIhlumVb5Ww)▼

(/learn/analytics-excel/profiles/31e005485fdaae37d9fb580de1415dc1)
Hi Luciano,
Have you seen the red column here? (Profitability Data for Part 4) That is what is used here.

▲ 1 Upvote

VB
Vijay Bahl · 20 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/tzIqwlIOEeWuyQ7cgBxRNQ/comments/EIK_0JEeEeWJSqr5zqhI6w)▼

(/learn/analytics-excel/profiles/dab0ba8aa967cb1579238acfa7d885b8)
I'm sorry but where can find this workbook with the data that you are showing i didnt find it in final workbook.

▲ 0 Upvote

SD
Reply
(/learn/analytics-excel/profiles/f34069ce8df6de7dbebfedfb7e760d9f)

Reply

Luciano de Almeida Passos · a month ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/T9_4UoiZEeW7VBKq-hh0Cw)▼

(/learn/analytics-excel/profiles/abbe7e1bdad4c94970e5c401c2e81e8f)
Question 2:
I calculated the RMS of errors by the formula ($RMS = \sqrt{1 - R^2}$) and manually item by item in Excel ($SD_e = \text{root square of the average of squared errors}$). Both resulted the same and the result is one of the options. I got it scored as wrong answer.

Are you sure the standard answer is correct?

Thanks

▲ 2 Upvote · Hide



SD
Reply
(/learn/analytics-excel/profiles/f34069ce8df6de7dbebfedfb7e760d9f)

Reply

JX
Jennifer Xu · a month ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/mfZJPooMEeW65hI1lbwj7Q)▼

(/learn/analytics-excel/profiles/efb528ce8321c0594d4c38c98614a7)
Q6:
I can not quite understand the question. If I use mean = 2000, sigma = 5100, for 90% CLI, I got z score = +/-1.64. I saw there is a spreadsheet about R vs standard error which corrects the value. I could not get anything near any answers on the sheet. Where am I supposed to start with? Please help! Thanks!

▲ 7 Upvote · Reply

JX
Jennifer Xu · a month ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/AQqy_Yo7EeWwEwr2ChLk8Q)▼

Q6 and Q9,
not getting the right answer. The mean is 2000, why both answers are centered at mean = 0?

(/learn/analytics-excel/profiles/efb5a86e8321cc0594d4c38c98614aa7)

The calculation is much simpler than I tried. But the C.L.I centered at 0 doesn't make sense. I can't assume future population mean = 0 for the profit data. Mr. Ye, can you explain a little bit on this? Thanks!

2 Upvote · Hide 2 Replies

BM

Brad Mager · 23 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/AQqy_Yo7EeWwEwr2ChLk8Q/comments/1P_zKY76EeWNOW5YYoNGsw)

(/learn/analytics-excel/profiles/1632cc9e9b2e214389f89f69c55153e8)

See my answer to Rob below. I think they're looking for the values above and below the mean, whatever it happens to be, not the absolute range.

0 Upvote

JX

Jennifer Xu · 23 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/AQqy_Yo7EeWwEwr2ChLk8Q/comments/9alwsI7_EeWleBJxvI1eIQ)

(/learn/analytics-excel/profiles/efb5a86e8321cc0594d4c38c98614aa7)

Yes, agreed with you. But, they could make the question much clear. I spent quite some hours to manipulate guessing the results.

0 Upvote

SD

Reply

(/learn/analytics-excel/profiles/f34069ce8df6de7dbebfedfb7e760d9f)

Reply

P

Poornima · a month ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/qhqjDYzQEeWrDQr9ZhnP1w) · Edited

(/learn/analytics-excel/profiles/179f81b1aab6f25fd76fb87be37b8e3)

not getting the right answer for question 1
I've standardized the values of all six inputs and the profitability data. Now when using the linest function with the 6 variables as inputs and profitability data as output am not getting the right answer. I also used the actual outcome column from the original excel sheet as output. Still no result. I am trying for the 1 to 200 values- training set.

Can anyone please tell me where am going wrong???

1 Upvote · Hide

SD

Reply

(/learn/analytics-excel/profiles/f34069ce8df6de7dbebfedfb7e760d9f)

Reply

 Rob Nicholas · a month ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/3LrbHlpEeWZfg6Bj_UARQ)

(/learn/analytics-excel/profiles/ae1346f82d1a8de6bb800d9a2f514539)

I put this in another reply, but folks, I really recommend looking at this video and seeing if it helps. If you can install the analysis pack on Excel and use the regression function, you get a spreadsheet that makes a lot more sense.

<https://www.youtube.com/watch?v=G4IEjBCNVjw>

1 Upvote · Hide

SD

Reply

(/learn/analytics-excel/profiles/f34069ce8df6de7dbebfedfb7e760d9f)

Reply

KM

Karolina Martyniak · 25 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/J5v2s40vEeWD3RImE8PCdQ)

(/learn/analytics-excel/profiles/74137f1f7e92715fb411cfa64433ea4)

Hi Heng Ye, Could you please clarify no 1? I keep getting results that are different to the options in the answer, but the question itself is unclear - it says we should standardize the training set and test set values separately - great, done that - separate averages and stdevp for training set and separate ones for test set - but then what do we run the linest function on? the whole set of 400? only test set?

3 Upvote · Hide

https://www.coursera.org/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ

5/8

SD

Reply

(/learn/analytics-excel/profiles/f34069ce8df6de7dbebfedfb7e760d9f)

Reply

JX

Jennifer Xu · 25 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/-7cU_o05EeWwEwr2ChLK8Q)

(/learn/analytics-excel/profiles/fb5a86e83216f0594d4c38c98614a97)

Hi,

I got almost all the right answers, except Q2 that I believed the standard answer is wrong and mine is correct. Q6 And Q9's answers are weird centered at mean = 0.

For Q1, you need to standardise all the independent variables and the profit \$. I used the regression method. The results show very clear the intercept and the betas for each independent variables which are "very closed" not exactly the standard answers. You could round up and get the correct answers. Again, it is only on the first 200 training set.

▲ 0 Upvote

·

Reply



Rob Nicholas · 25 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/ueLs6o1DEeWxBRjyFAq9aQ) · Edited

(/learn/analytics-excel/profiles/ae1346f82d1a8de6bb800d9a2f514539)

Who has had success with questions 5 and 6? I am having a hard time figuring out how to get started. Is there a particular video that I might have missed that would help with this? I think if I could figure out 5, I could then figure out the rest, but at this point, I just don't see how to calculate those profit points.

EDIT - Is there ANYONE who has figured out how to get started on question 5? I showed this problem to a local university lecturer in mathematics and statistics and he could not even really wrap his head around how to answer this question with the information provided. Is there a model that we're supposed to use that I missed?

I don't need this question to finish the course...I got enough right to pass, but I kind of want to know what I'm missing here.

Thanks.

▲ 2 Upvote

·

Hide



SD

Reply

(/learn/analytics-excel/profiles/f34069ce8df6de7dbebfedfb7e760d9f)

Reply

MD

Matthew Dunne · 24 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/h6o2pY44EeWxBRjyFAq9aQ)

(/learn/analytics-excel/profiles/31376d8061233efe19ed862d38f6ad70)

Do the standardized six input variables have to be within -3.5 to 3.5 as in previous quizzes?

▲ 1 Upvote

·

Hide



SD

Reply

(/learn/analytics-excel/profiles/f34069ce8df6de7dbebfedfb7e760d9f)

Reply

JW

Jamie Walsh · 22 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/ts-3TY_KEeWtaw5Yq7jxwQ)

(/learn/analytics-excel/profiles/2a4e1f68d28b6bf2add9c41c86d3221)

Hello Heng,

This is the first time I have had to just guess an answers in this course. My Linest function did not produce all the results displayed in the answer options, but I know I am doing it correctly because my programmer colleagues got the same results I got. In fact, there were a lot of questions that I simply did not get and resorted to guessing just so I can be done after spending 5+ hours on this section. I have just barely passed this part of the quiz and was hoping you can provide me with the worksheets for the problems so I can follow along and see what I did wrong or just in order to get a better grasp of the concepts we were supposed to get a better understanding of from this exam. The answer sheet alone is simply not enough if I am to truly learn anything. I truly hope you or anyone else who have gotten this section correct can share your workpapers (not sure how that is possible) so I can get it. I absolutely dislike feeling so confused and clueless. I have no intention of retaking the exam, I've wasted enough time on it and would like to finish all sections by tomorrow. Thanks.

▲ 3 Upvote · Hide



SD

Reply

(/learn/analytics-excel/profiles/f34069ce8df6de7dbebfedfb7e760d9f)

Reply

EM

Eduardo Moura · 21 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/OGZ-K5CBEeWJ5Qr5zqhl6w)

Hi Heng! (/learn/analytics-excel/profiles/982644956b2476684c395cd2a3a699)

I have a question about the standardized test parameters (age, yrs at employee, etc..) by their respective betas (from training set) to get a new value for each profit/loss. Should this new profit/loss set be standardized, or can I calculate the root mean square error from theses values against the standardized values for the profits/losses? I can't seem to get the correct values. I'm taking the difference between values from the 2 sets, squaring them, then taking an average for the whole set of square errors and then finally square rooting the answer. Is this the correct method?

▲ 0 Upvote · Hide



SD

Reply

(/learn/analytics-excel/profiles/f34069ce8df6de7dbebfedfb7e760d9f)

Reply

LO

Lam, Chun On · 21 days ago (/learn/analytics-excel/discussions/9oPxOYcAEeW9yQ6NDqh2LQ/replies/QWiUDZDTeeWuURKvSnnbUQ)

Hi, (/learn/analytics-excel/profiles/982644956b2476684c395cd2a3a699)

Could anyone help me out with Part 4 Q.1 right.

I standardized all 6 IV and "Profit" (train and test separately), and then ran the multiple regression. I couldn't get any of the coefficients right.

I tried standardization either within the 3.5to-3.5 range, or without the range limitation since TA said it's not necessary to be within the range. None give me the right coefficients.

(I also wondering if one set of data is standardized within the 3.5 to -3.5 range and the other set is beyond the range, then these two data sets would be rather different from each other. If this is the case, how could we expect both will yield the same coefficients?)

I tried either using linest function or the regression option in data analyst tools. While the results from these 2 methods were consistent. The coefficients were not the same as those in the model answers.

Could some one tell me where and what mistake I made?

On

▲ 1 Upvote · Hide



SD

Reply

(/learn/analytics-excel/profiles/f34069ce8df6de7dbebfedfb7e760d9f)

Reply

SD

(/learn/analytics-excel/profiles/f34069ce8df6de7dbebfedfb7e760d9f)

Reply

Reply