

12/28/23, 3:18 AM

Codio - Coding Exercises-9

CodioProjectFileEditFindViewToolsEducationHelpConfigur.Virtual D.Configur.

Terminal

exercise3.py

```
1 class Dog:
2     def __init__(self, name, breed):
3         self.name = name
4         self.breed = breed
5     def __repr__(self):
6         return f'Dog({self.name}, {self.breed})'
7
8 dogs = []
9 dogs.append(Dog('Marceline', 'German Shepherd'))
10 dogs.append(Dog('Cajun', 'Belgian Malinois'))
11 dogs.append(Dog('Daisy', 'Border Collie'))
12 dogs.append(Dog('Rocky', 'Golden Retriever'))
13 dogs.append(Dog('Bella', 'Irish Setter'))
14 print(dogs)
```

Guide

Collapse

Advanced Topics -> Coding Exercises - Advance...

<>⚙️☰

Advanced Topics Exercise 3

Exercise 3

Create the `Dog` class with attributes for `name` and `breed`. Then create a list of five dogs according to the following table:

Dog	Name	Breed
1	Marceline	German Shepherd
2	Cajun	Belgian Malinois
3	Daisy	Border Collie
4	Rocky	Golden Retriever
5	Bella	Irish Setter

Verify that the name and breed of the dogs in the list match the order of the table.

TRY IT

```
[Dog(Marceline, German Shepherd), Dog(Cajun, Belgian Malinois), Dog(Daisy, Border Collie), Dog(Rocky, Golden Retriever), Dog(Bella, Irish Setter)]
```

Submit your code for evaluation

Here is one possible solution:

```
class Dog:
    def __init__(self, name, breed):
        self.name = name
        self.breed = breed

dogs = []
dogs.append(Dog('Marceline', 'German Shepherd'))
dogs.append(Dog('Cajun', 'Belgian Malinois'))
dogs.append(Dog('Daisy', 'Border Collie'))
dogs.append(Dog('Rocky', 'Golden Retriever'))
dogs.append(Dog('Bella', 'Irish Setter'))
```

The first step is to create the `Dog` class with the attributes `name` and `breed`. Then make a list of `Dog` objects. In this example, the dogs are created individually and appended to the list.

Check It!

LAST RUN on 12/28/2023, 3:18:09 AM

Test passed

100% (14:1)

https://codio.com/sandipan-dey/coding-exercises-9/tree/code%2Fadvanced%2Fexercise3.py

1/1