

Installation

This Edge Impulse CLI is used to control local devices, act as a proxy to synchronise data for devices that don't have an internet connection, and to upload and convert local files. The CLI consists of six tools:

- [edge-impulse-daemon](#) - configures devices over serial, and acts as a proxy for devices that do not have an IP connection.
- [edge-impulse-uploader](#) - allows uploading and signing local files.
- [edge-impulse-data-forwarder](#) - a very easy way to collect data from any device over a serial connection, and forward the data to Edge Impulse.
- [edge-impulse-run-impulse](#) - show the impulse running on your device.
- [edge-impulse-blocks](#) - create organizational transformation blocks.
- [eta-flash-tool](#) - to flash the Eta Compute ECM3532 AI Sensor.
- [himax-flash-tool](#) - to flash the Himax WE-I Plus.

Installation - macOS and Windows

1. Install [Python 3](#) on your host computer.
2. Install [Node.js](#) v14 or higher on your host computer.
 - For Windows users, install the **Additional Node.js tools** when prompted. You may skip this setup if you have Visual Studio 2015 or more.
3. Install the CLI tools via:

```
npm install -g edge-impulse-cli
```

You should now have the tools available in your PATH.

Installation - Linux/Ubuntu and Raspbian OS

1. Install [Python 3](#) on your host computer.
2. Install [Node.js](#) v14 or higher on your host computer.

Alternatively, run the following commands:

```
curl -sL https://deb.nodesource.com/setup_14.x | sudo -E bash -  
sudo apt-get install -y nodejs  
node -v
```

The last command should return the node version, v14 or above.

Let's verify the node installation directory:

```
mkdir ~/.npm-global
npm config set prefix '~/.npm-global'
echo 'export PATH=~/.npm-global/bin:$PATH' >> ~/.profile
```

3. Install the CLI tools via:

```
npm install -g edge-impulse-cli
```

You should now have the tools available in your PATH.

Troubleshooting

Tools version "2.0" is unrecognized (Windows)

If you receive the following error: The tools version "2.0" is unrecognized. Available tools versions are "4.0", launch a new command window as administrator and run:

```
npm install --global --production windows-build-tools
npm config set msvs_version 2015 --global
```

EACCES: permission denied, access '/usr/local/lib/node_modules' (macOS)

This is indication that the `node_modules` is not owned by you, but rather by root. This is probably not what you want. To fix this, run:

```
sudo chown -R $USER /usr/local/lib/node_modules
```

EACCES user "nobody" does not have permission to access the dev dir (Linux)

Try to set the npm user to root and re-run the installation command. You can do this via:

```
npm config set user root
```

Error: Can't find Python executable (Windows)

If you receive an error such as:

```
gyp ERR! stack Error: Can't find Python executable "C:\Users\vale.windows-build-tools\python27\python.exe",
```

You're running an older version of `node-gyp` (a way to build binary packages). Upgrade via:

```
$ npm install node-gyp@latest -g
```

The module XXX was compiled against a different Node.js version

This error occurs when you have upgraded Node.js since installing the Edge Impulse CLI. Re-install the CLI via:

Error: "gyp: No Xcode or CLT version detected!" (macOS)

This can happen even though you have Xcode CLT installed if you've updated macOS since your install. Follow [this guide](#) to reinstall Xcode CLT.

Failed to authenticate with Edge Impulse read ECONNRESET

If you see this error message and you're behind a proxy you will need to set your proxy settings via:

Windows

```
set HTTPS_PROXY=...  
edge-impulse-daemon
```

macOS, Linux

```
HTTPS_PROXY=... edge-impulse-daemon
```

 Updated 2 days ago