

[GOOD FRIDAY OFFER] Get
INR 5500 (\$85) OFF & 3 New
Courses worth INR 25000
(\$360) FREE on BlackBelt
Plus

Enroll Now (https://blackbelt.analyticsvidhya.com/plus?utm_source=blog&utm_medium=flashstrip#BBTimmer)

00^D 05^H 01^M 58^S

 LOGIN / REGISTER ([HTTPS://ID.ANALYTICSVIDHYA.COM/AUTH/LOGIN/?](https://id.analyticsvidhya.com/auth/login/)

NEXT=[HTTPS://WWW.ANALYTICSVIDHYA.COM/BLOG/2020/04/CONFUSION-MATRIX-MACHINE-LEARNING/](https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/))



(<https://www.analyticsvidhya.com/blog/>)



(https://www.analyticsvidhya.com/back-channel/download-starter-kit.php?utm_source=ml-interview-guide&id=10)

[BEGINNER \(HTTPS://WWW.ANALYTICSVIDHYA.COM/BLOG/CATEGORY/BEGINNER/\)](https://www.analyticsvidhya.com/blog/category/beginner/)

[CLASSIFICATION \(HTTPS://WWW.ANALYTICSVIDHYA.COM/BLOG/CATEGORY/CLASSIFICATION/\)](https://www.analyticsvidhya.com/blog/category/classification/)

[MACHINE LEARNING \(HTTPS://WWW.ANALYTICSVIDHYA.COM/BLOG/CATEGORY/MACHINE-LEARNING/\)](https://www.analyticsvidhya.com/blog/category/machine-learning/)

[PYTHON \(HTTPS://WWW.ANALYTICSVIDHYA.COM/BLOG/CATEGORY/PYTHON-2/\)](https://www.analyticsvidhya.com/blog/category/python-2/)

[TECHNIQUE \(HTTPS://WWW.ANALYTICSVIDHYA.COM/BLOG/CATEGORY/TECHNIQUE/\)](https://www.analyticsvidhya.com/blog/category/technique/)

Everything you Should Know about Confusion Matrix for Machine Learning

ANIRUDDHA BHANDARI ([HTTPS://WWW.ANALYTICSVIDHYA.COM/BLOG/AUTHOR/ANIRUDDHA/](https://www.analyticsvidhya.com/blog/author/aniruddha/)), APRIL 17, 2020 [LOGIN TO BOOKMARK THIS ...](#)

Article




Video Book

Confusion Matrix – Not So Confusing!

Have you been in a situation where you expected your machine learning model to perform really well but it sputtered out a poor accuracy? You've done all the hard work – so where did the classification model go wrong? How can you correct this?

There are plenty of ways to gauge the performance of your classification model but none have stood the test of time like the confusion matrix. It helps us evaluate how our model performed, where it went wrong and offers us guidance to correct our path.



(https://cdn.analyticsvidhya.com/wp-content/uploads/2020/04/confusion_matrix.jpg).

In this article, we will explore how a Confusion matrix gives a holistic view of the performance of your model. And unlike its name, you will realize that a Confusion matrix is a pretty simple yet powerful concept. So let's unravel the mystery around the confusion matrix!



Learning the ropes in the machine learning field? These courses will get you on your way:

- *Python for Data Science (free course!)* (https://courses.analyticsvidhya.com/courses/introduction-to-data-science?utm_source=blog&utm_medium=confusion-matrix-machine-learning).
- *Machine Learning Starter Program* (https://courses.analyticsvidhya.com/bundles/machine-learning-starter-program?utm_source=blog&utm_medium=confusion-matrix-machine-learning).

Here's what we'll cover:

- What is a Confusion Matrix?
 - True Positive
 - True Negative
 - False Positive – Type 1 Error

- False Negative – Type 2 Error

- Why need a Confusion matrix?
- Precision vs Recall
- F1-score
- Confusion matrix in Scikit-learn
- Confusion matrix for multi-class Classification

What is a Confusion Matrix?

The million dollar question – what, after all, is a confusion matrix?

A Confusion matrix is an $N \times N$ matrix used for evaluating the performance of a classification model, where N is the number of target classes. The matrix compares the actual target values with those predicted by the machine learning model. This gives us a holistic view of how well our classification model is performing and what kinds of errors it is making.

For a binary classification problem, we would have a 2×2 matrix as shown below with 4 values:

		ACTUAL VALUES	
		POSITIVE	NEGATIVE
PREDICTED VALUES	POSITIVE	TP	FP
	NEGATIVE	FN	TN

(<https://cdn.analyticsvidhya.com/wp-content/uploads/2020/04/Basic-Confusion-matrix.png>).

Let's decipher the matrix:

- The target variable has two values: **Positive** or **Negative**
- The **columns** represent the **actual values** of the target variable
- The **rows** represent the **predicted values** of the target variable

But wait – what's TP, FP, FN and TN here? That's the crucial part of a confusion matrix. Let's understand each term below.

Understanding True Positive, True Negative, False Positive and False Negative in a Confusion Matrix

True Positive (TP)

- The predicted value matches the actual value

- The actual value was positive and the model predicted a positive value

True Negative (TN)

- The predicted value matches the actual value
- The actual value was negative and the model predicted a negative value

False Positive (FP) – Type 1 error

- The predicted value was falsely predicted
- The actual value was negative but the model predicted a positive value
- Also known as the **Type 1 error**

False Negative (FN) – Type 2 error

- The predicted value was falsely predicted
- The actual value was positive but the model predicted a negative value
- Also known as the **Type 2 error**

Let me give you an example to better understand this. Suppose we had a classification dataset with 1000 data points. We fit a classifier on it and get the below confusion matrix:

		ACTUAL VALUES	
		POSITIVE	NEGATIVE
PREDICTED VALUES	POSITIVE	560	60
	NEGATIVE	50	330

(<https://cdn.analyticsvidhya.com/wp-content/uploads/2020/04/Confusionmatrix-example.png>).

The different values of the Confusion matrix would be as follows:

- True Positive (TP) = 560; meaning 560 positive class data points were correctly classified by the model
- True Negative (TN) = 330; meaning 330 negative class data points were correctly classified by the model
- False Positive (FP) = 60; meaning 60 negative class data points were incorrectly classified as belonging to the positive class by the model
- False Negative (FN) = 50; meaning 50 positive class data points were incorrectly classified as belonging to the negative class by the model

This turned out to be a pretty decent classifier for our dataset considering the relatively larger number of true positive and true negative values.

Remember the Type 1 and Type 2 errors. Interviewers love to ask the difference between these two!

Why Do We Need a Confusion Matrix?

Before we answer this question, let's think about a hypothetical classification problem.

Let's say you want to predict how many people are infected with a contagious virus in times before they show the symptoms, and isolate them from the healthy population (ringing any bells, yet? 🤔). The two values for our target variable would be: Sick and Not Sick.

Now, you must be wondering – why do we need a confusion matrix when we have our all-weather friend – Accuracy? Well, let's see where accuracy falters.

Our dataset is an example of an **imbalanced dataset** (https://www.analyticsvidhya.com/blog/2017/03/imbalanced-data-classification/?utm_source=blog&utm_medium=confusion-matrix-machine-learning). There are 947 data points for the negative class and 3 data points for the positive class. This is how we'll calculate the accuracy:

$$Accuracy = \frac{TP + TN}{TP + FP + TN + FN}$$

(https://cdn.analyticsvidhya.com/wp-content/uploads/2020/04/Equation_Accuracy.png)

Let's see how our model performed:

ID	Actual Sick?	Predicted Sick?	Outcome
1	1	1	TP
2	0	0	TN
3	0	0	TN
4	1	1	TP
5	0	0	TN
6	0	0	TN
7	1	0	FP
8	0	1	FN
9	0	0	TN
10	1	0	FP
:	:	:	:
1000	0	0	FN

(<https://cdn.analyticsvidhya.com/wp-content/uploads/2020/04/Dataset.png>)

The total outcome values are:

TP = 30, TN = 930, FP = 30, FN = 10

So, the accuracy for our model turns out to be:

$$Accuracy = \frac{30 + 930}{30 + 30 + 930 + 10} = 0.96$$

(https://cdn.analyticsvidhya.com/wp-content/uploads/2020/04/Confusion-matrix_Accuracy.png)

96%! Not bad!

But it is giving the wrong idea about the result. Think about it.

Our model is saying “I can predict sick people 96% of the time”. However, it is doing the opposite. It is predicting the people who will not get sick with 96% accuracy while the sick are spreading the virus!

Do you think this is a correct metric for our model given the seriousness of the issue? Shouldn't we be measuring how many positive cases we can predict correctly to arrest the spread of the contagious virus? Or maybe, out of the correctly predicted cases, how many are positive cases to check the reliability of our model?

This is where we come across the dual concept of Precision and Recall.

Precision vs. Recall

Precision tells us how many of the correctly predicted cases actually turned out to be positive.

Here's how to calculate Precision:

$$Precision = \frac{TP}{TP + FP}$$

(https://cdn.analyticsvidhya.com/wp-content/uploads/2020/04/Confusion-matrix_Precision.png).

This would determine whether our model is reliable or not.

Recall tells us how many of the actual positive cases we were able to predict correctly with our model.

And here's how we can calculate Recall:

$$Recall = \frac{TP}{TP + FN}$$

(https://cdn.analyticsvidhya.com/wp-content/uploads/2020/04/Confusion-matrix_Recall.png).

		ACTUAL VALUES	
		POSITIVE	NEGATIVE
PREDICTED VALUES	POSITIVE	TP (30)	FP (30)
	NEGATIVE	FN (10)	TN (930)

Sick people correctly predicted as sick by the model

Healthy people incorrectly predicted as sick by the model

Sick people incorrectly predicted as not sick by the model

Healthy people correctly predicted as not sick by the model

(<https://cdn.analyticsvidhya.com/wp-content/uploads/2020/04/Example-Confusion-matrix.png>).

We can easily calculate Precision and Recall for our model by plugging in the values into the above questions:

$$Precision = \frac{30}{30 + 30} = 0.5$$

$$Recall = \frac{30}{30 + 10} = 0.75$$

(https://cdn.analyticsvidhya.com/wp-content/uploads/2020/04/Confusion_Matrix_Precision_Recall.png).

50% percent of the correctly predicted cases turned out to be positive cases. Whereas 75% of the positives were successfully predicted by our model. Awesome!

Precision is a useful metric in cases where False Positive is a higher concern than False Negatives.

Precision is important in music or video recommendation systems, e-commerce websites, etc. Wrong results could lead to customer churn and be harmful to the business.

Recall is a useful metric in cases where False Negative trumps False Positive.

Recall is important in medical cases where it doesn't matter whether we raise a false alarm but the actual positive cases should not go undetected!

In our example, Recall would be a better metric because we don't want to accidentally discharge an infected person and let them mix with the healthy population thereby spreading the contagious virus. Now you can understand why accuracy was a bad metric for our model.

But there will be cases where there is no clear distinction between whether Precision is more important or Recall. What should we do in those cases? We combine them!

F1-Score

In practice, when we try to increase the precision of our model, the recall goes down, and vice-versa. The F1-score captures both the trends in a single value:

$$F1 - score = \frac{2}{\frac{1}{Recall} + \frac{1}{Precision}}$$

(<https://cdn.analyticsvidhya.com/wp-content/uploads/2020/04/Confusion-Matrix-F1-score.png>).

F1-score is a harmonic mean of Precision and Recall, and so it gives a combined idea about these two metrics. It is maximum when Precision is equal to Recall.

But there is a catch here. The interpretability of the F1-score is poor. This means that we don't know what our classifier is maximizing – precision or recall? So, we use it in combination with other evaluation metrics which gives us a complete picture of the result.

Confusion Matrix using scikit-learn in Python

You know the theory – now let's put it into practice. Let's code a confusion matrix with the Scikit-learn (sklearn) library (https://www.analyticsvidhya.com/blog/2020/02/everything-you-should-know-scikit-learn/?utm_source=blog&utm_medium=confusion-matrix-machine-learning) in Python.

```
1  # confusion matrix in sklearn
2  from sklearn.metrics import confusion_matrix
3  from sklearn.metrics import classification_report
4
5  # actual values
6  actual = [1,0,0,1,0,0,1,0,0,1]
7  # predicted values
8  predicted = [1,0,0,1,0,0,0,1,0,0]
9
10 # confusion matrix
11 matrix = confusion_matrix(actual,predicted, labels=[1,0])
12 print('Confusion matrix : \n',matrix)
13
14 # outcome values order in sklearn
15 tp, fn, fp, tn = confusion_matrix(actual,predicted,labels=[1,0]).reshape(-1)
16 print('Outcome values : \n', tp, fn, fp, tn)
17
18 # classification report for precision, recall f1-score and accuracy
19 matrix = classification_report(actual,predicted,labels=[1,0])
20 print('Classification report : \n',matrix)
```

```
Confusion matrix :
[[2 2]
 [1 5]]
Outcome values :
2 2 1 5
Classification report :
              precision    recall  f1-score   support

     1       0.67       0.50       0.57         4
     0       0.71       0.83       0.77         6

   micro avg       0.70       0.70       0.70        10
   macro avg       0.69       0.67       0.67        10
  weighted avg       0.70       0.70       0.69        10
```

Sklearn has two great functions: `confusion_matrix()` and `classification_report()`.

- Sklearn `confusion_matrix()` (https://scikit-learn.org/stable/modules/generated/sklearn.metrics.confusion_matrix.html) returns the values of the Confusion matrix. The output is, however, slightly different from what we have studied so far. It takes the rows as Actual values and the columns as Predicted values. The rest of the concept remains the same.
- Sklearn `classification_report()` (https://scikit-learn.org/stable/modules/generated/sklearn.metrics.classification_report.html) outputs precision, recall and f1-score for each target class. In addition to this, it also has some extra values: **micro avg**, **macro avg**, and **weighted avg**

Micro average is the precision/recall/f1-score calculated for all the classes.

$$\text{Micro avg Precision} = \frac{TP1 + TP2}{TP1 + TP2 + FP1 + FP2}$$

(<https://cdn.analyticsvidhya.com/wp-content/uploads/2020/04/Micro-avg-Precision.png>).

Macro average is the average of precision/recall/f1-score.

$$\text{Macro avg Precision} = \frac{P1 + P2}{2}$$

(<https://cdn.analyticsvidhya.com/wp-content/uploads/2020/04/Macro-avg-Precision.png>).

Weighted average is just the weighted average of precision/recall/f1-score.

Confusion Matrix for Multi-Class Classification

How would a confusion matrix work for a multi-class classification problem? Well, don't scratch your head! We will have a look at that here.

Let's draw a confusion matrix for a multiclass problem where we have to predict whether a person loves Facebook, Instagram or Snapchat. The confusion matrix would be a 3 x 3 matrix like this:

		ACTUAL VALUES		
				
PREDICTED VALUES		+ve 1	-ve 2	-ve 3
		-ve 4	+ve 5	-ve 6
		-ve 7	-ve 8	+ve 9

(<https://cdn.analyticsvidhya.com/wp-content/uploads/2020/04/Multiclass-confusion-matrix.png>).

The true positive, true negative, false positive and false negative for each class would be calculated by adding the cell values as follows:

Facebook	Instagram	Snapchat
TP = $Cell_1$	TP = $Cell_5$	TP = $Cell_9$
FP = $Cell_2 + Cell_3$	FP = $Cell_4 + Cell_6$	FP = $Cell_7 + Cell_8$
TN = $Cell_5 + Cell_6 + Cell_8 + Cell_9$	TN = $Cell_1 + Cell_3 + Cell_7 + Cell_9$	TN = $Cell_1 + Cell_2 + Cell_4 + Cell_5$
FN = $Cell_4 + Cell_7$	FN = $Cell_2 + Cell_8$	FN = $Cell_3 + Cell_6$

(<https://cdn.analyticsvidhya.com/wp-content/uploads/2020/04/Multiclass-confusion-matrix-result.png>).

That's it! You are ready to decipher any N x N confusion matrix!

End Notes

And suddenly the Confusion matrix is not so confusing any more! This article should give you a solid base on how to interpret and use a confusion matrix for classification algorithms in machine learning.

We will soon come out with an article on the AUC-ROC curve and continue our discussion there. Until next time, don't lose hope in your classification model, you just might be using the wrong evaluation metric!

You can also read this article on our Mobile APP



(<https://play.google.com/store/apps/details?>

[id=com.analyticsvidhya.android&utm_source=blog_article&utm_campaign=blog&pcampaignid=MKT-Other-global-all-co-prtnr-py-PartBadge-Mar2515-1](#)).  [. \(https://apps.apple.com/us/app/analytics-vidhya/id1470025572\)](https://apps.apple.com/us/app/analytics-vidhya/id1470025572)

TAGS : [CONFUSION MATRIX \(HTTPS://WWW.ANALYTICSVIDHYA.COM/BLOG/TAG/CONFUSION-MATRIX/\)](https://www.analyticsvidhya.com/blog/tag/confusion-matrix/), [EVALUATION METRIC \(HTTPS://WWW.ANALYTICSVIDHYA.COM/BLOG/TAG/EVALUATION-METRIC/\)](https://www.analyticsvidhya.com/blog/tag/evaluation-metric/), [F1-SCORE \(HTTPS://WWW.ANALYTICSVIDHYA.COM/BLOG/TAG/F1-SCORE/\)](https://www.analyticsvidhya.com/blog/tag/f1-score/), [PRECISION \(HTTPS://WWW.ANALYTICSVIDHYA.COM/BLOG/TAG/PRECISION/\)](https://www.analyticsvidhya.com/blog/tag/precision/), [RECALL \(HTTPS://WWW.ANALYTICSVIDHYA.COM/BLOG/TAG/RECALL/\)](https://www.analyticsvidhya.com/blog/tag/recall/)

NEXT ARTICLE

A Comprehensive Guide to 21 Popular Deep Learning Interview Questions and Answers

[\(https://www.analyticsvidhya.com/blog/2020/04/comprehensive-popular-deep-learning-interview-questions-answers/\)](https://www.analyticsvidhya.com/blog/2020/04/comprehensive-popular-deep-learning-interview-questions-answers/)

...

PREVIOUS ARTICLE

10 Productive Jupyter Notebook Hacks, Tips and Tricks!

[\(https://www.analyticsvidhya.com/blog/2020/04/10-productive-jupyter-notebook-hacks-tips-tricks/\)](https://www.analyticsvidhya.com/blog/2020/04/10-productive-jupyter-notebook-hacks-tips-tricks/)



[\(https://www.analyticsvidhya.com/blog/author/aniruddha/\)](https://www.analyticsvidhya.com/blog/author/aniruddha/)

[Aniruddha Bhandari \(Https://Www.Analyticsvidhya.Com/Blog/Author/Aniruddha/\)](https://www.analyticsvidhya.com/blog/author/aniruddha/)

I am on a journey to becoming a data scientist. I love to unravel trends in data, visualize it and predict the future with ML algorithms! But the most satisfying part of this journey is sharing my learnings, from the challenges that I face, with the community to make the world a better place!

This article is quite old and you might not get a prompt response from the author. We request you to post this comment on Analytics Vidhya's **Discussion portal** (<https://discuss.analyticsvidhya.com/>) to get your queries

resolved

17 COMMENTS



PUNIT KUMAR

[Reply](#)

April 17, 2020 at 11:56 am (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-161138>).

Hi Aniruddha,

Thanks for writing this. Isn't the definition of FP and FN other way around? Like
False Positive (FP) – The actual value was positive but we predicted a negative value
Shouldn't it be reversed?



ANIRUDDHA BHANDARI

[Reply](#)

April 17, 2020 at 1:38 pm (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-161144>).

Hey Punit,
Thanks for taking out the time to read the article and pointing out the mistake. Much appreciated!
Thanks
Aniruddha



PRASAD KARANJKAR

[Reply](#)

September 9, 2020 at 3:01 am (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-163143>).

Thanks Aniruddha-
This was very helpful



RYAN TABESHI

[Reply](#)

April 18, 2020 at 4:00 am (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-161156>).

Hi Puneet,

In a FP, the value was predicted to be positive, but the value actually belonged to the negative class, so I think its correct, unless I'm missing something.



RATHEESH

[Reply](#)

June 27, 2020 at 9:19 pm (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-162056>).

Thanks bro..You simply explained it..



ARJUN BADHAN

[Reply](#)

April 17, 2020 at 12:29 pm (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-161141>).

Hi Aniruddha,

Thanks for the article. It is indeed informative.

However, I would like to highlight something in the section with heading "Understanding True Positive, True Negative, False Positive and False Negative in a Confusion Matrix". Do you think that we might have mixed up on the second point on False Positive and False Negative.



ANIRUDDHA BHANDARI

[Reply](#)

April 17, 2020 at 1:46 pm (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-161145>).

Hi Arjun,
Glad you found it useful. And you are correct in pointing out the mix-up in the definitions. Thanks for your timely intervention 🙏.
Aniruddha



SAGAR

[Reply](#)

April 17, 2020 at 12:37 pm (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-161142>).

Nice and well written article Aniruddha. Introduced confusion matrix very well for beginners.

(But I think there is one minor issue you may want to correct if you also notice it is really an issue: Under Type1 and Type2 error definitions, I think you have to swap 2nd bullet points. These do not match with matrix you mentioned earlier.)



ANIRUDDHA BHANDARI

[Reply](#)

April 17, 2020 at 1:52 pm (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-161146>).

Hey Sagar
Really glad you liked the article! I have made the relevant changes. Thanks for the feedback!
Aniruddha



LUCIANO CAROTI

[Reply](#)

April 17, 2020 at 1:36 pm (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-161143>).

I think that you mismatched the 2nd row in the definition of False positive with the 2nd row in the definition of false negative



ANIRUDDHA BHANDARI

[Reply](#)

April 17, 2020 at 1:55 pm (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-161147>).

Hey Luciano

Thanks for pointing it out. I have already made the changes.

Aniruddha



SHAHNAWAZ SAYYED

[Reply](#)

April 17, 2020 at 3:29 pm (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-161148>).

Awesome!!! Very simple and crisp explanation. Thanks So much



ANIRUDDHA BHANDARI

[Reply](#)

April 17, 2020 at 6:15 pm (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-161150>).

Glad to hear that you found it helpful!



ABID SABER

[Reply](#)

April 17, 2020 at 7:15 pm (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-161153>).

Thanks for the tutorial, please

How can we extract Tp, FP, FN, TN from the confusion matrix in the multiclass case with sklearn

thank you in advance



ANIRUDDHA BHANDARI

[Reply](#)

April 17, 2020 at 10:50 pm (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-161154>).

Hi Abid

If you want to calculate the values for a multiclass classification problem, you will need to calculate it manually as Sklearn returns the value of the Confusion matrix and not really the TP, FP, etc. (which was in the case of binary classification as we only had two classes).

I have written the code for finding the TP, FP, etc. for one class of a multiclass classification problem [here](https://gist.github.com/aniruddha27/9a50f7c746eec245c92d9af649b4e630) (<https://gist.github.com/aniruddha27/9a50f7c746eec245c92d9af649b4e630>). The rest I am pretty sure you will be able to manage yourself. If not, feel free to ask your doubts.

Thanks

Aniruddha



MRB

[Reply](#)

June 29, 2020 at 7:01 am (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-162073>).

Aniruddha: Too often confusion matrices deserve their unfortunate name, especially for students just starting to learn ML etc. Thanks for sharing a helpful tutorial & correcting the typo. 😊. It always helps (me, anyhow) to see some 'friendly' examples which I can follow along by myself so I'm sure others are going to find your contribution worthwhile too.



TRINKESH

[Reply](#)

July 20, 2020 at 8:17 am (<https://www.analyticsvidhya.com/blog/2020/04/confusion-matrix-machine-learning/#comment-162379>)

great bro.



Write With Confidence

Real-time suggestions when you write. Try Grammarly to

Grammarly

Download

POPULAR POSTS

Commonly used Machine Learning Algorithms (with Python and R Codes)

(<https://www.analyticsvidhya.com/blog/2017/09/common-machine-learning-algorithms/>)

40 Questions to test a Data Scientist on Clustering Techniques (Skill test Solution)

(<https://www.analyticsvidhya.com/blog/2017/02/test-data-scientist-clustering/>)

Introductory guide on Linear Programming for (aspiring) data scientists

(<https://www.analyticsvidhya.com/blog/2017/02/introductory-guide-on-linear-programming-explained-in-simple-english/>)

40 Questions to test a data scientist on Machine Learning [Solution: SkillPower – Machine Learning, DataFest 2017] (<https://www.analyticsvidhya.com/blog/2017/04/40-questions-test-data-scientist-machine-learning-solution-skillpower-machine-learning-datafest-2017/>)

6 Easy Steps to Learn Naive Bayes Algorithm with codes in Python and R

(<https://www.analyticsvidhya.com/blog/2017/09/naive-bayes-explained/>)

30 Questions to test a data scientist on Linear Regression [Solution: Skilltest – Linear Regression]


(<https://www.analyticsvidhya.com/blog/2017/07/30-questions-to-test-a-data-scientist-on-linear-regression/>)

45 Questions to test a data scientist on basics of Deep Learning (along with solution)

(<https://www.analyticsvidhya.com/blog/2017/01/must-know-questions-deep-learning/>)

Understanding Support Vector Machine(SVM) algorithm from examples (along with code)

(<https://www.analyticsvidhya.com/blog/2017/09/understaing-support-vector-machine-example-code/>)



CAREER RESOURCES



16 Key Questions You Should Answer Before Transitioning into Data Science (<https://www.analyticsvidhya.com/16-key-questions-data-science-career-transition/?>

&utm_source=Blog&utm_medium=CareerResourceWidget)

NOVEMBER 23, 2020



Here's What You Need to Know to Become a Data Scientist!

(<https://www.analyticsvidhya.com/blog/2021/01/heres-what-you-need-to-know-to-become-a-data-scientist/?>

&utm_source=Blog&utm_medium=CareerResourceWidget)

JANUARY 22, 2021



These 7 Signs Show you have Data Scientist Potential!

(<https://www.analyticsvidhya.com/blog/2020/12/these-7-signs-show-you-have-data-scientist-potential/?>

&utm_source=Blog&utm_medium=CareerResourceWidget)

DECEMBER 3, 2020



How To Have a Career in Data Science (Business Analytics)?

(<https://www.analyticsvidhya.com/blog/2020/11/how-to-have-a-career-in-data-science-business-analytics/?>

&utm_source=Blog&utm_medium=CareerResourceWidget)

NOVEMBER 26, 2020



Should I become a data scientist (or a business analyst)?
([https://www.analyticsvidhya.com/blog/2020/11/become-data-scientist-business-analyst/?](https://www.analyticsvidhya.com/blog/2020/11/become-data-scientist-business-analyst/?utm_source=Blog&utm_medium=CareerResourceWidget)
&utm_source=Blog&utm_medium=CareerResourceWidget)

NOVEMBER 24, 2020

RECENT POSTS

Introduction to Softmax for Neural Network (<https://www.analyticsvidhya.com/blog/2021/04/introduction-to-softmax-for-neural-network/>)

APRIL 5, 2021

Beginner's Guide to Missing Value Ratio and its Implementation
(<https://www.analyticsvidhya.com/blog/2021/04/beginners-guide-to-missing-value-ratio-and-its-implementation/>)

APRIL 5, 2021

Getting started with Kaggle using Facial Detection (<https://www.analyticsvidhya.com/blog/2021/04/getting-started-with-kaggle-using-facial-detection/>)

APRIL 5, 2021


How Artificial Intelligence is used in the cryptocurrency market?
(<https://www.analyticsvidhya.com/blog/2021/04/how-ai-is-used-in-the-cryptocurrency-market/>)

APRIL 5, 2021

The advertisement is a dark blue rectangular banner. In the top left corner is the Analytics Vidhya logo. The main text reads 'Your Journey to Become a Top Data Science Professional Starts Here...'. Below this, a list of benefits is shown: '- 75+ Mentorship Sessions', '- 50+ Real-World Projects', and '- Interview Preparation'. To the right of the list is a glowing blue wireframe illustration of a human head in profile, facing right. At the bottom, it says 'Certified AI & ML BlackBelt Plus Program' and features a red button with the text 'Download Brochure'.

([https://blackbelt.analyticsvidhya.com/plus?](https://blackbelt.analyticsvidhya.com/plus?utm_source=Blog&utm_medium=stickybanner1)

utm_source=Blog&utm_medium=stickybanner1)



([https://datahack.analyticsvidhya.com/contest/data-science-](https://datahack.analyticsvidhya.com/contest/data-science-blogathon-679/)

[https://datahack.analyticsvidhya.com/contest/data-science-](https://datahack.analyticsvidhya.com/contest/data-science-blogathon-679/?utm_source=blog&utm_medium=stickybanner2)

Download App



([https://play.google.com/store/apps/details?](https://play.google.com/store/apps/details?id=com.analyticsvidhya.android)

[id=com.analyticsvidhya.android](https://play.google.com/store/apps/details?id=com.analyticsvidhya.android))



([https://apps.apple.com/us/app/analytics-](https://apps.apple.com/us/app/analytics-vidhya/id1470025572)

[vidhya/id1470025572](https://apps.apple.com/us/app/analytics-vidhya/id1470025572))

Analytics Vidhya

About Us (<https://www.analyticsvidhya.com/about-me/>)

Our Team (<https://www.analyticsvidhya.com/about-me/team/>)

Careers (<https://www.analyticsvidhya.com/about-me/career-analytics-vidhya/>)

Contact us (<https://www.analyticsvidhya.com/contact/>)

Data Science

Blog (<https://www.analyticsvidhya.com/blog/>)

Hackathon (<https://datahack.analyticsvidhya.com/>)

Discussions (<https://discuss.analyticsvidhya.com/>)

Apply Jobs (<https://www.analyticsvidhya.com/jobs/>)

Companies

Post Jobs (<https://www.analyticsvidhya.com/corporate/>)

Trainings (<https://courses.analyticsvidhya.com/>)

Hiring Hackathons (<https://datahack.analyticsvidhya.com/>)

Advertising (<https://www.analyticsvidhya.com/contact/>)

Visit us

in



([https://www.facebook.com/analytics-](https://www.facebook.com/analyticsvidhya/)

[vidhya/](https://www.facebook.com/analyticsvidhya/)) (<https://www.youtube.com/channel/UCdH4hg3o2343iObA>)

© Copyright 2013-2020 Analytics Vidhya

[Privacy Policy](#) [Terms of Use](#) [Refund Policy](#)