

- Hide menu
- Module 4 Introduction
- Lesson 1: Deep Learning Jargon & Weights
- Video: Deep Learning Jargon13 min
- Video: Weights2 min
- Practice Assignment: Practice Learning Check - Deep Learning Jargon & WeightsSubmitted
- Lesson 2: Overview of Backpropagation
- Lesson 3: Continuing Backpropagation
- Module Assignment

Your grade: 100%

Next item →

Practice Learning Check - Deep Learning Jargon & Weights

Instructions

Review Learning Objectives

1 / 1 point

1. What are activation functions also called?

Linearity

Coach

Nonlinearity

Ready to review what you've learned before starting the assignment? I'm here to help.

Neurons

Help me practiceLet's chat

Correct

Activation functions provide nonlinearity to neural networks

Assignment details

Submitted

Attempts

On 1/31/25 at 11:04 PM (ST)

4 left (3 attempts every 24 hours)

Try again1 / 1 point

2. What is the difference between logits and classes?

They are the same

Logits are the output of $\text{softmax}(\mathbf{z}) = \frac{e^{\mathbf{z}_i}}{\sum_j e^{\mathbf{z}_j}}$, $\sigma(\mathbf{S}_i^T \cdot \mathbf{x})$, and could typically represent some confidence level for each class. We typically choose the class with the highest logits as the class to predict.

View submissionSee feedback

100%

LikeDislikeReport an issue

3. How are weights typically stored during implementation, especially for something like PyTorch?

They are stored in matrices

They are stored in dictionaries

Correct

Saving weights in matrices helps to compute forward and backward passes more efficiently with matrix multiplication

1 / 1 point