

```
temp.py
1 import os
2 import openai
3 import secret
4 openai.api_key = 'sk-QVkkVGvk7ose2G3HCQM7T3B1bkFJI8YuDKIMdS8Rk6rTsg1Y'
5 # WRITE YOUR CODE HERE
6
7 response=openai.ChatCompletion.create(
8     ..model="gpt-3.5-turbo",
9     ..messages=[
10         .....{"role": "system", "content": "You are a helpful assistant."},
11         .....{"role": "user", "content": "What's a good book to read on a rainy day? please just name 2."},
12         ....],
13         ..n=3
14     )
15
16 for i in (response["choices"]):
17     ..print(i["message"]["content"].strip())
18     ..print("//////////")
```

Guide x

CollapseIntro to GPT-3

Time

```
{ "role": "user", "content": "What's a good book to read on a rainy day? please just name 2." },
n=3
)

# Calculate the elapsed time
elapsed_time = time.time() - start_time
print(f"Elapsed time: {elapsed_time:.4f} seconds")
```

TRY IT!

Two books that are perfect for a rainy day are:

1. "The Hobbit" by J.R.R. Tolkien: This classic fantasy adventure follows the journey of Bilbo Baggins as he ventures through Middle-earth alongside dwarves and wizards.

2. "Pride and Prejudice" by Jane Austen: A timeless novel, this romantic comedy explores themes of love, class, and societal expectations through the witty and endearing characters of Elizabeth Bennet and Mr. Darcy.

//////////

Two good books to read on a rainy day are:

1. "The Book Thief" by Markus Zusak - This captivating historical fiction novel tells the story of a young girl named Liesel during World War II, highlighting the power of words and the resilience of the human spirit.

2. "Pride and Prejudice" by Jane Austen - A classic romance novel filled with witty dialogue, social commentary, and a heartfelt love story between Elizabeth Bennet and Mr. Darcy. It's a perfect choice for cozying up with on a rainy day.

//////////

Two good books to read on a rainy day are "Pride and Prejudice" by Jane Austen and "Harry Potter and the Sorcerer's Stone" by J.K. Rowling.

//////////

We use the time module to measure the elapsed time between making the API call and receiving the response. We start the timer with `start_time = time.time()` and calculate the elapsed time with `elapsed_time = time.time() - start_time`. We then print the generated completion and elapsed time.

Another important metric to monitor is error rates, which are the number of errors that occur during API calls, such as timeouts or connection errors. High error rates can indicate issues with the API's infrastructure or other factors that are impacting performance. To monitor error rates, you can use log analysis tools like Loggly or Splunk, which can help you identify patterns in error messages and troubleshoot issues.

These tools allow you to analyze logs generated by your application and the ChatGPT API, which can help you identify patterns in error messages and troubleshoot issues.

To set up error logging with Loggly, you'll need to create an account and obtain an API key. You can then use the loggly-python-handler library to send log messages to Loggly.

```
from flask import Flask, request
import logging
import loggly.handlers

app = Flask(__name__)

# Set up the Loggly logger
log_handler = loggly.handlers.HTTPHandler(
    'https://logs-01.loggly.com/inputs/YOUR-TOKEN-HERE/tag/python',
    'POST'
)
logger = logging.getLogger(__name__)
logger.addHandler(log_handler)

@app.route('/chat')
def chat():
    try:
        # ... code to handle API requests ...
    except Exception as e:
        logger.exception(f"API error: {e}")
        return "Error: " + str(e), 500
```

In this example, we set up a Flask application that handles API requests to the ChatGPT API. We use the loggly library to set up a logger that sends error messages to a Loggly endpoint. We set up the logger to use the HTTPHandler with the URL of the Loggly endpoint and the POST method to send the logs.

When an error occurs during an API request, we catch the exception using a try...except block and log the error message using `logger.exception()`. We then return an error message and a 500 status code to indicate that an error occurred.

Which Python module can be used to measure the response time of an API call?

- ☒ Time
- ☐ Loggly
- ☐ cProfile
- ☐ Splunk

The time module is a built-in Python module that can be used to measure the response time of an API call. It allows you to measure the elapsed time between making the API call and receiving the response, providing insights into the performance of the API.

Check It!

Next