

- Instructor Introduction and Module Objectives
- Alphabet
- Substitution Cipher
- Video: Substitution and Caesar Cipher

6 min
- Quiz: Caesar Cipher

20 min
- Module Operation
- Monalphabetic Cipher
- Natural Language Redundancy
- Polyalphabetic Cipher
- Pseudo-Code: Vigenere Cipher

● Congratulations! You passed!

Grade received 100%

Latest Submission Grade 100%

Try to pass or higher

Go to next item

Caesar Cipher

Review Learning Objectives

1. You agreed to use a Caesar cipher with a key of k=5 with a friend. While sitting in a group, the friend hands you over a message that says "QNGWFWFD". Decrypt the message. 4 / 4 points

Submit your assignment

Try again

library Due Apr 7, 11:59 PM IST Attempts 3 every 8 hours

Correct

See the Substitution and Caesar Cipher lesson.

Receive grade

To Pass 66% or higher

Your grade

100%

View Feedback

We keep your highest score

2. Suppose you actually forgot the key. How many decryption computations of the cipher text "QNGWFWFD" do you need to perform to reach to the plaintext? (Consider words that are not possible to be the plaintext.) 4 / 4 points

Submit your answer Report an issue

25

Correct

The correct answer is 26 and not 25. You may have answered 25 excluding the case for using k=0 (which is transmitting the plaintext with no shifts). We ordinarily include k=0 as one of the plausible key options and will consider k=0 to be a plausible key option moving forward (even though you received credit here)!

3. Your friend proposes an update in the key and suggests a new key, k=523. How many cyclic shifts do you need to perform using the new key? You want to minimize the number of cyclic shifts on the letters. 4 / 4 points

Submit your answer Report an issue

3

Correct

See the Substitution and Caesar Cipher lesson.