

How to fix "'jupyter' is not recognized as an internal or external command, operable program or batch file" when running Jupyter on Windows?

Asked 8 years, 6 months ago Modified 7 months ago Viewed 775k times

▲

▼

🔖

🕒

221

🛡️ **Protected question.**

You have enough reputation to answer or unprotect this question.

I have installed Jupyter on Windows 10, Python 3.x via

```
$ pip install jupyter
```

The installation works fine, even though I did restart the terminal.

But trying to run

```
$ jupyter notebook
```

gives the following error

```
'jupyter' is not recognized as an internal or external command, operable program or batch file.
```

How and where do I find the executable for Jupyter?

python

jupyter-notebook

jupyter

Edit tags

Share

Edit

Follow

Close

Flag

Unprotect

edited Dec 24, 2023 at 14:58

asked Dec 8, 2016 at 8:25



Gino Mempin

30.1k 31 121 173



eleijonmarck

5,220 4 24 24

41 Answers

Sorted by:

Date modified (newest first) ⌵

[Reset to default](#)

1 2 Next

▲

▼

🔖

🕒

70

I had the exact same problem and it was driving me crazy. Other answers provide a solution, but they don't explain why you and I are having this problem.

I will try to explain why this is happening and then provide some solutions.

You can go to the end to see the TL;DR.

1)What's going on? Why is this error happening?

I'll try to make a step-by-step answer so everything is explained clearly. If you think it's too basic at the beginning, go to the end of this post.

I'll first start with common things like running the `python` shell from the terminal or running `pip`. You'll see why you can do that from the terminal and we'll end up on *why* and *how* you can run the `jupyter notebook` from the terminal as well.

Ready? Let's start!

Have you ever wondered why you can type `python` in the terminal (command prompt) and suddenly start the Python interpreter?

```
Microsoft Windows [Version 10.0.18363.1440]
(c) 2019 Microsoft Corporation. All rights reserved.

C:\Users\YOUR-USERNAME>python
Python 3.9.1 (tags/v3.9.1:1e6d33e, Dec 7 2020, 17:08:21) [MSC v.1927 64 bit
(AMD64)] on win32
Type "help", "copyright", "credits" or "license" for more information.
>>>
```

You probably already know (but maybe don't) that this is because Python was added to the Windows `PATH` environment variable. You probably did it at [installation](#) time or [afterwards](#).

But, what is this [PATH](#) environment variable?

It basically allows you to run any executables, that are located inside the paths specified in the variable, at the command prompt without having to give the full path to the executable.

You can check the content of that `PATH` variable with:

```
>>> import sys
>>> for path in sys.path:
>>>     print(path)

C:\Users\YOUR-USERNAME\AppData\Local\Programs\Python\Python39\python39.zip
C:\Users\YOUR-USERNAME\AppData\Local\Programs\Python\Python39\DLLs
C:\Users\YOUR-USERNAME\AppData\Local\Programs\Python\Python39\Lib
C:\Users\YOUR-USERNAME\AppData\Local\Programs\Python\Python39
C:\Users\YOUR-USERNAME\AppData\Local\Programs\Python\Python39\Lib\site-packages
... (some other paths were taken out for clarity)
```

You can see this folder: `C:\Users\YOUR-USERNAME\AppData\Local\Programs\Python\Python39`. This is the place where Python version 3.9 is installed. Let's check its content:

```
<DIR> DLLs
<DIR> Doc
<DIR> etc
<DIR> include
<DIR> Lib
<DIR> libs
<DIR> Scripts
<DIR> share
<DIR> tcl
<DIR> Tools
LICENSE.txt
NEWS.txt
python.exe
python3.dll
python39.dll
pythonw.exe
vcruntime140.dll
vcruntime140_1.dll
```

Voilà! We have the `python.exe` file (an [executable](#)). We have a Python executable file in the `PATH`, that's why you can start the Python interpreter from the terminal with just typing `python`. If this wasn't the case you would have to type the full path to the executable file in the terminal:

```
C:\Users\YOUR-USERNAME> C:\Users\YOUR-
USERNAME\AppData\Local\Programs\Python\Python39\python)
```

Instead of just:

```
C:\Users\YOUR-USERNAME> python
```

<https://stackoverflow.com/questions/41034866/how-to-fix-jupyter-is-not-recognized-as-an-internal-or-external-command-oper>

1/10

And what about when you use pip ?

It's the same principle. You can run `pip` from the terminal because there is a `pip` executable file in the `PATH` variable.

If you go to `C:\Users\YOUR-USERNAME\AppData\Local\Programs\Python\Python39\Scripts\` (which is in the `PATH` showed above) you'll see many executables files. One of them is `pip`. Actually I have three versions: `pip`, `pip3.9` and `pip3`.

The `Scripts` folder allows exectuable files to be run from the terminal. Like `pip` or other libraries that you intend to run directly from the terminal. The `Scripts` folder:

...is not intended for you, it's for scripts that are installed as components of modules that you install. For example, `pip` is a module, but it also has a wrapper script by the same name, `pip`, which will be installed in that directory.

If you put something there and it is properly in your `PATH`, then it should be executable

That wrapper script would be the `pip` executable file. When [this executable](#) file is run, it locates the `pip` folder in the Python installation folder and runs `pip`.

But you could also run `pip` directly from the installation folder (`C:\Users\YOUR-USERNAME\AppData\Local\Programs\Python\Python39\Lib\site-packages`), without needing the executable `pip` file.

But, how can you do it?

I'm glad you ask. There is a Python [way](#) to run modules as the main module (without the need to import it).

```
python -m pip
```

When you run a module directly its name becomes `__main__`. What `-m` does is:

Search `sys.path` for the named module and execute its contents as the `__main__` [module](#).

What is `__main__` ?

'`__main__`' is the name of the scope in which top-level code executes.

A module's `__name__` is set equal to '`__main__`' when read from standard input, a script, or from an interactive prompt. ...

I guess that the `pip` executable does something similar, or at least, has the same effect: to start `pip`.

2)What does this have to do with the Jupyter Notebook?!

Think of the `Jupyter Notebook` as the same as `pip`. If you want to run `jupyter` in the terminal, you need an executable that it's on the `PATH`.

We have already seen that the executables of modules like `pip` or `jupyter` are located here `C:\Users\YOUR-USERNAME\AppData\Local\Programs\Python\Python39\Scripts\`.

If I check the content of the folder I see this:

```
easy_install-3.9.exe
easy_install.exe
f2py.exe
jsonschema.exe
jupyter-bundlerextension.exe
jupyter-console.exe
jupyter-nbconvert.exe
jupyter-nbextension.exe
jupyter-notebook.exe
jupyter-qtconsole.exe
jupyter-serverextension.exe
jupyter-trust.exe
pip.exe
pip3.9.exe
pip3.exe
```

I see the already mentioned `pip`, `pip3.9` and `pip3`. But I don't see `jupyter` (the word "*jupyter*" alone).

If I type `jupyter` in the terminal I get the error that started all:

```
'jupyter' is not recognized as an internal or external command, operable program
or batch file.
```

Finally we've reached an answer to your question!!!

'jupyter' is not recognized as a command because there is no executable file in the `Scripts` folder called `jupyter`.

So, let's try a different executable. What about `jupyter-notebook` ?

BINGO! The notebook is running!

```
Serving notebooks from local directory:
C:\Users\YOUR-USERNAME\AppData\Local\Programs\Python\Python39\Scripts
Jupyter Notebook 6.3.0 is running at:
http://localhost:8888/?token=... (edited)
or http://127.0.0.1:8888/?token=... (edited)
Use Control-C to stop this server and shut down all kernels (twice to skip
confirmation).
```

I don't know why I don't have a `jupyter` executable called 'jupyter'. The [official documentation](#) says to use `jupyter notebook` on the terminal, but it seems that in some cases it doesn't work. And I think it has to do with what I mentioned above: *there is no `jupyter` exectuable in the `scripts` folder*.

If you remember, I told you that you can run `pip` as the main module using `python -m pip`.

It happens that you can do the same with `jupyter`. We just need to know how to call it. As in with `pip`, we have to check the folder where 3rd party libraries are installed: `C:\Users\YOUR-USERNAME\AppData\Local\Programs\Python\Python39\Lib\site-packages`.

You'll see `jupyter_console`, but this just creates an interactive notebook in the terminal, not exactly what you were looking for. You're also going to find folders ending with `.dist.info`, like `jupyter_console-6.4.0.dist-info`. This is just [metadata](#) of the Wheel Binary Package builder. You'll also see a folder like `jupyterlab_pygments`, but [that's](#) for `JupyterLab`. We want to use the classic Jupyter notebook.

What we want is to run `notebook`. How do we know this?

You'll see in the folder `site-packages` the folder (*package*) `notebook`. Inside there is a [file called](#) `__main__.py`:

```
#__main__.py
if __name__ == '__main__':
    from notebook import notebookapp as app
    app.launch_new_instance()
```

It's calling `notebookapp.py` [which is](#) a "*A tornado based Jupyter notebook server.*" Yes, this is what we need.

We can [see](#) that `launch_new_instance` in the `notebookapp` calls `launch_instance()`, [which](#) "*launches an instance of a Jupyter Application*".

Perfect! We are in the correct folder. To run the jupyter notebook from the Python interactive shell we have to run the notebook package with:

```
python -m notebook
```

3)*** SUMMARY: SOLUTION ***

tl;dr:

I have explained and showed why this error is happening.

Now let's summarize the solutions:

1. To know the name of the `jupyter` executable (in the `Scripts` folder), so you can run directly from the terminal (Command Prompt) as:

```
jupyter notebook
```

or as:

```
jupyter-notebook
```

Or whatever name you have.

2. Run the notebook as the main module from Python:

```
python -m notebook
```

I hope this helps you as much as it helped me. I'm open to your comments and suggestions.

Share Edit Follow Flag

edited Nov 5, 2024 at 16:47

answered Apr 4, 2021 at 6:46

 **Guzman Ojero**
3,552 1 23 26

7 Comments

 Add a comment

 **DeBArtha** 458 8 19 3 years ago

However, `jupyter notebook` does not work whereas `jupyter-notebook` works flawlessly. Refer to [this post](#) where I found this anomaly.

 1

 Reply



 **Guzman Ojero** 3,552 1 23 26 3 years ago

@its_deb yes, that happens. In my answer I tried to provide an explanation. Thanks for the post.

 1

 Reply



 **mchristos** 2,014 1 14 32 3 years ago

This is an excellent explanation, thank you. I'm still unable to find the executables for my pip packages - I've installed python via the Windows app store so the python executable is at `C:\Users\<user>\AppData\Local\Microsoft\WindowsApps`

 2

 Reply



 **Birasafab** 312 1 11 2 years ago

You helped me a lot to understand the idea behind this weird error, thanks a lot!

 1

 Reply



 **epkalibbala** 66 3 2 years ago

Smart chap, right from the basics, kudos @GuzmanOjero

 2

 Reply



[Add a comment](#) | [Show 2 more comments](#)



For those who NEED `jupyter notebook` to work, specially for R kernel in Jupyter notebook. if `jupyter` command is not recognized is because it is not in path.

Vote

In my case, `pip install jupyter` put `jupyter.exe` in




C:\Users\user\AppData\Roaming\Python\Python312\Scripts



instead of



C:\Users\user\AppData\Local\Programs\Python\Python312\Scripts



So from **Roaming** copy

and paste them into **Local**

Or even easier, add **Roaming** to your `PATH` .

Share Edit Follow Flag

edited Oct 5, 2024 at 22:04

 **desertnaut**
60.6k 32 155 183

answered Oct 2, 2024 at 22:38

 **Alvaro Cervan**
11 2

Comments

 Add a comment



First check where your python is installed by heading over to

Vote

C:\Users**username**\AppData\Local\Programs\Python\Python39\Scripts



this is the path usually you will find python installed. After this type in



`cd..` to get one step out of the `Scripts` folder



After this install jupyter in here using:

```
$ pip install jupyter
```

The installation was fine and when I tried to open the jupyter notebook, it gave me the following error.

```
'jupiter is not recognized as an internal or external command, operable program or batch file.'
```

I checked a lot of resources but still, I faced the same problem. After doing a lot of stuff from the internet, I myself figured out that maybe due to some updates(for some users) it won't open by typing the command

jupyter notebook

Instead, you have to type

jupyter~notebook

The only thing I was missing was this Hyphen-minus.

Share Edit Follow Flag

edited Oct 5, 2024 at 22:03

 [desertnaut](#)
60.6k 32 155 183

answered Apr 23, 2021 at 14:42

 [Hamza](#)
1 1 2

Comments ▾

 Add a comment



Adding jupyter notebook to System Environment Variable will probably fix this issue

Vote

Share Edit Follow Flag



answered Apr 21, 2024 at 19:20

 [JAWAD KHAN](#)
81 1 8



Comments ▾

 Add a comment



I had the same issue and installed jupyter using pip on windows 10. I was actually trying to install an R kernel for jupyter and it did not work. Eventually the solution from Hao Liang at [jupyter-client has to be installed but "jupyter kernelspec --version" exited with code 127](#) worked.

Vote

However if you want to be able to run "jupyter notebook" please try the following.



1. Find the location of the jupyter file, by looking at the location returned after typing `pip show jupyter` in ms-dos prompt. For me it was `c:\program files (x86)\microsoft visual studio\shared\python39_64\lib\site-packages` in that folder there is a file `jupyter.py` that is the root command that call the different jupyter modules.
2. Add the location of the file to the PATH (using system environment variable)
3. If not done already add the folder of the python executable to the PATH too (for me it was `c:\program files (x86)\microsoft visual studio\shared\python39_64`).
4. Now add python file extensions to the PATHEXT environment variable (adding `".PY;"` to PATHEXT)
5. In a command prompt run as administrator, run the following two commands:

```
assoc .py=Python.File  
ftype Python.File=c:\program files (x86)\microsoft visual studio\shared\python39_64\python.exe "%1" %*
```
6. Open a new command and type "jupyter notebook", it should now work.

Share Edit Follow Flag

edited Oct 5, 2023 at 21:00

answered Oct 5, 2023 at 17:26

 [ChristHope](#)
411 5 9

Comments ▾

 Add a comment



you can should type in your windows command-line `python -m notebook`

1

if you can another response than you can re-install the jupyter `pip install jupyter` ,



After complete the successful installation type again in your command-line `python -m notebook ...`

Share Edit Follow Flag

answered Jul 1, 2023 at 10:12

 [Meet Savani](#)
23 6

1 Comment ▾

 Add a comment

 Community 1 1 1 year ago

As it's currently written, your answer is unclear. Please [edit](#) to add additional details that will help others understand how this addresses the question asked. You can find more information on how to write good answers [in the help center](#).

 2  Reply 



I know there are so many answers here, but this might help others.

-1



1. Set the environment variables for your username.
2. check whether the notebook is installed, `jupyter --version` This will list all the Jupyter core packages
3. if the notebook says "not installed", execute the below command `pip install notebook`



```
C:\Windows\System32\cmd.exe - jupyter notebook
Jupyter command 'jupyter-notebook' not found.

C:\Users\arjun>jupyter --version
Selected Jupyter core packages...
IPython      : 8.4.0
ipykernel    : 6.15.1
ipywidgets   : not installed
jupyter_client : 7.3.4
jupyter_core : 4.11.1
jupyter_server : not installed
jupyterlab   : not installed
nbclient     : not installed
nbconvert    : not installed
nbformat     : not installed
notebook     : not installed
qtconsole    : not installed
traitlets    : 5.3.0

C:\Users\arjun>pip install notebook
Collecting notebook
  Downloading notebook-6.5.2-py3-none-any.whl (439 kB)
----- 439.1/439.1 KB 2.0 MB/s eta 0:00:00
Requirement already satisfied: nest-asyncio>=1.5 in c:\users\arjun.mourya\appdata\local\programs\python\python310\lib\site-packages (from notebook) (1.5.5)
Collecting prometheus-client
  Downloading prometheus_client-0.16.0-py3-none-any.whl (122 kB)
----- 122.5/122.5 KB 1.8 MB/s eta 0:00:00
Requirement already satisfied: ipykernel in c:\users\arjun.mourya\appdata\local\programs\python\python310\lib\site-packages (from notebook) (6.15.1)
Collecting terminado>=0.8.3
```

Share Edit Follow Delete (1) Flag

answered Feb 3, 2023 at 13:39

 DotNetTide

9 1 4

1 Comment

Add a comment

 moken 6,875 12 30 41 2 years ago

You should past the terminal output as text formatted as code

0 Reply

- ▲ If you are doing it through pip installation,
- 1 C:\Users\<username>\AppData\Roaming\Python\<yourpythonfolder>\Scripts
- ▼ Adding this to your path is missing for 'jupyter notebook' command to run

Share Edit Follow Flag

answered Dec 23, 2021 at 13:36

 Prason Ghimire

547 4 4

Comments

Add a comment

- ▲ You can add the following to your path
- 7 C:[Python Installation path]\Scripts
- ▼ e.g. C:\Python27\Scripts
- It will start working for jupyter and every other pip install you will do here on.
- Share Edit Follow Flag

edited Oct 8, 2021 at 5:34

 ah bon

10.1k 22 80 184

answered Mar 26, 2018 at 9:38

 Parash

99 1 4

Comments

Add a comment

- ▲ I just found that error when I first intalled and run the jupyter notebook. Then I found the executable (.exe) file from C:\Users\<user~name>\AppData\Local\Programs\Python\Python39\Scripts . The actual file name was "jupyter-notebook" . The installation guide says it as "jupyter notebook" to run the server. You have to run the command "jupyter-notebook" in the command line and it will be run. Thanks!
- ▼ Share Edit Follow Flag
- answered Jul 28, 2021 at 10:29
-  Adithya De Silva
- 91 1 4

Comments

Add a comment

- ▲ Had the same issue. Finally searched where jupyter.exe directory was located on my computer. For some reason it was under C:\VTRoot\HarddiskVolume4\Users[user]\AppData\Local\Programs\Python
- Vote** Whereas the Python is C:\Users[user]\AppData\Local\Programs\Python
- ▼ So I copied full Python39 folder from VTRoot to main Python39 python folder in AppData. And the issue is solved.

Share Edit Follow Flag

answered Apr 8, 2021 at 6:39

 user

user's 51 1 7

Comments

Add a comment

- ▲ Add system variable path, this path is where jupyter and other scripts are located
- Vote** PATH -->
- ▼ 'C:\Users\<userName>\AppData\Roaming\Python\Python39\Scripts'

Like in my laptop PATH is:

"C:\Users\deveLoper\AppData\Roaming\Python\Python39\Scripts"

After that, You will be able to run jupyter from any folder & any directory by running the below command

jupyter notebook

Share

Edit

Follow

Flag

answered Feb 25, 2021 at 18:19

Arpit kumar jain

112

Comments

Add a comment

First run this command

1

pip install jupyter

then add system variable path , this path is where jupyter and other scripts are located

PATH = C:\Users<userName>\AppData\Roaming\Python\Python38\Scripts

e.g PATH=C:\Users\HP\AppData\Roaming\Python\Python38\Scripts

After that we can run jupyter from any folder/directory

jupyter notebook

Share

Edit

Follow

Flag

answered Jan 16, 2021 at 16:49

Imteyaz Ahmad

113

Comments

Add a comment

To install I used "pip install notebook" in windows command line

1

To run python -m notebook did not work for me, but python3 -m notebook worked

Share

Edit

Follow

Flag

answered Dec 15, 2020 at 19:32

Noufal B

111

Comments

Add a comment

first you should make sure that you are put your python path in your system variables .. Then try run this

3

python -m pip install jupyter --user

and then run this

py -m notebook or jupyter notebook

Share

Edit

Follow

Flag

edited Dec 3, 2020 at 11:11

Tiago Peres

15.8k22104172

answered Feb 4, 2019 at 13:39

manar odeh

mana1213

Comments

Add a comment

Please try either of these commands first;

84

\$ py -m notebook
\$ python -m notebook

for jupyterlab users

py -m jupyterlab

Otherwise

\$ python -m pip install jupyter --user
\$ jupyter notebook

If this does not work.

pip does not add jupyter directly to path for local.

The output from

\$ which python
/c/Users/<username>/AppData/Local/Programs/Python/Python35-32/python

After some digging I found a executable for jupyter in the folder:

C:\Users\<username>\AppData\Roaming\Python\Python35\Scripts\jupyter.exe

[Difference between local and roaming folder](#)

So if you want to be able to execute a program via command line, you need to add it into the %PATH variable. Here is a powershell script to do it. BE SURE TO ADD THE ";" before adding the new path.

\$ [Environment]::SetEnvironmentVariable("Path", \$env:Path + ";C:\Users\
<username>\AppData\Roaming\Python\Python35\Scripts",
[EnvironmentVariableTarget]::User)

https://stackoverflow.com/questions/41034866/how-to-fix-jupyter-is-not-recognized-as-an-internal-or-external-command-oper

6/10

Update:

if you are using `python3` , switch out `python` with `python3` but I encourage you to use `pyenv` instead :)

Share Edit Follow Flag

edited Oct 17, 2020 at 13:37

answered Dec 8, 2016 at 8:25

 [eleijonmark](#)
5,220 4 24 24

6 Comments

 Add a comment

 [Muhammad Ali](#) 742 1 7 16 6 years ago

Thanks for this. I've looked for this solutions months back, but gave up. Finally, I find it burred deep in here

 2

 Reply



 [Samuel Nde](#) 2,763 2 25 23 6 years ago

Thanks a lot for this answer. I located and added the path to the `Scripts` folder to the path in my environmental variables and that did the trick.

 0

 Reply



 [qwr](#) 11.3k 6 75 118 6 years ago

I believe this occurs when you install locally with `pip --user`

 0

 Reply



 [Nasta](#) 947 1 6 10 5 years ago

If you are using python3, write `python3 -m notebook`

 0

 Reply



 [mic](#) 1,276 1 18 30 5 years ago

`which` is not a Command Prompt or Powershell command, so you would have to run that in Git Bash or something. In Command Prompt, you can instead use `where` .

 8

 Reply



[Add a comment](#) | [Show 1 more comment](#)



I just installed JupyterLab on top of my Python 3.8/pip enabled Win10 machine, so I ran into these startup problem with windows. If everything is ok (check that you have PATH for Python, eg. C:\Users[Username]\AppData\Local\Programs\Python\Python38-32\Scripts) you simply run:

Vote

`jupyter-lab.exe`



and that's it.



Cheers



Share Edit Follow Flag

answered Sep 30, 2020 at 9:25

 [Xhost](#)
1

Comments

 Add a comment



If you are absolutely sure that your Python library path is in your system variables (and you can find that path when you pip install Jupyter, you just have to read a bit) and you still experience "command not found or recognized" errors in Windows, you can try:

346

`python -m notebook`



For my Windows at least (Windows 10 Pro), having the `python -m` is the only way I can run my Python packages from command line without running into some sort of error



`Fatal error in launcher: Unable to create process using ' "`



or

`Errno 'THIS_PROGRAM' not found`

Share Edit Follow Flag

edited Sep 1, 2020 at 10:28

 [Georgy](#)
13.8k 7 69 77

answered Apr 5, 2017 at 19:17

 [wongstein](#)
3,484 1 12 3

5 Comments

 Add a comment

 [Serendipity](#) 2,246 25 33 7 years ago

I use lpython for many years, and this is the first time I encounter this issue. I figured (as mentioned by others) that it has to do with Windows10 and running `python -m notebook` worked! Thanks for the solution.

 3

 Reply



 [A.A.](#) 1,047 16 29 6 years ago

this worked for me but I don't understand why `jupyter notebook` command doesn't work anymore (It stopped working after I reinstalled python on windows 10)

 5

 Reply



 [Georgy](#) 13.8k 7 69 77 4 years ago

For JupyterLab use `python -m jupyterlab`

 11

 Reply



 [Peyman Majidi](#) 2,017 2 23 36 4 years ago

`python -m notebook` works like a MAGIC, thanks for sharing

 3

 Reply



 [Guzman Ojero](#) 3,552 1 23 26 4 years ago

While your answer provides a solution, it doesn't explain why this happens. I answered that here [stackoverflow.com/questions/41034866/...](#)

 4

 Reply



[Add a comment](#)



you can create a batch file and search for Jupiter in your windows search and ooen its properties and you will get this string.
D:\anaconda3\python.exe D:\anaconda3\cwp.py D:\anaconda3 D:\anaconda3\python.exe D:\anaconda3\Scripts\jupyter-notebook-script.py

1

`"%USERPROFILE%/"` after getting this you can create a jupitor.bat file with this content it that and you can save that file in a script folder in d or any drive and add the path of your script file in your environmental path



and then you can easly call this by typing jupitor in cmd.



Share Edit Follow Flag

answered Jul 29, 2020 at 10:23

 **Rahul Gupta**
326 4 10

Comments ▾

 Add a comment



Vote



Share Edit Follow Flag

answered Jun 17, 2020 at 17:23

 **hitesh tomar**
1 1



Comments ▾

 Add a comment



Check whether you have given python PATH in environmental variables properly.
If not, then set python path. Then use:

4

\$ python -m notebook



Share Edit Follow Flag

edited May 27, 2020 at 6:30
 **סטנלי גרונן**
 3,017 25 51 69

answered May 27, 2020 at 5:58
 **Pratika**
91 1 6



Comments ▾

 Add a comment



I have two python version installed: 1. Python 3.8.2: This was installed independently 2. Python 3.7.6: This was installed along with Anaconda 3

1

Multiple versions caused conflict even after setting the path variables correctly.



I have uninstalled the Python 3.8.2 and after restart, the command



jupyter notebook



Worked perfectly :)

Share Edit Follow Flag

answered May 1, 2020 at 11:56

 **Jhabar**
129 1 10

Comments ▾

 Add a comment



100% working solution:

1

Follow these steps:



1. Open the folder where you downloaded "python-3.8.2-amd64.exe" setup or any other version of python package
2. Double click on "python-3.8.2-amd64.exe"
3. Click "Modify"
4. You will see "Optional features"
5. Click "next"
6. Select "Add python to environment variables"
7. Click "install"
8. Then u can run jupyter in any desired folder u desire

```
E.g open "cmd" command prompt

Type :
E:

E:\>jupyter notebook

It will get started without showing

'Jupyter' is not recognized
```

Thanks

Share Edit Follow Flag

edited Mar 24, 2020 at 10:53
 **Venkataraman R**
13.1k 2 36 65

answered Mar 24, 2020 at 10:30
 **Irfan Khursheed**
11 1

Comments ▾

 Add a comment



In [Python 3.7.6](#) for Windows 10. After installation, I use these commands.

6

1. pip install notebook
2. python -m notebook



OR



```
C:\Users\Hamza\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.7_qbz5n2kfra8p0\LocalCache\local-packages\Python37\Scripts
.
```

For my pc python-scripts are located in the above path. You can add this path in environment variables. Then run command.

1. jupyter notebook

Share Edit Follow Flag

answered Mar 11, 2020 at 11:13

 **M. Hamza Rajput**
10.4k 3 52 42

Comments ▾

 Add a comment



Vote



If you have installed jupyter with "python -m pip install jupyter" command instead of "\$ pip install jupyter" command then follow these steps:

1. Create a notepad
2. Change its extension from ".txt" to ".ipynb"
3. Right click it and click "open with"
4. In the pop up, go to - C:\Users\<"windows_user_name">\AppData\Roaming\Python\Python38\Scripts
5. Click on "jupyter-lab.exe"

Share Edit Follow Flag

answered Mar 4, 2020 at 21:15

 **Azhar**
3 3

Comments ▾

 Add a comment



2



windows CMD
for default install (just check "add path" and "next" when installing)

```
python -m notebook
```

for custom install in C:

```
jupyter notebook
```

Share Edit Follow Flag

answered Feb 1, 2020 at 17:59

 **Nip**
474 1 5 11

Comments ▾

 Add a comment



1



Problem for me was that I was running the `jupyter` command from the wrong directory.

Once I navigated to the path containing the script, everything worked.

Path- C:\Program Files (x86)\Microsoft Visual Studio\Shared\Python37_64\Scripts

Share Edit Follow Flag

answered Nov 29, 2019 at 22:27

 **John Smith**
7,437 7 52 63

Comments ▾

 Add a comment



Vote



In windows 10: If you used anaconda3 for Jupyter notebook installation and forgot to check the box to add the environment variables to the system during installation, you need to add the following environment variables to the "Path" variable manually: (search windows settings for Edit environment variables")

[Environment variables for Anaconda3](#)

Share Edit Follow Flag

answered Nov 13, 2019 at 8:46

 **Rasool**
1

Comments ▾

 Add a comment



2



I added

```
c:\users\[user]\appdata\roaming\python\python37\site-packages
```

to the path and it worked.

Share Edit Follow Flag

 **Pavindu**
3,133 8 53 90

 **Mohammed Fali**
21 1

Comments ▾

 Add a comment



Vote



Here is how I resolved stated issue, hope it helps:

1. install python 3.7 using official website for python, while installing include installing PATH by checking it's box
2. after that open cmd (be sure to open it after step 1) and write: pip install jupyter ENTER
3. now you should be able to open jupyter notebook by using command: jupyter notebook

Seems simple, but it may as well help.

Share Edit Follow Flag

answered Oct 8, 2018 at 17:17

 **Maros**
9 1

Comments ▾

 Add a comment

1

2

Next

Start asking to get answers

Find the answer to your question by asking.

Ask question

Explore related questions

python

jupyter-notebook

jupyter

See similar questions with these tags.