

Your grade: 100%

Your latest: 100% • Your highest: 100% • To pass you need at least 50%. We keep your highest score.

Next item →

1. Which steps are involved in setting up the runtime and training a GAN model in Google Colab?

1 / 1 point

- ☐ Uploading the dataset to Kaggle
- ☒ Connecting to Google Drive

 **Correct**
Correct! Connecting to Google Drive is essential to save and load files during the process.

- ☒ Executing the training code

 **Correct**
Correct! Running the training code is a fundamental step in training the GAN model.

- ☒ Setting up the runtime environment

 **Correct**
Yes! Setting up the runtime environment in Google Colab is crucial for executing the code.

- ☐ Installing TensorFlow on your local machine

2. Which neural network is best suited for processing sequential data?

1 / 1 point

- ☒ Recurrent Neural Network (RNN)
- ☐ Feedforward Neural Network (FNN)
- ☐ Generative Adversarial Network (GAN)
- ☐ Convolutional Neural Network (CNN)

 **Correct**
Correct! RNNs are designed to handle sequential data and maintain temporal dependencies.

3. What is the primary purpose of a Generative Adversarial Network (GAN)?

1 / 1 point

- ☐ To reduce the dimensionality of data
- ☐ To optimize the performance of neural networks
- ☐ To classify data into predefined categories
- ☒ To generate data that is similar to a given dataset

 **Correct**
Correct! GANs are designed to generate new data that resembles a given dataset.

4. Which of the following statements accurately describe the process of upsampling in the context of Generative Adversarial Networks (GANs)?

1 / 1 point

- ☐ It involves reducing the dimensionality of the data.
- ☒ It is achieved through techniques like transposed convolution.

 **Correct**
Correct! Transposed convolution is a technique commonly used for upsampling.

- ☐ It always results in perfect images.
- ☐ It is a technique applied by the discriminator.
- ☒ It is used to increase the resolution of generated images.

 **Correct**
Correct! Upsampling is used to increase the resolution of images generated by the GAN.

5. Which technique is commonly used by the discriminator in a GAN to improve its performance?

1 / 1 point

- ☐ Pooling
- ☒ Batch normalization
- ☐ Gradient clipping
- ☐ Upsampling

 **Correct**
Correct! Batch normalization is used to stabilize and improve the performance of the discriminator.