

Your grade: 80%

Your latest: 80% • Your highest: 80% • To pass you need at least 50%. We keep your highest score.

Next item →

1. What is one of the popular datasets used for training GANs in this course?

1 point

- ☐ COCO
- ☐ PASCAL VOC
- ☐ MNIST
- ☒ ImageNet

 **Incorrect**

Incorrect. While ImageNet is a popular dataset, it is not used in this course for training GANs.

2. Which neural networks are specifically designed to handle temporal dependencies in data?

1 / 1 point

- ☒ Long Short Term Memory (LSTM) networks
-  **Correct**

Correct! LSTM networks are a type of RNN designed to handle long-term temporal dependencies.
- ☐ Feedforward Neural Networks (FNNs)
- ☒ Recurrent Neural Networks (RNNs)
-  **Correct**

Correct! RNNs are specifically designed to handle sequential data and temporal dependencies.
- ☐ Convolutional Neural Networks (CNNs)

3. Which of the following are applications of Convolutional Neural Networks (CNNs)?

1 / 1 point

- ☐ Natural language processing
- ☒ Image classification
-  **Correct**

Correct! CNNs are widely used for image classification tasks.
- ☒ Object detection
-  **Correct**

Correct! CNNs are commonly used for object detection in images.
- ☐ Time series prediction

4. Select the key components that form the architecture of a Generative Adversarial Network (GAN).

1 / 1 point

- ☐ Encoder
- ☐ Decoder
- ☒ Generator
-  **Correct**

Correct! The generator is a crucial component of a GAN.
- ☒ Discriminator
-  **Correct**

Correct! The discriminator is another essential component of a GAN.
- ☒ Adversarial loss
-  **Correct**

Correct! Adversarial loss is a key component that drives the training of GANs.

5. Which technique is commonly used by the discriminator in a GAN to improve its performance?

1 / 1 point

- ☒ Batch normalization
- ☐ Upsampling
- ☐ Pooling
- ☐ Gradient clipping
-  **Correct**

Correct! Batch normalization is used to stabilize and improve the performance of the discriminator.