

Your grade: **96%**

Your latest: **96%** • Your highest: **96%** • To pass you need at least 50%. We keep your highest score.

Next item →

1. Which Python library is commonly used for importing and manipulating datasets in a Jupyter Notebook?

1 / 1 point

- ☐ Seaborn
- ☐ NumPy
- ☐ Matplotlib
- ☒ Pandas

✔ **Correct**

Correct! Pandas is a powerful library for data manipulation and analysis. You can use it to import, load, and split datasets efficiently.

2. Which of the following best describes the architecture of a fully connected GAN generator?

1 / 1 point

- ☒ It consists of an input layer, several hidden layers, and an output layer
- ☐ It has only an input layer and an output layer
- ☐ It consists solely of convolutional layers
- ☐ It consists of multiple output layers and a single hidden layer

✔ **Correct**

Correct! A fully connected GAN generator typically has an input layer, multiple hidden layers, and an output layer.

3. Which of the following steps are involved in defining a function to create a fully connected layer generator using Python and Keras?

0.8 / 1 point

☒ Defining the input shape

✔ **Correct**

Correct! Defining the input shape is crucial for creating the generator.

☐ Setting up callbacks for model checkpoints

☐ Compiling the model with an optimizer

☐ Adding dropout layers to prevent overfitting

☒ Importing necessary libraries

✔ **Correct**

Correct! You need to import libraries such as TensorFlow and Keras.

You didn't select all the correct answers

4. What elements are part of the structure of a discriminator in a fully connected GAN?

1 / 1 point

☒ Output layer with a single neuron

✔ **Correct**

Correct! The output layer typically has a single neuron to classify the input as real or fake.

☒ Input layer to receive the image

✔ **Correct**

Correct! The input layer is essential to receive the image data.

☒ Hidden layers with neurons

✔ **Correct**

Correct! Hidden layers with neurons are crucial for processing the input data.

☐ Batch normalization layers

☐ LSTM layers for sequence processing

5. What is the key purpose of the discriminator in a fully connected GAN?

1 / 1 point

- ☐ To reduce the dimensionality of input data
- ☐ To optimize the generator model
- ☐ To generate new images
- ☒ To classify input as real or fake

✔ **Correct**

Correct! The discriminator's purpose is to classify whether the input is real or generated (fake).