

≡ Hide menu

✔ Video: Sublime Text for MAC Users6 min

✔ Video: Terminal for MAC Users3 min

✔ Video: Functions Explained9 min

✔ Video: Input and Output11 min

✔ Video: Functions Advanced9 min

✔ Video: Functions Practical Usage10 min

✔ Video: Scope13 min

✔ Video: Class13 min

✔ Video: Methods5 min

✔ Video: Class Practical Usage7 min

✔ Video: Inheritance7 min

✔ Video: Special Methods8 min

✔ Video: Error Handling11 min

✔ Video: Using Libraries12 min

✔ Video: Writing Own Modules5 min

✔ Video: Imported versus Direct6 min

✔ Reading: Conclusion to the Course 'Python Programming for Quantum Computing'10 min

✔ Graded Assignment: Full Course AssessmentSubmitted

Your grade: 94.66%

Your latest: 94.66% • Your highest: 94.66% To pass you need at least 80%. We keep your highest score.

Full Course Assessment

1. How can you access the first character in a string using Python?

1 / 1 point

Review Learning Objectives

Assignment details

Using indexing: 'python'[3]

Using indexing: 'python'[0]

Using the method get_char(2)

Using slicing: 'python'[3]

Submitted

Dec 28, 2:56 AM IST

Attempts

Unlimited

Correct

Correct! In Python, indexing starts at 0, so the third character is accessed using 'python'[2].

Retry

2. Which of the following methods can be used to manipulate strings in Python?

Your grade

To pass you need at least 80%. We keep your highest score.

94.66%

View submission

0.8 / 1 point

See details

pop()

join()

Correct

Correct! The join() method is used to concatenate multiple iterables into a single string.

split()

Correct

Correct! The split() method is used to divide a string into a list of substrings.

append()

This should not be selected

Incorrect. The append() method is used for lists, not strings.

capitalize()

Correct

Correct! The capitalize() method is used to convert the first character of a string to uppercase.

3. How do you access a value in a dictionary using a key in Python?

1 / 1 point

By using dot notation, e.g., my_dict.key

By converting the key to a list, e.g., list(my_dict.keys())[key]

By calling the key as a method, e.g., my_dict.key()

By using square brackets with the key, e.g., my_dict['key']

Correct

Correct! You access dictionary values using square brackets with the key.

4. Which of the following are valid string methods in Python?

1 / 1 point

merge

capitalize

Correct

Correct! 'capitalize' is a valid string method in Python.

combine

replace

Correct

Correct! 'replace' is a valid string method in Python.

split

Correct

Correct! 'split' is a valid string method in Python.

5. Which of the following are valid methods to manipulate lists in Python?

1 / 1 point

delete()

reverse()

Correct

Correct! The reverse() method reverses the elements of the list in place.

pop()

Correct

Correct! The pop() method is used to remove an element from a list at a given position or the last element if no position is specified.

push()

insert()

Correct

Correct! The insert() method inserts an element at a specified position in a list.

append()

Correct

Correct! The append() method is used to add an element to the end of a list.

6. What will be the output of the following Python code?

1 / 1 point

```
1 numbers = [1, 2, 3, 4, 5]
2
3 result = [n**2 for n in numbers if n % 2 == 0]
4 print(result)
5
```

[2, 4]

[4, 8, 16]

[1, 4, 9, 16, 25]

[4, 16]

Correct

Correct! The code squares the even numbers in the list.

7. Which of the following Python keywords can be used within a for loop to control its flow?

1 / 1 point

pass

Correct

Correct! The pass keyword can be used as a placeholder within a loop.

break

Correct

Correct! The break keyword can be used to exit a loop prematurely.

continue

Correct

Correct! The continue keyword can be used to skip the current iteration and continue with the next one.

return

exit

8. Which of the following are valid ways to create a list in Python?

0.75 / 1 point

Using the list() function

Correct

Correct! The list() function can convert other iterable types into a list.

Using the range() function

Using curly braces, e.g., {1, 2, 3}

Using square brackets, e.g., [1, 2, 3]

Correct

Correct! Square brackets are a common way to create lists in Python.

You didn't select all the correct answers

9. Which of the following is a correct way to generate a list of numbers from 5 to 15 in Python using the range method?

1 / 1 point

list(range(5, 15))

list(range(5, 16))

range(5, 16)

range(5, 15)

Correct

Correct! The range method generates numbers starting from the first argument up to but not including the second argument.

