Back

Quiz 3 - Loading, Inspecting, & Querying Data
Graded Assignment • 10 min

Due Nov 9, 11:59 PM IST

Your grade: 100%

Your latest: **100%** • Your highest: **100%** • To pass you need at least 75%. We keep your highest score.

Next item

1. What's the result of the following code? 1 / 1 point

```
import pandas as pd
xls = pd.ExcelFile('yelp.xlsx')
df = xls.parse('yelp_data')
print(type(df))
```

- .xlsx
- DataFrame
- Data
- .docs

Nice work

pandas.ExcelFile.parse returns a DataFrame, so the type of "df" is DataFrame. It's a basic data structure in Pandas. The type of "xls" is ExcelFile.

2. How can you quickly examine the first 5 rows of a DataFrame? 1 / 1 point

- df.head()
- df.head(4)
- df.describe(5)
- df.drop_duplicates()

Nice work

The head(n) function returns the first n rows. When no parameter is given, it returns the first 5 rows by default.

3. How can you get the type of data stored in each column of a DataFrame df? 1 / 1 point

- type(df)
- df.columns
- df.dtypes
- df.count()

Nice work

This returns a Series with the data type of each column.

4. A DataFrame df has exactly the data shown as below. 1 / 1 point

	AUTHOR	TITLE	DATE
0	AACHEN, Hans von	Venus and Adonis	1574-88
1	AACHEN, Hans von	Allegory	1598
2	AACHEN, Hans von	Allegory of Peace, Art and Abundance	1602
3	AACHEN, Hans von	Jupiter, Antiope and Cupid	1595-98
4	AACHEN, Hans von	Pallas Athena, Venus and Juno	1593

How many rows will there be after calling df.drop_duplicates("AUTHOR", inplace = True)?

- 0
- 1
- 4
- 5

Nice work

If a column name is given as the first argument to the drop_duplicates function, it will only consider that column when identifying duplicates. When specifying "AUTHOR" here, drop_duplicates will keep the first row and drop all the other rows that have the same value in the AUTHOR column. Specifying inplace = True will drop the duplicates in place.

5. Which is the correct way to select some columns of data in DataFrame df? 1 / 1 point

- df["id", "name", "gender"]
- df[["id", "name", "gender"]]
- df("id", "name", "gender")
- df {["id", "name", "gender"]}

Nice work

To select multiple columns in the DataFrame df, first we need to create a list of column names. Then put that list inside of the square brackets after df.