

Feedback — Lecture 2 Quiz

[Help Center](#)

You submitted this quiz on **Sun 12 Jul 2015 2:53 AM PDT**. You got a score of **12.00** out of **12.00**.

Question 1

What is the result of the following operation in Python: 17/2 ?

Your Answer	Score	Explanation
☐ 8.0		
☐ 9		
☒ 8 or 8.5, depending on the Python version	✓ 1.00	
☐ 9.0		
Total	1.00 / 1.00	

Question 2

Given the following code in Python:

```
>>> mydna = 'acgt'
```

```
>>> mydna = mydna + mydna
```

What will be the result of typing the following at the Python interpreter prompt:

```
>>> myDna
```

Your Answer	Score	Explanation
☒ an error message	✓ 1.00	
☐ no output		
☐ 'ACGT'		
☐ ''		

Total

1.00 / 1.00

Question 3

The following commands are entered at the prompt of Python interpreter.

```
>>> dna="atgctggggact"
```

```
>>> dna[:3]
```

```
>>> dna
```

What will be the output of the last command?

Your Answer	Score	Explanation
☒ 'atgctggggact'	✓ 1.00	
☐ 'atg'		
☐ 'ctggggact'		
☐ 'at'		
Total	1.00 / 1.00	

Question 4

What is the output of 'dna'+1+2+3 ?

Your Answer	Score	Explanation
☐ dna123		
☐ 'dna'		
☒ Error	✓ 1.00	
☐ 'dna123'		
Total	1.00 / 1.00	

Question 5

Given a string variable called dna, for instance:

```
>>> dna='agcagttagcta'
```

What is a correct way to count the number of occurrences of 'ag' in dna:

Your Answer	Score	Explanation
☐ count(dna,'a')+count(dna,'g')		
☐ count(dna,'ag')+count(dna,'AG')		
☐ dna.count('a')+dna.count('A')+dna.count('g')+dna.count('G')		
☒ dna.count('ag')	✓ 1.00	
Total	1.00 / 1.00	

Question 6

What is the value of the variable seqlen, after the following code is entered in Python:

```
>>> seqlen = '10bp'
```

```
>>> seqlen='2'+seqlen
```

```
>>> seqlen=seqlen*2
```

Your Answer	Score	Explanation
☒ '210bp210bp'	✓ 1.00	
☐ '1010bp'		
☐ '12bp12bp'		
☐ '10bp'		
Total	1.00 / 1.00	

Question 7

You wish to display the following text using the print function in Python:

```
>HSBGPG Human bone gla gene\transcript "BGP"
```

GGCAGATTCCCCCTAGA

Select the correct way to display this output in Python 3.xx:

Your Answer	Score	Explanation
☒ <code>print('>HSBGPG Human bone gla gene\\transcript "BGP"\\nGGCAGATTCCCCCTAGA')</code>	✓ 1.00	
☐ <code>print(">HSBGPG Human bone gla gene\\transcript "BGP"\\nGGCAGATTCCCCCTAGA")</code>		
☐ <code>print(">HSBGPG Human bone gla gene\\transcript "BGP"\\nGGCAGATTCCCCCTAGA")</code>		
☐ <code>print('>HSBGPG Human bone gla gene\\transcript "BGP" GGCAGATTCCCCCTAGA')</code>		
Total	1.00 / 1.00	

Question 8

A student is writing Python 3.xx code to read in a dna sequence using the following command:

```
>>> dna=input("Enter a DNA sequence, please:")
```

The student tries three different ways to compute the index of the second occurrence of the string 'atg' in the dna sequence:

A.

```
>>> o1 = dna.find('atg')
```

```
>>> dna.find('atg',o1+1)
```

B.

```
>>> dna.rfind('atg')
```

C. `>>> dna.find('atg',dna.find('atg')+1)`

Which of these ways is correct:

Your Answer	Score	Explanation
☐ B		
☐ C		
☐ A or B or C		

☒ A or C

✓

1.00

Total

1.00 / 1.00

Question 9

What are the types of the following literals, in order?
1, 1., 1.0, 1e10, 0x12,"1", "1.0", 1000000000000000000, 1000000000000000000.0

Your Answer	Score	Explanation
☐ int, float, float, float, hex, int, float, int, float		
☐ int, no type (error), float, double, int, string, string, long, double		
☒ int, float, float, float,int,str,str,int,float	✓ 1.00	
☐ int, float, float, double, hex, str, str, long, double		
Total	1.00 / 1.00	

Question 10

What is the result of int(4+6/2+2*2)?

Your Answer	Score	Explanation
☐ 11.0		
☐ 14		
☒ 11	✓ 1.00	
☐ 14.0		
Total	1.00 / 1.00	

Question 11

What is the difference between the expressions `val = 1234567` and `val = 1.234567 * 10 ** 6`?

Your Answer	Score	Explanation
☐ The two values are not equal.		
☐ In the first expression <code>val</code> is of type <code>int</code> , in the second <code>val</code> is of type <code>float</code> . Numerical values are different.		
☐ No difference.		
☐ The value of the variable <code>val</code> in the first expression is different from the value of the variable <code>val</code> in the second expression.		
☒ In the first expression <code>val</code> is of type <code>int</code> , in the second <code>val</code> is of type <code>float</code> . Numerical value is the same.	✓ 1.00	
Total	1.00 / 1.00	

Question 12

What are the values of the variables `a`, `b`, `c` and `d` after the following statements have been executed?

`a=1`

`b=2`

`c=a+b`

`a = b`

`a = c`

`d=a+c`

Your Answer	Score	Explanation
☒ <code>a</code> will be 3, <code>b</code> will be 2, <code>c</code> 3 and <code>d</code> 6.	✓ 1.00	
☐ <code>a</code> will be 2, <code>b</code> will be 2, <code>c</code> 3 and <code>d</code> 4.		
☐ <code>a</code> will be 2, <code>b</code> will be 2, <code>c</code> 3 and <code>d</code> 6.		
☐ <code>a</code> will be 1, <code>b</code> will be 2, <code>c</code> 3 and <code>d</code> 6.		
Total	1.00 / 1.00	

