

Feedback — Lecture 3 Quiz

[Help Center](#)

You submitted this quiz on **Sat 18 Jul 2015 2:28 AM PDT**. You got a score of **10.00** out of **10.00**.

Question 1

What data type is the object below?

```
[1e-10,(1,2),"BGP",[3]]
```

Your Answer	Score	Explanation
☒ List	✓ 1.00	
☐ Array		
☐ Tuple		
☐ String		
Total	1.00 / 1.00	

Question 2

What is the value returned when the code below is executed:

```
>>> grades = [70,80.0,90,100]
```

```
>>> (grades[1]+grades[3])/2
```

Your Answer	Score	Explanation
☐ 80		
☐ 90		
☒ 90.0	✓ 1.00	
☐ 85		
Total	1.00 / 1.00	

Question 3

Suppose `splice_site_pairs = ['GT-AG','GC-AG','AT-AC']`. What is `splice_site_pairs[:-1]` ?

Your Answer	Score	Explanation
☐ ['GT-AG']		
☐ []		
☐ Error		
☒ ['GT-AG', 'GC-AG']	✓ 1.00	
Total	1.00 / 1.00	

Question 4

We want to add a new element to a list variable `L`. The new element is stored in a variable `e`. What command do we use?

Your Answer	Score	Explanation
☒ <code>L.append(e)</code>	✓ 1.00	
☐ <code>L.addLast(e)</code>		
☐ <code>L.addEnd(e)</code>		
☐ <code>L.add(e)</code>		
Total	1.00 / 1.00	

Question 5

Suppose `t = ('a', 'c', 'g', 't')`. What will be the output of the following code:

```
>>> t.append( ('A','C','G','T') )
>>> print len(t)
```

Your Answer	Score	Explanation
-------------	-------	-------------

☐ 5☐ 4☐ 2☒ Error

1.00

Total

1.00 / 1.00

Question 6

What is the result of the print function in the following Python 3.xx code:

```
dna=input("Enter DNA sequence:")
```

```
dna_counts={'t':dna.count('t'),'c':dna.count('c'),'g':dna.count('g'),'a':dna.count('a')}
```

```
nt=sorted(dna_counts.keys())
```

```
print(nt[-1])
```

Your Answer**Score****Explanation**☐ error☐ 'g'☐ 'a'☒ 't'

1.00

Total

1.00 / 1.00

Question 7

To delete an entry with the key 'a' from the dictionary `dna_counts={'g': 13, 'c': 3, 't': 1, 'a': 16}` what command do we use:

Your Answer**Score****Explanation**☒ `del dna_counts['a']`

1.00

☐ `dna_counts.delete('a')`☐ `del dna_counts['a':16]`

☐ dna_counts['a']="

Total

1.00 / 1.00

Question 8

Suppose dna is a string variable that contains only 'a','c','g' or 't' characters. What Python code below can we use to find the frequency (max_freq) of the most frequent character in string dna?

Your Answer

Score Explanation

☐

```
dna_counts=
{'t':dna.count('t'),'c':dna.count('c'),'g':dna.count('g'),'a':dna.count('a')}

max_freq=sorted(dna_counts.values())
```

☐

```
dna_counts=
{'t':dna.count('t'),'c':dna.count('c'),'g':dna.count('g'),'a':dna.count('a')}

max_freq=sorted(dna_counts.keys())[-1]
```

☒

✓ 1.00

```
dna_counts=
{'t':dna.count('t'),'c':dna.count('c'),'g':dna.count('g'),'a':dna.count('a')}

max_freq=sorted(dna_counts.values())[-1]
```

☐

```
dna_counts=
{'t':dna.count('t'),'c':dna.count('c'),'g':dna.count('g'),'a':dna.count('a')}

max_freq=sorted(dna_counts.keys())[0]
```

Total

1.00 /
1.00

Question 9

Suppose L1 and L2 are two list variables. What does the list variable L3 = list(set(L1)&set(L2)) contain?

Your Answer**Score****Explanation**

- ☐ All elements in lists L1 and L2
- ☒ All elements common between lists L1 and L2 without duplicates
- ☐ All elements common to lists L1 and L2
- ☐ A list of sets formed with the elements of lists L1 and L2

✓ 1.00

Total

1.00 /
1.00

Question 10

How many elements are in the dictionary someData after the following code has been executed?

```
someData = { }
```

```
someData['cheese'] = 'dairy'
```

```
someData['Cheese'] = 'dairy'
```

```
someData['Cheese'] = 'Dairy'
```

```
someData['cheese'] = 'Dairy'
```

Your Answer**Score****Explanation**

- ☐ 4
- ☒ 2
- ☐ 3
- ☐ Can't say - an error message was issued.

✓ 1.00

Total

1.00 / 1.00