

PEP 0 -- Index of Python Enhancement Proposals (PEPs)

PEP:	0
Title:	Index of Python Enhancement Proposals (PEPs)
Last-Modified:	2021-04-01 (https://hg.python.org/peps/file/tip/pep-0000.txt)
Author:	python-dev <python-dev at python.org>
Status:	Active
Type:	Informational
Created:	13-Jul-2000

Contents

- [Introduction \(#introduction\)](#)
- [Index by Category \(#index-by-category\)](#)
 - [Meta-PEPs \(PEPs about PEPs or Processes\) \(#meta-peps-peps-about-peps-or-processes\)](#)
 - [Other Informational PEPs \(#other-informational-peps\)](#)
 - [Provisional PEPs \(provisionally accepted; interface may still change\) \(#provisional-peps-provisionally-accepted-interface-may-still-change\)](#)
 - [Accepted PEPs \(accepted; may not be implemented yet\) \(#accepted-peps-accepted-may-not-be-implemented-yet\)](#)
 - [Open PEPs \(under consideration\) \(#open-peps-under-consideration\)](#)
 - [Finished PEPs \(done, with a stable interface\) \(#finished-peps-done-with-a-stable-interface\)](#)
 - [Historical Meta-PEPs and Informational PEPs \(#historical-meta-peps-and-informational-peps\)](#)
 - [Deferred PEPs \(postponed pending further research or updates\) \(#deferred-peps-postponed-pending-further-research-or-updates\)](#)
 - [Abandoned, Withdrawn, and Rejected PEPs \(#abandoned-withdrawn-and-rejected-peps\)](#)
- [Numerical Index \(#numerical-index\)](#)
- [Reserved PEP Numbers \(#reserved-pep-numbers\)](#)
- [PEP Types Key \(#pep-types-key\)](#)
- [PEP Status Key \(#pep-status-key\)](#)
- [Authors/Owners \(#authors-owners\)](#)
- [References \(#id1\)](#)

[Introduction \(#id4\)](#)

This PEP contains the index of all Python Enhancement Proposals, known as PEPs. PEP numbers are assigned by the PEP editors, and once assigned are never changed [[1 \(#id2\)](#)]. The version control history [[2 \(#id3\)](#)] of the PEP texts represent their historical record.

[Index by Category \(#id5\)](#)

Meta-PEPs (PEPs about PEPs or Processes)_(#id6).

	PEP	PEP Title	PEP Author(s)
P	<u>1</u> (/dev/peps/pep-0001)	PEP Purpose and Guidelines	Warsaw, Hylton, Goodger, Coghlan
P	<u>4</u> (/dev/peps/pep-0004)	Deprecation of Standard Modules	Cannon, von Löwis
P	<u>5</u> (/dev/peps/pep-0005)	Guidelines for Language Evolution	Prescod
P	<u>6</u> (/dev/peps/pep-0006)	Bug Fix Releases	Aahz, Baxter
P	<u>7</u> (/dev/peps/pep-0007)	Style Guide for C Code	GvR, Warsaw
P	<u>8</u> (/dev/peps/pep-0008)	Style Guide for Python Code	GvR, Warsaw, Coghlan
P	<u>10</u> (/dev/peps/pep-0010)	Voting Guidelines	Warsaw
P	<u>11</u> (/dev/peps/pep-0011)	Removing support for little used platforms	von Löwis, Cannon
P	<u>12</u> (/dev/peps/pep-0012)	Sample reStructuredText PEP Template	Goodger, Warsaw, Cannon
P	<u>387</u> (/dev/peps/pep-0387)	Backwards Compatibility Policy	Peterson
P	<u>609</u> (/dev/peps/pep-0609)	PyPA Governance	Ingram, Gedam, Harihareswara

Other Informational PEPs_(#id7).

	PEP	PEP Title	PEP Author(s)
I	<u>13</u> (/dev/peps/pep-0013)	Python Language Governance	and community

	PEP	PEP Title	PEP Author(s)
I	<u>20</u> ./dev/peps/pep-0020	The Zen of Python	Peters
I	<u>101</u> ./dev/peps/pep-0101	Doing Python Releases 101	Warsaw, GvR
IF	<u>247</u> ./dev/peps/pep-0247	API for Cryptographic Hash Functions	Kuchling
IF	<u>248</u> ./dev/peps/pep-0248	Python Database API Specification v1.0	Lemburg
IF	<u>249</u> ./dev/peps/pep-0249	Python Database API Specification v2.0	Lemburg
I	<u>257</u> ./dev/peps/pep-0257	Docstring Conventions	Goodger, GvR
IF	<u>272</u> ./dev/peps/pep-0272	API for Block Encryption Algorithms v1.0	Kuchling
I	<u>287</u> ./dev/peps/pep-0287	reStructuredText Docstring Format	Goodger
I	<u>290</u> ./dev/peps/pep-0290	Code Migration and Modernization	Hettinger
IF	<u>291</u> ./dev/peps/pep-0291	Backward Compatibility for the Python 2 Standard ...	Norwitz
IF	<u>333</u> ./dev/peps/pep-0333	Python Web Server Gateway Interface v1.0	Eby
I	<u>394</u> ./dev/peps/pep-0394	The "python" Command on Unix-Like Systems	Staley, Coghlan, Warsaw, Viktorin, Hrončok, Willing
IF	<u>399</u> ./dev/peps/pep-0399	Pure Python/C Accelerator Module Compatibility ...	Cannon
IF	<u>404</u> ./dev/peps/pep-0404	Python 2.8 Un-release Schedule	Warsaw

	PEP	PEP Title	PEP Author(s)
I	<u>411</u> <u>./dev/peps/pep-0411)</u>	Provisional packages in the Python standard library	Coghlan, Bendersky
IF	<u>430</u> <u>./dev/peps/pep-0430)</u>	Migrating to Python 3 as the default online ...	Coghlan
I	<u>434</u> <u>./dev/peps/pep-0434)</u>	IDLE Enhancement Exception for All Branches	Rovito, Reedy
I	<u>440</u> <u>./dev/peps/pep-0440)</u>	Version Identification and Dependency Specification	Coghlan, Stufft
IF	<u>452</u> <u>./dev/peps/pep-0452)</u>	API for Cryptographic Hash Functions v2.0	Kuchling, Heimes
IF	<u>457</u> <u>./dev/peps/pep-0457)</u>	Notation For Positional-Only Parameters	Hastings
I	<u>478</u> <u>./dev/peps/pep-0478)</u>	Python 3.5 Release Schedule	Hastings
IF	<u>482</u> <u>./dev/peps/pep-0482)</u>	Literature Overview for Type Hints	Langa
IF	<u>483</u> <u>./dev/peps/pep-0483)</u>	The Theory of Type Hints	GvR, Levkivskyi
I	<u>494</u> <u>./dev/peps/pep-0494)</u>	Python 3.6 Release Schedule	Deily
IA	<u>503</u> <u>./dev/peps/pep-0503)</u>	Simple Repository API	Stufft
I	<u>508</u> <u>./dev/peps/pep-0508)</u>	Dependency specification for Python Software Packages	Collins
I	<u>513</u> <u>./dev/peps/pep-0513)</u>	A Platform Tag for Portable Linux Built Distributions	McGibbon, Smith
I	<u>514</u> <u>./dev/peps/pep-0514)</u>	Python registration in the Windows registry	Dower

	PEP	PEP Title	PEP Author(s)
I	<u>537</u> ./dev/peps/pep-0537	Python 3.7 Release Schedule	Deily
I	<u>569</u> ./dev/peps/pep-0569	Python 3.8 Release Schedule	Langa
I	<u>571</u> ./dev/peps/pep-0571	The manylinux2010 Platform Tag	Williams, Thomas, Kluyver
IF	<u>579</u> ./dev/peps/pep-0579	Refactoring C functions and methods	Demeyer
I	<u>596</u> ./dev/peps/pep-0596	Python 3.9 Release Schedule	Langa
IF	<u>599</u> ./dev/peps/pep-0599	The manylinux2014 Platform Tag	Ingram
IA	<u>600</u> ./dev/peps/pep-0600	Future 'manylinux' Platform Tags for Portable Linux ...	Smith, Kluyver
IA	<u>602</u> ./dev/peps/pep-0602	Annual Release Cycle for Python	Langa
IF	<u>607</u> ./dev/peps/pep-0607	Reducing CPython's Feature Delivery Latency	Langa, Dower, Coghlan
IA	<u>627</u> ./dev/peps/pep-0627	Recording installed projects	Viktorin
I	<u>630</u> ./dev/peps/pep-0630	Isolating Extension Modules	Viktorin
IF	<u>635</u> ./dev/peps/pep-0635	Structural Pattern Matching: Motivation and Rationale	Kohn, GvR
IF	<u>636</u> ./dev/peps/pep-0636	Structural Pattern Matching: Tutorial	Moisset
IF	<u>3333</u> ./dev/peps/pep-3333	Python Web Server Gateway Interface v1.0.1	Eby

	PEP	PEP Title	PEP Author(s)
I	<u>8000</u> ./dev/peps/pep-8000	Python Language Governance Proposal Overview	Warsaw
I	<u>8002</u> ./dev/peps/pep-8002	Open Source Governance Survey	Warsaw, Langa, Pitrou, Hellmann, Willing
IA	<u>8016</u> ./dev/peps/pep-8016	The Steering Council Model	Smith, Stuftt
I	<u>8100</u> ./dev/peps/pep-8100	January 2019 steering council election	Smith, III
I	<u>8101</u> ./dev/peps/pep-8101	2020 Term steering council election	Jodlowska, III
I	<u>8102</u> ./dev/peps/pep-8102	2021 Term steering council election	Jodlowska, III, Carey

Provisional PEPs (provisionally accepted; interface may still change).[\(#id8\)](#)

	PEP	PEP Title	PEP Author(s)
SP	<u>484</u> ./dev/peps/pep-0484	Type Hints	GvR, Lehtosalo, Langa
SP	<u>517</u> ./dev/peps/pep-0517	A build-system independent format for source trees	Smith, Kluyver

Accepted PEPs (accepted; may not be implemented yet).[\(#id9\)](#)

	PEP	PEP Title	PEP Author(s)
SA	<u>458</u> ./dev/peps/pep-0458	Secure PyPI downloads with signed repository metadata	Kuppusamy, Diaz, Moore, Puehringer, Lock, DeLong, Cappos
SA	<u>544</u> ./dev/peps/pep-0544	Protocols: Structural subtyping (static duck typing)	Levkivskyi, Lehtosalo, Langa
SA	<u>560</u> ./dev/peps/pep-0560	Core support for typing module and generic types	Levkivskyi

	PEP	PEP Title	PEP Author(s)
SA	<u>561</u> <u>/(dev/peps/pep-0561)</u>	Distributing and Packaging Type Information	Smith
SA	<u>563</u> <u>/(dev/peps/pep-0563)</u>	Postponed Evaluation of Annotations	Langa
SA	<u>570</u> <u>/(dev/peps/pep-0570)</u>	Python Positional-Only Parameters	Hastings, Galindo, Corchero, Weele
SA	<u>572</u> <u>/(dev/peps/pep-0572)</u>	Assignment Expressions	Angelico, Peters, GvR
SA	<u>578</u> <u>/(dev/peps/pep-0578)</u>	Python Runtime Audit Hooks	Dower
SA	<u>585</u> <u>/(dev/peps/pep-0585)</u>	Type Hinting Generics In Standard Collections	Langa
SA	<u>586</u> <u>/(dev/peps/pep-0586)</u>	Literal Types	Lee, Levkivskyi, Lehtosalo
SA	<u>589</u> <u>/(dev/peps/pep-0589)</u>	TypedDict: Type Hints for Dictionaries with a Fixed ...	Lehtosalo
SA	<u>590</u> <u>/(dev/peps/pep-0590)</u>	Vectorcall: a fast calling protocol for CPython	Shannon, Demeyer
SA	<u>591</u> <u>/(dev/peps/pep-0591)</u>	Adding a final qualifier to typing	Sullivan, Levkivskyi
SA	<u>593</u> <u>/(dev/peps/pep-0593)</u>	Flexible function and variable annotations	Varoquaux, Kashin
SA	<u>597</u> <u>/(dev/peps/pep-0597)</u>	Add optional EncodingWarning	Naoki
SA	<u>604</u> <u>/(dev/peps/pep-0604)</u>	Allow writing union types as X Y	PRADOS, Moss
SA	<u>612</u> <u>/(dev/peps/pep-0612)</u>	Parameter Specification Variables	Mendoza

	PEP	PEP Title	PEP Author(s)
SA	<u>613</u> ./dev/peps/pep-0613/	Explicit Type Aliases	Zhu
SA	<u>615</u> ./dev/peps/pep-0615/	Support for the IANA Time Zone Database in the ...	Ganssle
SA	<u>616</u> ./dev/peps/pep-0616/	String methods to remove prefixes and suffixes	Sweeney
SA	<u>617</u> ./dev/peps/pep-0617/	New PEG parser for CPython	GvR, Galindo, Nikolaou
SA	<u>623</u> ./dev/peps/pep-0623/	Remove wstr from Unicode	Naoki
SA	<u>626</u> ./dev/peps/pep-0626/	Precise line numbers for debugging and other tools.	Shannon
SA	<u>631</u> ./dev/peps/pep-0631/	Dependency specification in pyproject.toml based on ...	Lev
SA	<u>632</u> ./dev/peps/pep-0632/	Deprecate distutils module	Dower
SA	<u>634</u> ./dev/peps/pep-0634/	Structural Pattern Matching: Specification	Bucher, GvR
SA	<u>643</u> ./dev/peps/pep-0643/	Metadata for Package Source Distributions	Moore
SA	<u>3121</u> ./dev/peps/pep-3121/	Extension Module Initialization and Finalization	von Löwis

Open PEPs (under consideration) (#id10)

	PEP	PEP Title	PEP Author(s)
S	<u>480</u> ./dev/peps/pep-0480/	Surviving a Compromise of PyPI: End-to-end signing ...	Kuppusamy, Diaz, Capps, Moore

	PEP	PEP Title	PEP Author(s)
S	<u>554</u> <u>(/dev/peps/pep-0554)</u>	Multiple Interpreters in the Stdlib	Snow
S	<u>558</u> <u>(/dev/peps/pep-0558)</u>	Defined semantics for locals()	Coghlan
S	<u>582</u> <u>(/dev/peps/pep-0582)</u>	Python local packages directory	Das, Dower, Stuftt, Coghlan
I	<u>588</u> <u>(/dev/peps/pep-0588)</u>	GitHub Issues Migration Plan	Mariatta
S	<u>594</u> <u>(/dev/peps/pep-0594)</u>	Removing dead batteries from the standard library	Heimes
S	<u>603</u> <u>(/dev/peps/pep-0603)</u>	Adding a frozenmap type to collections	Selivanov
S	<u>611</u> <u>(/dev/peps/pep-0611)</u>	The one million limit	Shannon
I	<u>619</u> <u>(/dev/peps/pep-0619)</u>	Python 3.10 Release Schedule	Salgado
S	<u>620</u> <u>(/dev/peps/pep-0620)</u>	Hide implementation details from the C API	Stinner
S	<u>624</u> <u>(/dev/peps/pep-0624)</u>	Remove Py_UNICODE encoder APIs	Naoki
S	<u>625</u> <u>(/dev/peps/pep-0625)</u>	File name of a Source Distribution	Chung, Moore
S	<u>638</u> <u>(/dev/peps/pep-0638)</u>	Syntactic Macros	Shannon
S	<u>639</u> <u>(/dev/peps/pep-0639)</u>	Metadata for Python Software Packages 2.2	Ombredanne
S	<u>640</u> <u>(/dev/peps/pep-0640)</u>	Unused variable syntax	Wouters

	PEP	PEP Title	PEP Author(s)
S	<u>642</u> <u>/(dev/peps/pep-0642)</u>	Explicit Pattern Syntax for Structural Pattern Matching	Coghlan
S	<u>644</u> <u>/(dev/peps/pep-0644)</u>	Require OpenSSL 1.1.1 or newer	Heimes
P	<u>645</u> <u>/(dev/peps/pep-0645)</u>	Allow writing optional types as x?	Moss
S	<u>646</u> <u>/(dev/peps/pep-0646)</u>	Variadic Generics	Mendoza, Rahtz, Srinivasan, Siles
S	<u>647</u> <u>/(dev/peps/pep-0647)</u>	User-Defined Type Guards	Traut
S	<u>648</u> <u>/(dev/peps/pep-0648)</u>	Extensible customizations of the interpreter at startup	Corchero
S	<u>649</u> <u>/(dev/peps/pep-0649)</u>	Deferred Evaluation Of Annotations Using Descriptors	Hastings
P	<u>650</u> <u>/(dev/peps/pep-0650)</u>	Specifying Installer Requirements for Python Projects	Jayanthi, Ingram, Cannon
S	<u>652</u> <u>/(dev/peps/pep-0652)</u>	Maintaining the Stable ABI	Viktorin
S	<u>653</u> <u>/(dev/peps/pep-0653)</u>	Precise Semantics for Pattern Matching	Shannon
S	<u>654</u> <u>/(dev/peps/pep-0654)</u>	Exception Groups and except*	Katriel, Selivanov, GvR
S	<u>655</u> <u>/(dev/peps/pep-0655)</u>	Marking individual TypedDict items as required or ...	Foster
I	<u>656</u> <u>/(dev/peps/pep-0656)</u>	Platform Tag for Linux Distributions Using Musl	Chung
I	<u>801</u> <u>/(dev/peps/pep-0801)</u>	Reserved	Warsaw

Finished PEPs (done, with a stable interface)_(#id11)

	PEP	PEP Title	PEP Author(s)
SF	<u>100</u> <u>./dev/peps/pep-0100</u>	Python Unicode Integration	Lemburg
SF	<u>201</u> <u>./dev/peps/pep-0201</u>	Lockstep Iteration	Warsaw
SF	<u>202</u> <u>./dev/peps/pep-0202</u>	List Comprehensions	Warsaw
SF	<u>203</u> <u>./dev/peps/pep-0203</u>	Augmented Assignments	Wouters
SF	<u>205</u> <u>./dev/peps/pep-0205</u>	Weak References	Drake
SF	<u>207</u> <u>./dev/peps/pep-0207</u>	Rich Comparisons	GvR, Ascher
SF	<u>208</u> <u>./dev/peps/pep-0208</u>	Reworking the Coercion Model	Schemenauer, Lemburg
SF	<u>214</u> <u>./dev/peps/pep-0214</u>	Extended Print Statement	Warsaw
SF	<u>217</u> <u>./dev/peps/pep-0217</u>	Display Hook for Interactive Use	Zadka
SF	<u>218</u> <u>./dev/peps/pep-0218</u>	Adding a Built-In Set Object Type	Wilson, Hettinger
SF	<u>221</u> <u>./dev/peps/pep-0221</u>	Import As	Wouters
SF	<u>223</u> <u>./dev/peps/pep-0223</u>	Change the Meaning of \x Escapes	Peters
SF	<u>227</u> <u>./dev/peps/pep-0227</u>	Statically Nested Scopes	Hylton

	PEP	PEP Title	PEP Author(s)
SF	<u>229</u> <u>((dev/peps/pep-0229)</u>	Using Distutils to Build Python	Kuchling
SF	<u>230</u> <u>((dev/peps/pep-0230)</u>	Warning Framework	GvR
SF	<u>232</u> <u>((dev/peps/pep-0232)</u>	Function Attributes	Warsaw
SF	<u>234</u> <u>((dev/peps/pep-0234)</u>	Iterators	Yee, GvR
SF	<u>235</u> <u>((dev/peps/pep-0235)</u>	Import on Case-Insensitive Platforms	Peters
SF	<u>236</u> <u>((dev/peps/pep-0236)</u>	Back to the __future__	Peters
SF	<u>237</u> <u>((dev/peps/pep-0237)</u>	Unifying Long Integers and Integers	Zadka, GvR
SF	<u>238</u> <u>((dev/peps/pep-0238)</u>	Changing the Division Operator	Zadka, GvR
SF	<u>241</u> <u>((dev/peps/pep-0241)</u>	Metadata for Python Software Packages	Kuchling
SF	<u>250</u> <u>((dev/peps/pep-0250)</u>	Using site-packages on Windows	Moore
SF	<u>252</u> <u>((dev/peps/pep-0252)</u>	Making Types Look More Like Classes	GvR
SF	<u>253</u> <u>((dev/peps/pep-0253)</u>	Subtyping Built-in Types	GvR
SF	<u>255</u> <u>((dev/peps/pep-0255)</u>	Simple Generators	Schemenauer, Peters, Hetland
SF	<u>260</u> <u>((dev/peps/pep-0260)</u>	Simplify xrange()	GvR

	PEP	PEP Title	PEP Author(s)
SF	<u>261</u> <u>/(dev/peps/pep-0261)</u>	Support for "wide" Unicode characters	Prescod
SF	<u>263</u> <u>/(dev/peps/pep-0263)</u>	Defining Python Source Code Encodings	Lemburg, von Löwis
SF	<u>264</u> <u>/(dev/peps/pep-0264)</u>	Future statements in simulated shells	Hudson
SF	<u>273</u> <u>/(dev/peps/pep-0273)</u>	Import Modules from Zip Archives	Ahlstrom
SF	<u>274</u> <u>/(dev/peps/pep-0274)</u>	Dict Comprehensions	Warsaw
SF	<u>277</u> <u>/(dev/peps/pep-0277)</u>	Unicode file name support for Windows NT	Hodgson
SF	<u>278</u> <u>/(dev/peps/pep-0278)</u>	Universal Newline Support	Jansen
SF	<u>279</u> <u>/(dev/peps/pep-0279)</u>	The enumerate() built-in function	Hettinger
SF	<u>282</u> <u>/(dev/peps/pep-0282)</u>	A Logging System	Sajip, Mick
SF	<u>285</u> <u>/(dev/peps/pep-0285)</u>	Adding a bool type	GvR
SF	<u>289</u> <u>/(dev/peps/pep-0289)</u>	Generator Expressions	Hettinger
SF	<u>292</u> <u>/(dev/peps/pep-0292)</u>	Simpler String Substitutions	Warsaw
SF	<u>293</u> <u>/(dev/peps/pep-0293)</u>	Codec Error Handling Callbacks	Dörwald
SF	<u>301</u> <u>/(dev/peps/pep-0301)</u>	Package Index and Metadata for Distutils	Jones

	PEP	PEP Title	PEP Author(s)
SF	<u>302</u> <u>/(dev/peps/pep-0302)</u>	New Import Hooks	JvR, Moore
SF	<u>305</u> <u>/(dev/peps/pep-0305)</u>	CSV File API	Altis, Cole, McNamara, Montanaro, Wells
SF	<u>307</u> <u>/(dev/peps/pep-0307)</u>	Extensions to the pickle protocol	GvR, Peters
SF	<u>308</u> <u>/(dev/peps/pep-0308)</u>	Conditional Expressions	GvR, Hettinger
SF	<u>309</u> <u>/(dev/peps/pep-0309)</u>	Partial Function Application	Harris
SF	<u>311</u> <u>/(dev/peps/pep-0311)</u>	Simplified Global Interpreter Lock Acquisition for ...	Hammond
SF	<u>314</u> <u>/(dev/peps/pep-0314)</u>	Metadata for Python Software Packages v1.1	Kuchling, Jones
SF	<u>318</u> <u>/(dev/peps/pep-0318)</u>	Decorators for Functions and Methods	Smith
SF	<u>322</u> <u>/(dev/peps/pep-0322)</u>	Reverse Iteration	Hettinger
SF	<u>324</u> <u>/(dev/peps/pep-0324)</u>	subprocess - New process module	Astrand
SF	<u>327</u> <u>/(dev/peps/pep-0327)</u>	Decimal Data Type	Batista
SF	<u>328</u> <u>/(dev/peps/pep-0328)</u>	Imports: Multi-Line and Absolute/Relative	Aahz
SF	<u>331</u> <u>/(dev/peps/pep-0331)</u>	Locale-Independent Float/String Conversions	Reis
SF	<u>338</u> <u>/(dev/peps/pep-0338)</u>	Executing modules as scripts	Coghlan

	PEP	PEP Title	PEP Author(s)
SF	<u>341</u> <u>./dev/peps/pep-0341</u>	Unifying try-except and try-finally	Brandl
SF	<u>342</u> <u>./dev/peps/pep-0342</u>	Coroutines via Enhanced Generators	GvR, Eby
SF	<u>343</u> <u>./dev/peps/pep-0343</u>	The "with" Statement	GvR, Coghlan
SF	<u>345</u> <u>./dev/peps/pep-0345</u>	Metadata for Python Software Packages 1.2	Jones
SF	<u>352</u> <u>./dev/peps/pep-0352</u>	Required Superclass for Exceptions	Cannon, GvR
SF	<u>353</u> <u>./dev/peps/pep-0353</u>	Using ssize_t as the index type	von Löwis
SF	<u>357</u> <u>./dev/peps/pep-0357</u>	Allowing Any Object to be Used for Slicing	Oliphant
SF	<u>358</u> <u>./dev/peps/pep-0358</u>	The "bytes" Object	Schemenauer, GvR
SF	<u>362</u> <u>./dev/peps/pep-0362</u>	Function Signature Object	Cannon, Seo, Selivanov, Hastings
SF	<u>366</u> <u>./dev/peps/pep-0366</u>	Main module explicit relative imports	Coghlan
SF	<u>370</u> <u>./dev/peps/pep-0370</u>	Per user site-packages directory	Heimes
SF	<u>371</u> <u>./dev/peps/pep-0371</u>	Addition of the multiprocessing package to the ...	Noller, Oudkerk
SF	<u>372</u> <u>./dev/peps/pep-0372</u>	Adding an ordered dictionary to collections	Ronacher, Hettinger
SF	<u>376</u> <u>./dev/peps/pep-0376</u>	Database of Installed Python Distributions	Ziadé

	PEP	PEP Title	PEP Author(s)
SF	<u>378</u> <u>((dev/peps/pep-0378)</u>	Format Specifier for Thousands Separator	Hettinger
SF	<u>380</u> <u>((dev/peps/pep-0380)</u>	Syntax for Delegating to a Subgenerator	Ewing
SF	<u>383</u> <u>((dev/peps/pep-0383)</u>	Non-decodable Bytes in System Character Interfaces	v. Löwis
SF	<u>384</u> <u>((dev/peps/pep-0384)</u>	Defining a Stable ABI	v. Löwis
SF	<u>389</u> <u>((dev/peps/pep-0389)</u>	argparse - New Command Line Parsing Module	Bethard
SF	<u>391</u> <u>((dev/peps/pep-0391)</u>	Dictionary-Based Configuration For Logging	Sajip
SF	<u>393</u> <u>((dev/peps/pep-0393)</u>	Flexible String Representation	v. Löwis
SF	<u>397</u> <u>((dev/peps/pep-0397)</u>	Python launcher for Windows	Hammond, v. Löwis
SF	<u>405</u> <u>((dev/peps/pep-0405)</u>	Python Virtual Environments	Meyer
SF	<u>409</u> <u>((dev/peps/pep-0409)</u>	Suppressing exception context	Furman
SF	<u>412</u> <u>((dev/peps/pep-0412)</u>	Key-Sharing Dictionary	Shannon
SF	<u>414</u> <u>((dev/peps/pep-0414)</u>	Explicit Unicode Literal for Python 3.3	Ronacher, Coghlan
SF	<u>415</u> <u>((dev/peps/pep-0415)</u>	Implement context suppression with exception attributes	Peterson
SF	<u>417</u> <u>((dev/peps/pep-0417)</u>	Including mock in the Standard Library	Foord

	PEP	PEP Title	PEP Author(s)
SF	<u>418</u> <u>./dev/peps/pep-0418</u>	Add monotonic time, performance counter, and ...	Simpson, Jewett, Turnbull, Stinner
SF	<u>420</u> <u>./dev/peps/pep-0420</u>	Implicit Namespace Packages	Smith
SF	<u>421</u> <u>./dev/peps/pep-0421</u>	Adding sys.implementation	Snow
SF	<u>424</u> <u>./dev/peps/pep-0424</u>	A method for exposing a length hint	Gaynor
SF	<u>425</u> <u>./dev/peps/pep-0425</u>	Compatibility Tags for Built Distributions	Holth
SF	<u>427</u> <u>./dev/peps/pep-0427</u>	The Wheel Binary Package Format 1.0	Holth
SF	<u>428</u> <u>./dev/peps/pep-0428</u>	The pathlib module -- object-oriented filesystem paths	Pitrou
SF	<u>435</u> <u>./dev/peps/pep-0435</u>	Adding an Enum type to the Python standard library	Warsaw, Bendersky, Furman
SF	<u>436</u> <u>./dev/peps/pep-0436</u>	The Argument Clinic DSL	Hastings
SF	<u>441</u> <u>./dev/peps/pep-0441</u>	Improving Python ZIP Application Support	Holth, Moore
SF	<u>442</u> <u>./dev/peps/pep-0442</u>	Safe object finalization	Pitrou
SF	<u>443</u> <u>./dev/peps/pep-0443</u>	Single-dispatch generic functions	Langa
SF	<u>445</u> <u>./dev/peps/pep-0445</u>	Add new APIs to customize Python memory allocators	Stinner
SF	<u>446</u> <u>./dev/peps/pep-0446</u>	Make newly created file descriptors non-inheritable	Stinner

	PEP	PEP Title	PEP Author(s)
SF	<u>448</u> <u>((dev/peps/pep-0448))</u>	Additional Unpacking Generalizations	Landau
SF	<u>450</u> <u>((dev/peps/pep-0450))</u>	Adding A Statistics Module To The Standard Library	D'Aprano
SF	<u>451</u> <u>((dev/peps/pep-0451))</u>	A ModuleSpec Type for the Import System	Snow
SF	<u>453</u> <u>((dev/peps/pep-0453))</u>	Explicit bootstrapping of pip in Python installations	Stufft, Coghlan
SF	<u>454</u> <u>((dev/peps/pep-0454))</u>	Add a new tracemalloc module to trace Python memory ...	Stinner
SF	<u>456</u> <u>((dev/peps/pep-0456))</u>	Secure and interchangeable hash algorithm	Heimes
SF	<u>461</u> <u>((dev/peps/pep-0461))</u>	Adding % formatting to bytes and bytearray	Furman
SF	<u>465</u> <u>((dev/peps/pep-0465))</u>	A dedicated infix operator for matrix multiplication	Smith
SF	<u>466</u> <u>((dev/peps/pep-0466))</u>	Network Security Enhancements for Python 2.7.x	Coghlan
SF	<u>468</u> <u>((dev/peps/pep-0468))</u>	Preserving the order of **kwargs in a function.	Snow
SF	<u>471</u> <u>((dev/peps/pep-0471))</u>	os.scandir() function -- a better and faster ...	Hoyt
SF	<u>475</u> <u>((dev/peps/pep-0475))</u>	Retry system calls failing with EINTR	Natali, Stinner
SF	<u>476</u> <u>((dev/peps/pep-0476))</u>	Enabling certificate verification by default for ...	Gaynor
SF	<u>477</u> <u>((dev/peps/pep-0477))</u>	Backport ensurepip (PEP 453 <u>((dev/peps/pep-0453))</u>) to Python 2.7	Stufft, Coghlan

	PEP	PEP Title	PEP Author(s)
SF	<u>479</u> <u>/(dev/peps/pep-0479)</u>	Change StopIteration handling inside generators	Angelico, GvR
SF	<u>485</u> <u>/(dev/peps/pep-0485)</u>	A Function for testing approximate equality	Barker
SF	<u>486</u> <u>/(dev/peps/pep-0486)</u>	Make the Python Launcher aware of virtual environments	Moore
SF	<u>487</u> <u>/(dev/peps/pep-0487)</u>	Simpler customisation of class creation	Teichmann
SF	<u>488</u> <u>/(dev/peps/pep-0488)</u>	Elimination of PYO files	Cannon
SF	<u>489</u> <u>/(dev/peps/pep-0489)</u>	Multi-phase extension module initialization	Viktorin, Behnel, Coghlan
SF	<u>492</u> <u>/(dev/peps/pep-0492)</u>	Coroutines with async and await syntax	Selivanov
SF	<u>493</u> <u>/(dev/peps/pep-0493)</u>	HTTPS verification migration tools for Python 2.7	Coghlan, Kuska, Lemburg
SF	<u>495</u> <u>/(dev/peps/pep-0495)</u>	Local Time Disambiguation	Belopolsky, Peters
SF	<u>498</u> <u>/(dev/peps/pep-0498)</u>	Literal String Interpolation	Smith
SF	<u>506</u> <u>/(dev/peps/pep-0506)</u>	Adding A Secrets Module To The Standard Library	D'Aprano
SF	<u>509</u> <u>/(dev/peps/pep-0509)</u>	Add a private version to dict	Stinner
SF	<u>515</u> <u>/(dev/peps/pep-0515)</u>	Underscores in Numeric Literals	Brandl, Storchaka
SF	<u>518</u> <u>/(dev/peps/pep-0518)</u>	Specifying Minimum Build System Requirements for ...	Cannon, Smith, Stufft

	PEP	PEP Title	PEP Author(s)
SF	<u>519</u> <u>./dev/peps/pep-0519</u>	Adding a file system path protocol	Cannon, Zevenhoven
SF	<u>520</u> <u>./dev/peps/pep-0520</u>	Preserving Class Attribute Definition Order	Snow
SF	<u>523</u> <u>./dev/peps/pep-0523</u>	Adding a frame evaluation API to CPython	Cannon, Viehland
SF	<u>524</u> <u>./dev/peps/pep-0524</u>	Make os.urandom() blocking on Linux	Stinner
SF	<u>525</u> <u>./dev/peps/pep-0525</u>	Asynchronous Generators	Selivanov
SF	<u>526</u> <u>./dev/peps/pep-0526</u>	Syntax for Variable Annotations	Gonzalez, House, Levkivskyi, Roach, GvR
SF	<u>528</u> <u>./dev/peps/pep-0528</u>	Change Windows console encoding to UTF-8	Dower
SF	<u>529</u> <u>./dev/peps/pep-0529</u>	Change Windows filesystem encoding to UTF-8	Dower
SF	<u>530</u> <u>./dev/peps/pep-0530</u>	Asynchronous Comprehensions	Selivanov
SF	<u>538</u> <u>./dev/peps/pep-0538</u>	Coercing the legacy C locale to a UTF-8 based locale	Coghlan
SF	<u>539</u> <u>./dev/peps/pep-0539</u>	A New C-API for Thread-Local Storage in CPython	Bray, Yamamoto
SF	<u>540</u> <u>./dev/peps/pep-0540</u>	Add a new UTF-8 Mode	Stinner
SF	<u>552</u> <u>./dev/peps/pep-0552</u>	Deterministic pycs	Peterson
SF	<u>553</u> <u>./dev/peps/pep-0553</u>	Built-in breakpoint()	Warsaw

	PEP	PEP Title	PEP Author(s)
SF	557 (/dev/peps/pep-0557)	Data Classes	Smith
SF	562 (/dev/peps/pep-0562)	Module <code>__getattr__</code> and <code>__dir__</code>	Levkivskyi
SF	564 (/dev/peps/pep-0564)	Add new time functions with nanosecond resolution	Stinner
SF	565 (/dev/peps/pep-0565)	Show DeprecationWarning in <code>__main__</code>	Coghlan
SF	566 (/dev/peps/pep-0566)	Metadata for Python Software Packages 2.1	Ingram
SF	567 (/dev/peps/pep-0567)	Context Variables	Selivanov
SF	573 (/dev/peps/pep-0573)	Module State Access from C Extension Methods	Viktorin, Coghlan, Snow, Plch
SF	574 (/dev/peps/pep-0574)	Pickle protocol 5 with out-of-band data	Pitrou
SF	584 (/dev/peps/pep-0584)	Add Union Operators To dict	D'Aprano, Bucher
SF	587 (/dev/peps/pep-0587)	Python Initialization Configuration	Stinner, Coghlan
SF	592 (/dev/peps/pep-0592)	Adding "Yank" Support to the Simple API	Stufft
SF	610 (/dev/peps/pep-0610)	Recording the Direct URL Origin of installed ...	Bidoul, Jerdonek
SF	614 (/dev/peps/pep-0614)	Relaxing Grammar Restrictions On Decorators	Bucher
SF	618 (/dev/peps/pep-0618)	Add Optional Length-Checking To zip	Bucher

	PEP	PEP Title	PEP Author(s)
SF	<u>621</u> <u>((dev/peps/pep-0621)</u>	Storing project metadata in pyproject.toml	Cannon, Ingram, Ganssle, Gedam, Eustace, Kluyver, Chung
SF	<u>628</u> <u>((dev/peps/pep-0628)</u>	Add <code>math.tau</code>	Coghlan
SF	<u>629</u> <u>((dev/peps/pep-0629)</u>	Versioning PyPI's Simple API	Stufft
SF	<u>3101</u> <u>((dev/peps/pep-3101)</u>	Advanced String Formatting	Talin
SF	<u>3102</u> <u>((dev/peps/pep-3102)</u>	Keyword-Only Arguments	Talin
SF	<u>3104</u> <u>((dev/peps/pep-3104)</u>	Access to Names in Outer Scopes	Yee
SF	<u>3105</u> <u>((dev/peps/pep-3105)</u>	Make <code>print</code> a function	Brandl
SF	<u>3106</u> <u>((dev/peps/pep-3106)</u>	Revamping <code>dict.keys()</code> , <code>.values()</code> and <code>.items()</code>	GvR
SF	<u>3107</u> <u>((dev/peps/pep-3107)</u>	Function Annotations	Winter, Lownds
SF	<u>3108</u> <u>((dev/peps/pep-3108)</u>	Standard Library Reorganization	Cannon
SF	<u>3109</u> <u>((dev/peps/pep-3109)</u>	Raising Exceptions in Python 3000	Winter
SF	<u>3110</u> <u>((dev/peps/pep-3110)</u>	Catching Exceptions in Python 3000	Winter
SF	<u>3111</u> <u>((dev/peps/pep-3111)</u>	Simple input built-in in Python 3000	Roberge
SF	<u>3112</u> <u>((dev/peps/pep-3112)</u>	Bytes literals in Python 3000	Orendorff

	PEP	PEP Title	PEP Author(s)
SF	<u>3113</u> <u>/(dev/peps/pep-3113)</u>	Removal of Tuple Parameter Unpacking	Cannon
SF	<u>3114</u> <u>/(dev/peps/pep-3114)</u>	Renaming iterator.next() to iterator.__next__()	Yee
SF	<u>3115</u> <u>/(dev/peps/pep-3115)</u>	Metaclasses in Python 3000	Talin
SF	<u>3116</u> <u>/(dev/peps/pep-3116)</u>	New I/O	Stutzbach, GvR, Verdone
SF	<u>3118</u> <u>/(dev/peps/pep-3118)</u>	Revising the buffer protocol	Oliphant, Banks
SF	<u>3119</u> <u>/(dev/peps/pep-3119)</u>	Introducing Abstract Base Classes	GvR, Talin
SF	<u>3120</u> <u>/(dev/peps/pep-3120)</u>	Using UTF-8 as the default source encoding	von Löwis
SF	<u>3123</u> <u>/(dev/peps/pep-3123)</u>	Making PyObject_HEAD conform to standard C	von Löwis
SF	<u>3127</u> <u>/(dev/peps/pep-3127)</u>	Integer Literal Support and Syntax	Maupin
SF	<u>3129</u> <u>/(dev/peps/pep-3129)</u>	Class Decorators	Winter
SF	<u>3131</u> <u>/(dev/peps/pep-3131)</u>	Supporting Non-ASCII Identifiers	von Löwis
SF	<u>3132</u> <u>/(dev/peps/pep-3132)</u>	Extended Iterable Unpacking	Brandl
SF	<u>3134</u> <u>/(dev/peps/pep-3134)</u>	Exception Chaining and Embedded Tracebacks	Yee
SF	<u>3135</u> <u>/(dev/peps/pep-3135)</u>	New Super	Spealman, Delaney, Ryan

	PEP	PEP Title	PEP Author(s)
SF	<u>3137</u> (/dev/peps/pep-3137)	Immutable Bytes and Mutable Buffer	GvR
SF	<u>3138</u> (/dev/peps/pep-3138)	String representation in Python 3000	Ishimoto
SF	<u>3141</u> (/dev/peps/pep-3141)	A Type Hierarchy for Numbers	Yasskin
SF	<u>3144</u> (/dev/peps/pep-3144)	IP Address Manipulation Library for the Python ...	Moody
SF	<u>3147</u> (/dev/peps/pep-3147)	PYC Repository Directories	Warsaw
SF	<u>3148</u> (/dev/peps/pep-3148)	futures - execute computations asynchronously	Quinlan
SF	<u>3149</u> (/dev/peps/pep-3149)	ABI version tagged .so files	Warsaw
SF	<u>3151</u> (/dev/peps/pep-3151)	Reworking the OS and IO exception hierarchy	Pitrou
SF	<u>3154</u> (/dev/peps/pep-3154)	Pickle protocol version 4	Pitrou
SF	<u>3155</u> (/dev/peps/pep-3155)	Qualified name for classes and functions	Pitrou
SF	<u>3156</u> (/dev/peps/pep-3156)	Asynchronous IO Support Rebooted: the "asyncio" Module	GvR

Historical Meta-PEPs and Informational PEPs (#id12)

	PEP	PEP Title	PEP Author(s)
PF	<u>2</u> (/dev/peps/pep-0002)	Procedure for Adding New Modules	Faassen

	PEP	PEP Title	PEP Author(s)
IF	<u>160</u> <u>./dev/peps/pep-0160/</u>	Python 1.6 Release Schedule	Drake
IF	<u>200</u> <u>./dev/peps/pep-0200/</u>	Python 2.0 Release Schedule	Hylton
IF	<u>226</u> <u>./dev/peps/pep-0226/</u>	Python 2.1 Release Schedule	Hylton
IF	<u>251</u> <u>./dev/peps/pep-0251/</u>	Python 2.2 Release Schedule	Warsaw, GvR
IF	<u>283</u> <u>./dev/peps/pep-0283/</u>	Python 2.3 Release Schedule	GvR
IF	<u>320</u> <u>./dev/peps/pep-0320/</u>	Python 2.4 Release Schedule	Warsaw, Hettinger, Baxter
PF	<u>347</u> <u>./dev/peps/pep-0347/</u>	Migrating the Python CVS to Subversion	von Löwis
IF	<u>356</u> <u>./dev/peps/pep-0356/</u>	Python 2.5 Release Schedule	Norwitz, GvR, Baxter
PF	<u>360</u> <u>./dev/peps/pep-0360/</u>	Externally Maintained Packages	Cannon
IF	<u>361</u> <u>./dev/peps/pep-0361/</u>	Python 2.6 and 3.0 Release Schedule	Norwitz, Warsaw
IF	<u>373</u> <u>./dev/peps/pep-0373/</u>	Python 2.7 Release Schedule	Peterson
PF	<u>374</u> <u>./dev/peps/pep-0374/</u>	Choosing a distributed VCS for the Python project	Cannon, Turnbull, Vassalotti, Warsaw, Ochtman
IF	<u>375</u> <u>./dev/peps/pep-0375/</u>	Python 3.1 Release Schedule	Peterson
PF	<u>385</u> <u>./dev/peps/pep-0385/</u>	Migrating from Subversion to Mercurial	Ochtman, Pitrou, Brandl

	PEP	PEP Title	PEP Author(s)
IF	<u>392</u> ./dev/peps/pep-0392	Python 3.2 Release Schedule	Brandl
IF	<u>398</u> ./dev/peps/pep-0398	Python 3.3 Release Schedule	Brandl
IF	<u>429</u> ./dev/peps/pep-0429	Python 3.4 Release Schedule	Hastings
PS	<u>438</u> ./dev/peps/pep-0438	Transitioning to release-file hosting on PyPI	Krekel, Meyer
PF	<u>449</u> ./dev/peps/pep-0449	Removal of the PyPI Mirror Auto Discovery and ...	Stufft
PF	<u>464</u> ./dev/peps/pep-0464	Removal of the PyPI Mirror Authenticity API	Stufft
PF	<u>470</u> ./dev/peps/pep-0470	Removing External Hosting Support on PyPI	Stufft
PF	<u>512</u> ./dev/peps/pep-0512	Migrating from hg.python.org to GitHub	Cannon
PF	<u>527</u> ./dev/peps/pep-0527	Removing Un(der)used file types/extensions on PyPI	Stufft
PF	<u>541</u> ./dev/peps/pep-0541	Package Index Name Retention	Langa
PF	<u>545</u> ./dev/peps/pep-0545	Python Documentation Translations	Palard, Naoki, Stinner
PA	<u>581</u> ./dev/peps/pep-0581	Using GitHub Issues for CPython	Mariatta
PF	<u>3000</u> ./dev/peps/pep-3000	Python 3000	GvR
PF	<u>3002</u> ./dev/peps/pep-3002	Procedure for Backwards-Incompatible Changes	Bethard

	PEP	PEP Title	PEP Author(s)
PF	<u>3003</u> (/dev/peps/pep-3003)	Python Language Moratorium	Cannon, Noller, GvR
PF	<u>3099</u> (/dev/peps/pep-3099)	Things that will Not Change in Python 3000	Brandl
PF	<u>3100</u> (/dev/peps/pep-3100)	Miscellaneous Python 3.0 Plans	Cannon
PA	<u>8001</u> (/dev/peps/pep-8001)	Python Governance Voting Process	Cannon, Heimes, Stuftt, Snow, Smith, Langa, Mariatta, Smith, Salgado, Hettinger, Einat, Peters, Ware

Deferred PEPs (postponed pending further research or updates) (#id13)

	PEP	PEP Title	PEP Author(s)
SD	<u>213</u> (/dev/peps/pep-0213)	Attribute Access Handlers	Prescod
SD	<u>219</u> (/dev/peps/pep-0219)	Stackless Python	McMillan
SD	<u>222</u> (/dev/peps/pep-0222)	Web Library Enhancements	Kuchling
SD	<u>233</u> (/dev/peps/pep-0233)	Python Online Help	Prescod
SD	<u>262</u> (/dev/peps/pep-0262)	A Database of Installed Python Packages	Kuchling
SD	<u>267</u> (/dev/peps/pep-0267)	Optimized Access to Module Namespaces	Hylton
SD	<u>269</u> (/dev/peps/pep-0269)	Pgen Module for Python	Riehl
SD	<u>280</u> (/dev/peps/pep-0280)	Optimizing access to globals	GvR

	PEP	PEP Title	PEP Author(s)
SD	<u>286</u> (/dev/peps/pep-0286)	Enhanced Argument Tuples	von Löwis
SD	<u>312</u> (/dev/peps/pep-0312)	Simple Implicit Lambda	Suzi, Martelli
SD	<u>316</u> (/dev/peps/pep-0316)	Programming by Contract for Python	Way
SD	<u>323</u> (/dev/peps/pep-0323)	Copyable Iterators	Martelli
SD	<u>337</u> (/dev/peps/pep-0337)	Logging Usage in the Standard Library	Dubner
SD	<u>368</u> (/dev/peps/pep-0368)	Standard image protocol and class	Mastrodomenico
ID	<u>396</u> (/dev/peps/pep-0396)	Module Version Numbers	Warsaw
SD	<u>400</u> (/dev/peps/pep-0400)	Deprecate codecs.StreamReader and codecs.StreamWriter	Stinner
SD	<u>403</u> (/dev/peps/pep-0403)	General purpose decorator clause (aka "@in" clause)	Coghlan
PD	<u>407</u> (/dev/peps/pep-0407)	New release cycle and introducing long-term support ...	Pitrou, Brandl, Warsaw
SD	<u>419</u> (/dev/peps/pep-0419)	Protecting cleanup statements from interruptions	Colomiets
ID	<u>423</u> (/dev/peps/pep-0423)	Naming conventions and recipes related to packaging	Bryon
ID	<u>444</u> (/dev/peps/pep-0444)	Python Web3 Interface	McDonough, Ronacher
SD	<u>447</u> (/dev/peps/pep-0447)	Add __getdescriptor__ method to metaclass	Oussoren

	PEP	PEP Title	PEP Author(s)
SD	<u>467</u> (/dev/peps/pep-0467)	Minor API improvements for binary sequences	Coghlan, Furman
SD	<u>491</u> (/dev/peps/pep-0491)	The Wheel Binary Package Format 1.9	Holth
SD	<u>499</u> (/dev/peps/pep-0499)	<code>python -m foo</code> should bind ...	Simpson, Angelico, Jevnik
SD	<u>501</u> (/dev/peps/pep-0501)	General purpose string interpolation	Coghlan
SD	<u>505</u> (/dev/peps/pep-0505)	None-aware operators	Haase, Dower
SD	<u>532</u> (/dev/peps/pep-0532)	A circuit breaking protocol and binary operators	Coghlan, Haase
SD	<u>533</u> (/dev/peps/pep-0533)	Deterministic cleanup for iterators	Smith
SD	<u>534</u> (/dev/peps/pep-0534)	Improved Errors for Missing Standard Library Modules	Orsava, Viktorin, Coghlan
SD	<u>535</u> (/dev/peps/pep-0535)	Rich comparison chaining	Coghlan
SD	<u>536</u> (/dev/peps/pep-0536)	Final Grammar for Literal String Interpolation	Angerer
SD	<u>547</u> (/dev/peps/pep-0547)	Running extension modules using the -m option	Plch, Viktorin
SD	<u>556</u> (/dev/peps/pep-0556)	Threaded garbage collection	Pitrou
SD	<u>568</u> (/dev/peps/pep-0568)	Generator-sensitivity for Context Variables	Smith
SD	<u>3124</u> (/dev/peps/pep-3124)	Overloading, Generic Functions, Interfaces, and ...	Eby

	PEP	PEP Title	PEP Author(s)
SD	<u>3143</u> (/dev/peps/pep-3143)	Standard daemon process library	Finney
SD	<u>3150</u> (/dev/peps/pep-3150)	Statement local namespaces (aka "given" clause)	Coghlan

Abandoned, Withdrawn, and Rejected PEPs (#id14)

	PEP	PEP Title	PEP Author(s)
PW	<u>3</u> (/dev/peps/pep-0003)	Guidelines for Handling Bug Reports	Hylton
PW	<u>9</u> (/dev/peps/pep-0009)	Sample Plaintext PEP Template	Warsaw
PR	<u>42</u> (/dev/peps/pep-0042)	Feature Requests	Hylton
IS	<u>102</u> (/dev/peps/pep-0102)	Doing Python Micro Releases	Baxter, Warsaw, GvR
IW	<u>103</u> (/dev/peps/pep-0103)	Collecting information about git	Broytman
SR	<u>204</u> (/dev/peps/pep-0204)	Range Literals	Wouters
IW	<u>206</u> (/dev/peps/pep-0206)	Python Advanced Library	Kuchling
SW	<u>209</u> (/dev/peps/pep-0209)	Multi-dimensional Arrays	Barrett, Oliphant
SR	<u>210</u> (/dev/peps/pep-0210)	Decoupling the Interpreter Loop	Ascher
SR	<u>211</u> (/dev/peps/pep-0211)	Adding A New Outer Product Operator	Wilson

	PEP	PEP Title	PEP Author(s)
SR	<u>212</u> <u>./dev/peps/pep-0212)</u>	Loop Counter Iteration	Schneider-Kamp
SS	<u>215</u> <u>./dev/peps/pep-0215)</u>	String Interpolation	Yee
IR	<u>216</u> <u>./dev/peps/pep-0216)</u>	Docstring Format	Zadka
IR	<u>220</u> <u>./dev/peps/pep-0220)</u>	Coroutines, Generators, Continuations	McMillan
SR	<u>224</u> <u>./dev/peps/pep-0224)</u>	Attribute Docstrings	Lemburg
SR	<u>225</u> <u>./dev/peps/pep-0225)</u>	Elementwise/Objectwise Operators	Zhu, Lielens
SW	<u>228</u> <u>./dev/peps/pep-0228)</u>	Reworking Python's Numeric Model	Zadka, GvR
SR	<u>231</u> <u>./dev/peps/pep-0231)</u>	<code>__findattr__()</code>	Warsaw
SR	<u>239</u> <u>./dev/peps/pep-0239)</u>	Adding a Rational Type to Python	Craig, Zadka
SR	<u>240</u> <u>./dev/peps/pep-0240)</u>	Adding a Rational Literal to Python	Craig, Zadka
SR	<u>242</u> <u>./dev/peps/pep-0242)</u>	Numeric Kinds	Dubois
SW	<u>243</u> <u>./dev/peps/pep-0243)</u>	Module Repository Upload Mechanism	Reifschneider
SR	<u>244</u> <u>./dev/peps/pep-0244)</u>	The <code>directive</code> statement	von Löwis
SR	<u>245</u> <u>./dev/peps/pep-0245)</u>	Python Interface Syntax	Pelletier

	PEP	PEP Title	PEP Author(s)
SR	<u>246</u> <u>./dev/peps/pep-0246)</u>	Object Adaptation	Martelli, Evans
SR	<u>254</u> <u>./dev/peps/pep-0254)</u>	Making Classes Look More Like Types	GvR
SR	<u>256</u> <u>./dev/peps/pep-0256)</u>	Docstring Processing System Framework	Goodger
SR	<u>258</u> <u>./dev/peps/pep-0258)</u>	Docutils Design Specification	Goodger
SR	<u>259</u> <u>./dev/peps/pep-0259)</u>	Omit printing newline after newline	GvR
SR	<u>265</u> <u>./dev/peps/pep-0265)</u>	Sorting Dictionaries by Value	Griffin
SW	<u>266</u> <u>./dev/peps/pep-0266)</u>	Optimizing Global Variable/Attribute Access	Montanaro
SR	<u>268</u> <u>./dev/peps/pep-0268)</u>	Extended HTTP functionality and WebDAV	Stein
SR	<u>270</u> <u>./dev/peps/pep-0270)</u>	uniq method for list objects	Petrone
SR	<u>271</u> <u>./dev/peps/pep-0271)</u>	Prefixing sys.path by command line option	Giacometti
SR	<u>275</u> <u>./dev/peps/pep-0275)</u>	Switching on Multiple Values	Lemburg
SR	<u>276</u> <u>./dev/peps/pep-0276)</u>	Simple Iterator for ints	Althoff
SR	<u>281</u> <u>./dev/peps/pep-0281)</u>	Loop Counter Iteration with range and xrange	Hetland
SR	<u>284</u> <u>./dev/peps/pep-0284)</u>	Integer for-loops	Eppstein, Ewing

	PEP	PEP Title	PEP Author(s)
SW	<u>288</u> <u>./dev/peps/pep-0288</u>	Generators Attributes and Exceptions	Hettinger
SR	<u>294</u> <u>./dev/peps/pep-0294</u>	Type Names in the types Module	Tirosh
SR	<u>295</u> <u>./dev/peps/pep-0295</u>	Interpretation of multiline string constants	Koltsov
SW	<u>296</u> <u>./dev/peps/pep-0296</u>	Adding a bytes Object Type	Gilbert
SR	<u>297</u> <u>./dev/peps/pep-0297</u>	Support for System Upgrades	Lemburg
SW	<u>298</u> <u>./dev/peps/pep-0298</u>	The Locked Buffer Interface	Heller
SR	<u>299</u> <u>./dev/peps/pep-0299</u>	Special __main__() function in modules	Epler
SR	<u>303</u> <u>./dev/peps/pep-0303</u>	Extend divmod() for Multiple Divisors	Bellman
SW	<u>304</u> <u>./dev/peps/pep-0304</u>	Controlling Generation of Bytecode Files	Montanaro
IW	<u>306</u> <u>./dev/peps/pep-0306</u>	How to Change Python's Grammar	Hudson, Diederich, Coghlan, Peterson
SR	<u>310</u> <u>./dev/peps/pep-0310</u>	Reliable Acquisition/Release Pairs	Hudson, Moore
SR	<u>313</u> <u>./dev/peps/pep-0313</u>	Adding Roman Numeral Literals to Python	Meyer
SR	<u>315</u> <u>./dev/peps/pep-0315</u>	Enhanced While Loop	Hettinger, Carroll
SR	<u>317</u> <u>./dev/peps/pep-0317</u>	Eliminate Implicit Exception Instantiation	Taschuk

	PEP	PEP Title	PEP Author(s)
SR	<u>319</u> ./dev/peps/pep-0319	Python Synchronize/Asynchronize Block	Pelletier
SW	<u>321</u> ./dev/peps/pep-0321	Date/Time Parsing and Formatting	Kuchling
SR	<u>325</u> ./dev/peps/pep-0325	Resource-Release Support for Generators	Pedroni
SR	<u>326</u> ./dev/peps/pep-0326	A Case for Top and Bottom Values	Carlson, Reedy
SR	<u>329</u> ./dev/peps/pep-0329	Treating Builtins as Constants in the Standard Library	Hettinger
SR	<u>330</u> ./dev/peps/pep-0330	Python Bytecode Verification	Pelletier
SR	<u>332</u> ./dev/peps/pep-0332	Byte vectors and String/Unicode Unification	Montanaro
SW	<u>334</u> ./dev/peps/pep-0334	Simple Coroutines via SuspendIteration	Evans
SR	<u>335</u> ./dev/peps/pep-0335	Overloadable Boolean Operators	Ewing
SR	<u>336</u> ./dev/peps/pep-0336	Make None Callable	McClelland
IW	<u>339</u> ./dev/peps/pep-0339	Design of the CPython Compiler	Cannon
SR	<u>340</u> ./dev/peps/pep-0340	Anonymous Block Statements	GvR
SS	<u>344</u> ./dev/peps/pep-0344	Exception Chaining and Embedded Tracebacks	Yee
SW	<u>346</u> ./dev/peps/pep-0346	User Defined ("with") Statements	Coghlan

	PEP	PEP Title	PEP Author(s)
SR	<u>348</u> <u>((dev/peps/pep-0348))</u>	Exception Reorganization for Python 3.0	Cannon
SR	<u>349</u> <u>((dev/peps/pep-0349))</u>	Allow str() to return unicode strings	Schemenauer
IR	<u>350</u> <u>((dev/peps/pep-0350))</u>	Codetags	Elliott
SR	<u>351</u> <u>((dev/peps/pep-0351))</u>	The freeze protocol	Warsaw
SS	<u>354</u> <u>((dev/peps/pep-0354))</u>	Enumerations in Python	Finney
SR	<u>355</u> <u>((dev/peps/pep-0355))</u>	Path - Object oriented filesystem paths	Lindqvist
SW	<u>359</u> <u>((dev/peps/pep-0359))</u>	The "make" Statement	Bethard
SR	<u>363</u> <u>((dev/peps/pep-0363))</u>	Syntax For Dynamic Attribute Access	North
SW	<u>364</u> <u>((dev/peps/pep-0364))</u>	Transitioning to the Py3K Standard Library	Warsaw
SR	<u>365</u> <u>((dev/peps/pep-0365))</u>	Adding the pkg_resources module	Eby
SS	<u>367</u> <u>((dev/peps/pep-0367))</u>	New Super	Spealman, Delaney
SW	<u>369</u> <u>((dev/peps/pep-0369))</u>	Post import hooks	Heimes
SR	<u>377</u> <u>((dev/peps/pep-0377))</u>	Allow __enter__() methods to skip the statement body	Coghlan
SW	<u>379</u> <u>((dev/peps/pep-0379))</u>	Adding an Assignment Expression	Whitley

	PEP	PEP Title	PEP Author(s)
SW	<u>381</u> <u>(/dev/peps/pep-0381)</u>	Mirroring infrastructure for PyPI	Ziadé, v. Löwis
SR	<u>382</u> <u>(/dev/peps/pep-0382)</u>	Namespace Packages	v. Löwis
SS	<u>386</u> <u>(/dev/peps/pep-0386)</u>	Changing the version comparison module in Distutils	Ziadé
SR	<u>390</u> <u>(/dev/peps/pep-0390)</u>	Static metadata for Distutils	Ziadé
SW	<u>395</u> <u>(/dev/peps/pep-0395)</u>	Qualified Names for Modules	Coghlan
PR	<u>401</u> <u>(/dev/peps/pep-0401)</u>	BDFL Retirement	Warsaw, Cannon
SR	<u>402</u> <u>(/dev/peps/pep-0402)</u>	Simplified Package Layout and Partitioning	Eby
SW	<u>406</u> <u>(/dev/peps/pep-0406)</u>	Improved Encapsulation of Import State	Coghlan, Slodkowicz
SR	<u>408</u> <u>(/dev/peps/pep-0408)</u>	Standard library __preview__ package	Coghlan, Bendersky
SR	<u>410</u> <u>(/dev/peps/pep-0410)</u>	Use decimal.Decimal type for timestamps	Stinner
PW	<u>413</u> <u>(/dev/peps/pep-0413)</u>	Faster evolution of the Python Standard Library	Coghlan
SR	<u>416</u> <u>(/dev/peps/pep-0416)</u>	Add a frozendict builtin type	Stinner
SW	<u>422</u> <u>(/dev/peps/pep-0422)</u>	Simpler customisation of class creation	Coghlan, Urban
IW	<u>426</u> <u>(/dev/peps/pep-0426)</u>	Metadata for Python Software Packages 2.0	Coghlan, Holth, Stufft

	PEP	PEP Title	PEP Author(s)
SS	<u>431</u> <u>(/dev/peps/pep-0431)</u>	Time zone support improvements	Regebro
SW	<u>432</u> <u>(/dev/peps/pep-0432)</u>	Restructuring the CPython startup sequence	Coghlan, Stinner, Snow
SS	<u>433</u> <u>(/dev/peps/pep-0433)</u>	Easier suppression of file descriptor inheritance	Stinner
SR	<u>437</u> <u>(/dev/peps/pep-0437)</u>	A DSL for specifying signatures, annotations and ...	Krah
SR	<u>439</u> <u>(/dev/peps/pep-0439)</u>	Inclusion of implicit pip bootstrap in Python ...	Jones
SR	<u>455</u> <u>(/dev/peps/pep-0455)</u>	Adding a key-transforming dictionary to collections	Pitrou
SW	<u>459</u> <u>(/dev/peps/pep-0459)</u>	Standard Metadata Extensions for Python Software ...	Coghlan
SW	<u>460</u> <u>(/dev/peps/pep-0460)</u>	Add binary interpolation and formatting	Pitrou
PW	<u>462</u> <u>(/dev/peps/pep-0462)</u>	Core development workflow automation for CPython	Coghlan
SR	<u>463</u> <u>(/dev/peps/pep-0463)</u>	Exception-catching expressions	Angelico
SW	<u>469</u> <u>(/dev/peps/pep-0469)</u>	Migration of dict iteration code to Python 3	Coghlan
SR	<u>472</u> <u>(/dev/peps/pep-0472)</u>	Support for indexing with keyword arguments	Borini, Martinot-Lagarde
SR	<u>473</u> <u>(/dev/peps/pep-0473)</u>	Adding structured data to built-in exceptions	Kreft
PW	<u>474</u> <u>(/dev/peps/pep-0474)</u>	Creating forge.python.org	Coghlan

	PEP	PEP Title	PEP Author(s)
PW	<u>481</u> ./dev/peps/pep-0481	Migrate CPython to Git, Github, and Phabricator	Stuftt
SR	<u>490</u> ./dev/peps/pep-0490	Chain exceptions at C level	Stinner
IR	<u>496</u> ./dev/peps/pep-0496	Environment Markers	Polley
PR	<u>497</u> ./dev/peps/pep-0497	A standard mechanism for backward compatibility	Schofield
SR	<u>500</u> ./dev/peps/pep-0500	A protocol for delegating datetime methods to their ...	Belopolsky, Peters
IR	<u>502</u> ./dev/peps/pep-0502	String Interpolation - Extended Discussion	Miller
SW	<u>504</u> ./dev/peps/pep-0504	Using the System RNG by default	Coghlan
PR	<u>507</u> ./dev/peps/pep-0507	Migrate CPython to Git and GitLab	Warsaw
SR	<u>510</u> ./dev/peps/pep-0510	Specialize functions with guards	Stinner
SR	<u>511</u> ./dev/peps/pep-0511	API for code transformers	Stinner
SR	<u>516</u> ./dev/peps/pep-0516	Build system abstraction for pip/conda etc	Collins, Smith
SW	<u>521</u> ./dev/peps/pep-0521	Managing global context via 'with' blocks in ...	Smith
SR	<u>522</u> ./dev/peps/pep-0522	Allow BlockingIOError in security sensitive APIs	Coghlan, Smith
SW	<u>531</u> ./dev/peps/pep-0531	Existence checking operators	Coghlan

	PEP	PEP Title	PEP Author(s)
SR	<u>542</u> <u>./dev/peps/pep-0542</u>	Dot Notation Assignment In Function Header	Meskanen
SW	<u>543</u> <u>./dev/peps/pep-0543</u>	A Unified TLS API for Python	Benfield, Heimes
SR	<u>546</u> <u>./dev/peps/pep-0546</u>	Backport ssl.MemoryBIO and ssl.SSLObject to Python 2.7	Stinner, Benfield
SR	<u>548</u> <u>./dev/peps/pep-0548</u>	More Flexible Loop Control	Murray
SR	<u>549</u> <u>./dev/peps/pep-0549</u>	Instance Descriptors	Hastings
SW	<u>550</u> <u>./dev/peps/pep-0550</u>	Execution Context	Selivanov, Pranskevichus
IW	<u>551</u> <u>./dev/peps/pep-0551</u>	Security transparency in the Python runtime	Dower
SW	<u>555</u> <u>./dev/peps/pep-0555</u>	Context-local variables (contextvars)	Zevenhoven
SR	<u>559</u> <u>./dev/peps/pep-0559</u>	Built-in noop()	Warsaw
SW	<u>575</u> <u>./dev/peps/pep-0575</u>	Unifying function/method classes	Demeyer
SW	<u>576</u> <u>./dev/peps/pep-0576</u>	Rationalize Built-in function classes	Shannon
SW	<u>577</u> <u>./dev/peps/pep-0577</u>	Augmented Assignment Expressions	Coghlan
SR	<u>580</u> <u>./dev/peps/pep-0580</u>	The C call protocol	Demeyer
IW	<u>583</u> <u>./dev/peps/pep-0583</u>	A Concurrency Memory Model for Python	Yasskin

	PEP	PEP Title	PEP Author(s)
IW	<u>595</u> <u>((dev/peps/pep-0595))</u>	Improving bugs.python.org	Melotti, Peksag
IW	<u>598</u> <u>((dev/peps/pep-0598))</u>	Introducing incremental feature releases	Coghlan
SR	<u>601</u> <u>((dev/peps/pep-0601))</u>	Forbid return/break/continue breaking out of finally	George, Taskaya
IR	<u>605</u> <u>((dev/peps/pep-0605))</u>	A rolling feature release stream for CPython	Dower, Coghlan
SR	<u>606</u> <u>((dev/peps/pep-0606))</u>	Python Compatibility Version	Stinner
SR	<u>608</u> <u>((dev/peps/pep-0608))</u>	Coordinated Python release	Hrončok, Stinner
SS	<u>622</u> <u>((dev/peps/pep-0622))</u>	Structural Pattern Matching	Bucher, Moisset, Kohn, Levkivskyi, GvR, Talin
SR	<u>633</u> <u>((dev/peps/pep-0633))</u>	Dependency specification in pyproject.toml using an ...	Opperman, Neelicattu
SR	<u>637</u> <u>((dev/peps/pep-0637))</u>	Support for indexing with keyword arguments	Borini
SR	<u>641</u> <u>((dev/peps/pep-0641))</u>	Using an underscore in the version portion of ...	Cannon, Dower, Warsaw
SR	<u>651</u> <u>((dev/peps/pep-0651))</u>	Robust Stack Overflow Handling	Shannon
SR	<u>666</u> <u>((dev/peps/pep-0666))</u>	Reject Foolish Indentation	Creighton
SR	<u>754</u> <u>((dev/peps/pep-0754))</u>	IEEE 754 Floating Point Special Values	Warnes
PW	<u>3001</u> <u>((dev/peps/pep-3001))</u>	Procedure for reviewing and improving standard ...	Brandl

	PEP	PEP Title	PEP Author(s)
SR	<u>3103</u> <u>./dev/peps/pep-3103</u>	A Switch/Case Statement	GvR
SR	<u>3117</u> <u>./dev/peps/pep-3117</u>	Postfix type declarations	Brandl
SR	<u>3122</u> <u>./dev/peps/pep-3122</u>	Delineation of the main module	Cannon
SR	<u>3125</u> <u>./dev/peps/pep-3125</u>	Remove Backslash Continuation	Jewett
SR	<u>3126</u> <u>./dev/peps/pep-3126</u>	Remove Implicit String Concatenation	Jewett, Hettinger
SR	<u>3128</u> <u>./dev/peps/pep-3128</u>	BList: A Faster List-like Type	Stutzbach
SR	<u>3130</u> <u>./dev/peps/pep-3130</u>	Access to Current Module/Class/Function	Jewett
SR	<u>3133</u> <u>./dev/peps/pep-3133</u>	Introducing Roles	Winter
SR	<u>3136</u> <u>./dev/peps/pep-3136</u>	Labeled break and continue	Chisholm
SR	<u>3139</u> <u>./dev/peps/pep-3139</u>	Cleaning out sys and the "interpreter" module	Peterson
SR	<u>3140</u> <u>./dev/peps/pep-3140</u>	str(container) should call str(item), not repr(item)	Broytman, Jewett
SR	<u>3142</u> <u>./dev/peps/pep-3142</u>	Add a "while" clause to generator expressions	Britton
SW	<u>3145</u> <u>./dev/peps/pep-3145</u>	Asynchronous I/O For subprocess.Popen	Pruitt, McCreary, Carlson
SW	<u>3146</u> <u>./dev/peps/pep-3146</u>	Merging Unladen Swallow into CPython	Winter, Yasskin, Kleckner

	PEP	PEP Title	PEP Author(s)
SR	<u>3152</u> (/dev/peps/pep-3152)	Cofunctions	Ewing
SS	<u>3153</u> (/dev/peps/pep-3153)	Asynchronous IO support	Houtven
IR	<u>8010</u> (/dev/peps/pep-8010)	The Technical Leader Governance Model	Warsaw
IR	<u>8011</u> (/dev/peps/pep-8011)	Python Governance Model Lead by Trio of Pythonistas	Mariatta, Warsaw
IR	<u>8012</u> (/dev/peps/pep-8012)	The Community Governance Model	Langa
IR	<u>8013</u> (/dev/peps/pep-8013)	The External Council Governance Model	Dower
IR	<u>8014</u> (/dev/peps/pep-8014)	The Commons Governance Model	Jansen
IR	<u>8015</u> (/dev/peps/pep-8015)	Organization of the Python community	Stinner

Numerical Index (#id15)

	PEP	PEP Title	PEP Author(s)
P	<u>1</u> (/dev/peps/pep-0001)	PEP Purpose and Guidelines	Warsaw, Hylton, Goodger, Coghlan
PF	<u>2</u> (/dev/peps/pep-0002)	Procedure for Adding New Modules	Faassen
PW	<u>3</u> (/dev/peps/pep-0003)	Guidelines for Handling Bug Reports	Hylton
P	<u>4</u> (/dev/peps/pep-0004)	Deprecation of Standard Modules	Cannon, von Löwis
P	<u>5</u> (/dev/peps/pep-0005)	Guidelines for Language Evolution	Prescod

	PEP	PEP Title	PEP Author(s)
P	<u>6</u> ./dev/peps/pep-0006	Bug Fix Releases	Aahz, Baxter
P	<u>7</u> ./dev/peps/pep-0007	Style Guide for C Code	GvR, Warsaw
P	<u>8</u> ./dev/peps/pep-0008	Style Guide for Python Code	GvR, Warsaw, Coghlan
PW	<u>9</u> ./dev/peps/pep-0009	Sample Plaintext PEP Template	Warsaw
P	<u>10</u> ./dev/peps/pep-0010	Voting Guidelines	Warsaw
P	<u>11</u> ./dev/peps/pep-0011	Removing support for little used platforms	von Löwis, Cannon
P	<u>12</u> ./dev/peps/pep-0012	Sample reStructuredText PEP Template	Goodger, Warsaw, Cannon
I	<u>13</u> ./dev/peps/pep-0013	Python Language Governance	and community
I	<u>20</u> ./dev/peps/pep-0020	The Zen of Python	Peters
PR	<u>42</u> ./dev/peps/pep-0042	Feature Requests	Hylton
SF	<u>100</u> ./dev/peps/pep-0100	Python Unicode Integration	Lemburg
I	<u>101</u> ./dev/peps/pep-0101	Doing Python Releases 101	Warsaw, GvR
IS	<u>102</u> ./dev/peps/pep-0102	Doing Python Micro Releases	Baxter, Warsaw, GvR
IW	<u>103</u> ./dev/peps/pep-0103	Collecting information about git	Broytman

	PEP	PEP Title	PEP Author(s)
IF	<u>160</u> <u>./dev/peps/pep-0160</u>	Python 1.6 Release Schedule	Drake
IF	<u>200</u> <u>./dev/peps/pep-0200</u>	Python 2.0 Release Schedule	Hylton
SF	<u>201</u> <u>./dev/peps/pep-0201</u>	Lockstep Iteration	Warsaw
SF	<u>202</u> <u>./dev/peps/pep-0202</u>	List Comprehensions	Warsaw
SF	<u>203</u> <u>./dev/peps/pep-0203</u>	Augmented Assignments	Wouters
SR	<u>204</u> <u>./dev/peps/pep-0204</u>	Range Literals	Wouters
SF	<u>205</u> <u>./dev/peps/pep-0205</u>	Weak References	Drake
IW	<u>206</u> <u>./dev/peps/pep-0206</u>	Python Advanced Library	Kuchling
SF	<u>207</u> <u>./dev/peps/pep-0207</u>	Rich Comparisons	GvR, Ascher
SF	<u>208</u> <u>./dev/peps/pep-0208</u>	Reworking the Coercion Model	Schemenauer, Lemburg
SW	<u>209</u> <u>./dev/peps/pep-0209</u>	Multi-dimensional Arrays	Barrett, Oliphant
SR	<u>210</u> <u>./dev/peps/pep-0210</u>	Decoupling the Interpreter Loop	Ascher
SR	<u>211</u> <u>./dev/peps/pep-0211</u>	Adding A New Outer Product Operator	Wilson
SR	<u>212</u> <u>./dev/peps/pep-0212</u>	Loop Counter Iteration	Schneider-Kamp

	PEP	PEP Title	PEP Author(s)
SD	<u>213</u> <u>./dev/peps/pep-0213)</u>	Attribute Access Handlers	Prescod
SF	<u>214</u> <u>./dev/peps/pep-0214)</u>	Extended Print Statement	Warsaw
SS	<u>215</u> <u>./dev/peps/pep-0215)</u>	String Interpolation	Yee
IR	<u>216</u> <u>./dev/peps/pep-0216)</u>	Docstring Format	Zadka
SF	<u>217</u> <u>./dev/peps/pep-0217)</u>	Display Hook for Interactive Use	Zadka
SF	<u>218</u> <u>./dev/peps/pep-0218)</u>	Adding a Built-In Set Object Type	Wilson, Hettinger
SD	<u>219</u> <u>./dev/peps/pep-0219)</u>	Stackless Python	McMillan
IR	<u>220</u> <u>./dev/peps/pep-0220)</u>	Coroutines, Generators, Continuations	McMillan
SF	<u>221</u> <u>./dev/peps/pep-0221)</u>	Import As	Wouters
SD	<u>222</u> <u>./dev/peps/pep-0222)</u>	Web Library Enhancements	Kuchling
SF	<u>223</u> <u>./dev/peps/pep-0223)</u>	Change the Meaning of \x Escapes	Peters
SR	<u>224</u> <u>./dev/peps/pep-0224)</u>	Attribute Docstrings	Lemburg
SR	<u>225</u> <u>./dev/peps/pep-0225)</u>	Elementwise/Objectwise Operators	Zhu, Lielens
IF	<u>226</u> <u>./dev/peps/pep-0226)</u>	Python 2.1 Release Schedule	Hylton

	PEP	PEP Title	PEP Author(s)
SF	<u>227</u> ./dev/peps/pep-0227	Statically Nested Scopes	Hylton
SW	<u>228</u> ./dev/peps/pep-0228	Reworking Python's Numeric Model	Zadka, GvR
SF	<u>229</u> ./dev/peps/pep-0229	Using Distutils to Build Python	Kuchling
SF	<u>230</u> ./dev/peps/pep-0230	Warning Framework	GvR
SR	<u>231</u> ./dev/peps/pep-0231	<code>__findattr__()</code>	Warsaw
SF	<u>232</u> ./dev/peps/pep-0232	Function Attributes	Warsaw
SD	<u>233</u> ./dev/peps/pep-0233	Python Online Help	Prescod
SF	<u>234</u> ./dev/peps/pep-0234	Iterators	Yee, GvR
SF	<u>235</u> ./dev/peps/pep-0235	Import on Case-Insensitive Platforms	Peters
SF	<u>236</u> ./dev/peps/pep-0236	Back to the <code>__future__</code>	Peters
SF	<u>237</u> ./dev/peps/pep-0237	Unifying Long Integers and Integers	Zadka, GvR
SF	<u>238</u> ./dev/peps/pep-0238	Changing the Division Operator	Zadka, GvR
SR	<u>239</u> ./dev/peps/pep-0239	Adding a Rational Type to Python	Craig, Zadka
SR	<u>240</u> ./dev/peps/pep-0240	Adding a Rational Literal to Python	Craig, Zadka

	PEP	PEP Title	PEP Author(s)
SF	<u>241</u> ./dev/peps/pep-0241	Metadata for Python Software Packages	Kuchling
SR	<u>242</u> ./dev/peps/pep-0242	Numeric Kinds	Dubois
SW	<u>243</u> ./dev/peps/pep-0243	Module Repository Upload Mechanism	Reifschneider
SR	<u>244</u> ./dev/peps/pep-0244	The <code>directive</code> statement	von Löwis
SR	<u>245</u> ./dev/peps/pep-0245	Python Interface Syntax	Pelletier
SR	<u>246</u> ./dev/peps/pep-0246	Object Adaptation	Martelli, Evans
IF	<u>247</u> ./dev/peps/pep-0247	API for Cryptographic Hash Functions	Kuchling
IF	<u>248</u> ./dev/peps/pep-0248	Python Database API Specification v1.0	Lemburg
IF	<u>249</u> ./dev/peps/pep-0249	Python Database API Specification v2.0	Lemburg
SF	<u>250</u> ./dev/peps/pep-0250	Using site-packages on Windows	Moore
IF	<u>251</u> ./dev/peps/pep-0251	Python 2.2 Release Schedule	Warsaw, GvR
SF	<u>252</u> ./dev/peps/pep-0252	Making Types Look More Like Classes	GvR
SF	<u>253</u> ./dev/peps/pep-0253	Subtyping Built-in Types	GvR
SR	<u>254</u> ./dev/peps/pep-0254	Making Classes Look More Like Types	GvR

	PEP	PEP Title	PEP Author(s)
SF	<u>255</u> <u>./dev/peps/pep-0255)</u>	Simple Generators	Schemenauer, Peters, Hetland
SR	<u>256</u> <u>./dev/peps/pep-0256)</u>	Docstring Processing System Framework	Goodger
I	<u>257</u> <u>./dev/peps/pep-0257)</u>	Docstring Conventions	Goodger, GvR
SR	<u>258</u> <u>./dev/peps/pep-0258)</u>	Docutils Design Specification	Goodger
SR	<u>259</u> <u>./dev/peps/pep-0259)</u>	Omit printing newline after newline	GvR
SF	<u>260</u> <u>./dev/peps/pep-0260)</u>	Simplify xrange()	GvR
SF	<u>261</u> <u>./dev/peps/pep-0261)</u>	Support for "wide" Unicode characters	Prescod
SD	<u>262</u> <u>./dev/peps/pep-0262)</u>	A Database of Installed Python Packages	Kuchling
SF	<u>263</u> <u>./dev/peps/pep-0263)</u>	Defining Python Source Code Encodings	Lemburg, von Löwis
SF	<u>264</u> <u>./dev/peps/pep-0264)</u>	Future statements in simulated shells	Hudson
SR	<u>265</u> <u>./dev/peps/pep-0265)</u>	Sorting Dictionaries by Value	Griffin
SW	<u>266</u> <u>./dev/peps/pep-0266)</u>	Optimizing Global Variable/Attribute Access	Montanaro
SD	<u>267</u> <u>./dev/peps/pep-0267)</u>	Optimized Access to Module Namespaces	Hylton
SR	<u>268</u> <u>./dev/peps/pep-0268)</u>	Extended HTTP functionality and WebDAV	Stein

	PEP	PEP Title	PEP Author(s)
SD	<u>269</u> ./dev/peps/pep-0269	Pgen Module for Python	Riehl
SR	<u>270</u> ./dev/peps/pep-0270	uniq method for list objects	Petrone
SR	<u>271</u> ./dev/peps/pep-0271	Prefixing sys.path by command line option	Giacometti
IF	<u>272</u> ./dev/peps/pep-0272	API for Block Encryption Algorithms v1.0	Kuchling
SF	<u>273</u> ./dev/peps/pep-0273	Import Modules from Zip Archives	Ahlstrom
SF	<u>274</u> ./dev/peps/pep-0274	Dict Comprehensions	Warsaw
SR	<u>275</u> ./dev/peps/pep-0275	Switching on Multiple Values	Lemburg
SR	<u>276</u> ./dev/peps/pep-0276	Simple Iterator for ints	Althoff
SF	<u>277</u> ./dev/peps/pep-0277	Unicode file name support for Windows NT	Hodgson
SF	<u>278</u> ./dev/peps/pep-0278	Universal Newline Support	Jansen
SF	<u>279</u> ./dev/peps/pep-0279	The enumerate() built-in function	Hettinger
SD	<u>280</u> ./dev/peps/pep-0280	Optimizing access to globals	GvR
SR	<u>281</u> ./dev/peps/pep-0281	Loop Counter Iteration with range and xrange	Hetland
SF	<u>282</u> ./dev/peps/pep-0282	A Logging System	Sajip, Mick

	PEP	PEP Title	PEP Author(s)
IF	<u>283</u> ./dev/peps/pep-0283	Python 2.3 Release Schedule	GvR
SR	<u>284</u> ./dev/peps/pep-0284	Integer for-loops	Eppstein, Ewing
SF	<u>285</u> ./dev/peps/pep-0285	Adding a bool type	GvR
SD	<u>286</u> ./dev/peps/pep-0286	Enhanced Argument Tuples	von Löwis
I	<u>287</u> ./dev/peps/pep-0287	reStructuredText Docstring Format	Goodger
SW	<u>288</u> ./dev/peps/pep-0288	Generators Attributes and Exceptions	Hettinger
SF	<u>289</u> ./dev/peps/pep-0289	Generator Expressions	Hettinger
I	<u>290</u> ./dev/peps/pep-0290	Code Migration and Modernization	Hettinger
IF	<u>291</u> ./dev/peps/pep-0291	Backward Compatibility for the Python 2 Standard ...	Norwitz
SF	<u>292</u> ./dev/peps/pep-0292	Simpler String Substitutions	Warsaw
SF	<u>293</u> ./dev/peps/pep-0293	Codec Error Handling Callbacks	Dörwald
SR	<u>294</u> ./dev/peps/pep-0294	Type Names in the types Module	Tirosh
SR	<u>295</u> ./dev/peps/pep-0295	Interpretation of multiline string constants	Koltsov
SW	<u>296</u> ./dev/peps/pep-0296	Adding a bytes Object Type	Gilbert

	PEP	PEP Title	PEP Author(s)
SR	<u>297</u> ./dev/peps/pep-0297	Support for System Upgrades	Lemburg
SW	<u>298</u> ./dev/peps/pep-0298	The Locked Buffer Interface	Heller
SR	<u>299</u> ./dev/peps/pep-0299	Special <code>__main__()</code> function in modules	Epler
SF	<u>301</u> ./dev/peps/pep-0301	Package Index and Metadata for Distutils	Jones
SF	<u>302</u> ./dev/peps/pep-0302	New Import Hooks	JvR, Moore
SR	<u>303</u> ./dev/peps/pep-0303	Extend <code>divmod()</code> for Multiple Divisors	Bellman
SW	<u>304</u> ./dev/peps/pep-0304	Controlling Generation of Bytecode Files	Montanaro
SF	<u>305</u> ./dev/peps/pep-0305	CSV File API	Altis, Cole, McNamara, Montanaro, Wells
IW	<u>306</u> ./dev/peps/pep-0306	How to Change Python's Grammar	Hudson, Diederich, Coghlan, Peterson
SF	<u>307</u> ./dev/peps/pep-0307	Extensions to the pickle protocol	GvR, Peters
SF	<u>308</u> ./dev/peps/pep-0308	Conditional Expressions	GvR, Hettinger
SF	<u>309</u> ./dev/peps/pep-0309	Partial Function Application	Harris
SR	<u>310</u> ./dev/peps/pep-0310	Reliable Acquisition/Release Pairs	Hudson, Moore
SF	<u>311</u> ./dev/peps/pep-0311	Simplified Global Interpreter Lock Acquisition for ...	Hammond

	PEP	PEP Title	PEP Author(s)
SD	<u>312</u> ./dev/peps/pep-0312	Simple Implicit Lambda	Suzi, Martelli
SR	<u>313</u> ./dev/peps/pep-0313	Adding Roman Numeral Literals to Python	Meyer
SF	<u>314</u> ./dev/peps/pep-0314	Metadata for Python Software Packages v1.1	Kuchling, Jones
SR	<u>315</u> ./dev/peps/pep-0315	Enhanced While Loop	Hettinger, Carroll
SD	<u>316</u> ./dev/peps/pep-0316	Programming by Contract for Python	Way
SR	<u>317</u> ./dev/peps/pep-0317	Eliminate Implicit Exception Instantiation	Taschuk
SF	<u>318</u> ./dev/peps/pep-0318	Decorators for Functions and Methods	Smith
SR	<u>319</u> ./dev/peps/pep-0319	Python Synchronize/Asynchronize Block	Pelletier
IF	<u>320</u> ./dev/peps/pep-0320	Python 2.4 Release Schedule	Warsaw, Hettinger, Baxter
SW	<u>321</u> ./dev/peps/pep-0321	Date/Time Parsing and Formatting	Kuchling
SF	<u>322</u> ./dev/peps/pep-0322	Reverse Iteration	Hettinger
SD	<u>323</u> ./dev/peps/pep-0323	Copyable Iterators	Martelli
SF	<u>324</u> ./dev/peps/pep-0324	subprocess - New process module	Astrand
SR	<u>325</u> ./dev/peps/pep-0325	Resource-Release Support for Generators	Pedroni

	PEP	PEP Title	PEP Author(s)
SR	<u>326</u> ./dev/peps/pep-0326	A Case for Top and Bottom Values	Carlson, Reedy
SF	<u>327</u> ./dev/peps/pep-0327	Decimal Data Type	Batista
SF	<u>328</u> ./dev/peps/pep-0328	Imports: Multi-Line and Absolute/Relative	Aahz
SR	<u>329</u> ./dev/peps/pep-0329	Treating Builtins as Constants in the Standard Library	Hettinger
SR	<u>330</u> ./dev/peps/pep-0330	Python Bytecode Verification	Pelletier
SF	<u>331</u> ./dev/peps/pep-0331	Locale-Independent Float/String Conversions	Reis
SR	<u>332</u> ./dev/peps/pep-0332	Byte vectors and String/Unicode Unification	Montanaro
IF	<u>333</u> ./dev/peps/pep-0333	Python Web Server Gateway Interface v1.0	Eby
SW	<u>334</u> ./dev/peps/pep-0334	Simple Coroutines via SuspendIteration	Evans
SR	<u>335</u> ./dev/peps/pep-0335	Overloadable Boolean Operators	Ewing
SR	<u>336</u> ./dev/peps/pep-0336	Make None Callable	McClelland
SD	<u>337</u> ./dev/peps/pep-0337	Logging Usage in the Standard Library	Dubner
SF	<u>338</u> ./dev/peps/pep-0338	Executing modules as scripts	Coghlan
IW	<u>339</u> ./dev/peps/pep-0339	Design of the CPython Compiler	Cannon

	PEP	PEP Title	PEP Author(s)
SR	<u>340</u> <u>./dev/peps/pep-0340)</u>	Anonymous Block Statements	GvR
SF	<u>341</u> <u>./dev/peps/pep-0341)</u>	Unifying try-except and try-finally	Brandl
SF	<u>342</u> <u>./dev/peps/pep-0342)</u>	Coroutines via Enhanced Generators	GvR, Eby
SF	<u>343</u> <u>./dev/peps/pep-0343)</u>	The "with" Statement	GvR, Coghlan
SS	<u>344</u> <u>./dev/peps/pep-0344)</u>	Exception Chaining and Embedded Tracebacks	Yee
SF	<u>345</u> <u>./dev/peps/pep-0345)</u>	Metadata for Python Software Packages 1.2	Jones
SW	<u>346</u> <u>./dev/peps/pep-0346)</u>	User Defined ("with") Statements	Coghlan
PF	<u>347</u> <u>./dev/peps/pep-0347)</u>	Migrating the Python CVS to Subversion	von Löwis
SR	<u>348</u> <u>./dev/peps/pep-0348)</u>	Exception Reorganization for Python 3.0	Cannon
SR	<u>349</u> <u>./dev/peps/pep-0349)</u>	Allow str() to return unicode strings	Schemenauer
IR	<u>350</u> <u>./dev/peps/pep-0350)</u>	Codetags	Elliott
SR	<u>351</u> <u>./dev/peps/pep-0351)</u>	The freeze protocol	Warsaw
SF	<u>352</u> <u>./dev/peps/pep-0352)</u>	Required Superclass for Exceptions	Cannon, GvR
SF	<u>353</u> <u>./dev/peps/pep-0353)</u>	Using ssize_t as the index type	von Löwis

	PEP	PEP Title	PEP Author(s)
SS	<u>354</u> <u>./dev/peps/pep-0354</u>	Enumerations in Python	Finney
SR	<u>355</u> <u>./dev/peps/pep-0355</u>	Path - Object oriented filesystem paths	Lindqvist
IF	<u>356</u> <u>./dev/peps/pep-0356</u>	Python 2.5 Release Schedule	Norwitz, GvR, Baxter
SF	<u>357</u> <u>./dev/peps/pep-0357</u>	Allowing Any Object to be Used for Slicing	Oliphant
SF	<u>358</u> <u>./dev/peps/pep-0358</u>	The "bytes" Object	Schemenauer, GvR
SW	<u>359</u> <u>./dev/peps/pep-0359</u>	The "make" Statement	Bethard
PF	<u>360</u> <u>./dev/peps/pep-0360</u>	Externally Maintained Packages	Cannon
IF	<u>361</u> <u>./dev/peps/pep-0361</u>	Python 2.6 and 3.0 Release Schedule	Norwitz, Warsaw
SF	<u>362</u> <u>./dev/peps/pep-0362</u>	Function Signature Object	Cannon, Seo, Selivanov, Hastings
SR	<u>363</u> <u>./dev/peps/pep-0363</u>	Syntax For Dynamic Attribute Access	North
SW	<u>364</u> <u>./dev/peps/pep-0364</u>	Transitioning to the Py3K Standard Library	Warsaw
SR	<u>365</u> <u>./dev/peps/pep-0365</u>	Adding the pkg_resources module	Eby
SF	<u>366</u> <u>./dev/peps/pep-0366</u>	Main module explicit relative imports	Coghlan
SS	<u>367</u> <u>./dev/peps/pep-0367</u>	New Super	Spealman, Delaney

	PEP	PEP Title	PEP Author(s)
SD	<u>368</u> <u>((dev/peps/pep-0368))</u>	Standard image protocol and class	Mastrodomenico
SW	<u>369</u> <u>((dev/peps/pep-0369))</u>	Post import hooks	Heimes
SF	<u>370</u> <u>((dev/peps/pep-0370))</u>	Per user site-packages directory	Heimes
SF	<u>371</u> <u>((dev/peps/pep-0371))</u>	Addition of the multiprocessing package to the ...	Noller, Oudkerk
SF	<u>372</u> <u>((dev/peps/pep-0372))</u>	Adding an ordered dictionary to collections	Ronacher, Hettinger
IF	<u>373</u> <u>((dev/peps/pep-0373))</u>	Python 2.7 Release Schedule	Peterson
PF	<u>374</u> <u>((dev/peps/pep-0374))</u>	Choosing a distributed VCS for the Python project	Cannon, Turnbull, Vassalotti, Warsaw, Ochtman
IF	<u>375</u> <u>((dev/peps/pep-0375))</u>	Python 3.1 Release Schedule	Peterson
SF	<u>376</u> <u>((dev/peps/pep-0376))</u>	Database of Installed Python Distributions	Ziadé
SR	<u>377</u> <u>((dev/peps/pep-0377))</u>	Allow __enter__() methods to skip the statement body	Coghlan
SF	<u>378</u> <u>((dev/peps/pep-0378))</u>	Format Specifier for Thousands Separator	Hettinger
SW	<u>379</u> <u>((dev/peps/pep-0379))</u>	Adding an Assignment Expression	Whitley
SF	<u>380</u> <u>((dev/peps/pep-0380))</u>	Syntax for Delegating to a Subgenerator	Ewing
SW	<u>381</u> <u>((dev/peps/pep-0381))</u>	Mirroring infrastructure for PyPI	Ziadé, v. Löwis

	PEP	PEP Title	PEP Author(s)
SR	<u>382</u> ./dev/peps/pep-0382	Namespace Packages	v. Löwis
SF	<u>383</u> ./dev/peps/pep-0383	Non-decodable Bytes in System Character Interfaces	v. Löwis
SF	<u>384</u> ./dev/peps/pep-0384	Defining a Stable ABI	v. Löwis
PF	<u>385</u> ./dev/peps/pep-0385	Migrating from Subversion to Mercurial	Ochtman, Pitrou, Brandl
SS	<u>386</u> ./dev/peps/pep-0386	Changing the version comparison module in Distutils	Ziadé
P	<u>387</u> ./dev/peps/pep-0387	Backwards Compatibility Policy	Peterson
SF	<u>389</u> ./dev/peps/pep-0389	argparse - New Command Line Parsing Module	Bethard
SR	<u>390</u> ./dev/peps/pep-0390	Static metadata for Distutils	Ziadé
SF	<u>391</u> ./dev/peps/pep-0391	Dictionary-Based Configuration For Logging	Sajip
IF	<u>392</u> ./dev/peps/pep-0392	Python 3.2 Release Schedule	Brandl
SF	<u>393</u> ./dev/peps/pep-0393	Flexible String Representation	v. Löwis
I	<u>394</u> ./dev/peps/pep-0394	The "python" Command on Unix-Like Systems	Staley, Coghlan, Warsaw, Viktorin, Hrončok, Willing
SW	<u>395</u> ./dev/peps/pep-0395	Qualified Names for Modules	Coghlan
ID	<u>396</u> ./dev/peps/pep-0396	Module Version Numbers	Warsaw

	PEP	PEP Title	PEP Author(s)
SF	<u>397</u> ./dev/peps/pep-0397	Python launcher for Windows	Hammond, v. Löwis
IF	<u>398</u> ./dev/peps/pep-0398	Python 3.3 Release Schedule	Brandl
IF	<u>399</u> ./dev/peps/pep-0399	Pure Python/C Accelerator Module Compatibility ...	Cannon
SD	<u>400</u> ./dev/peps/pep-0400	Deprecate codecs.StreamReader and codecs.StreamWriter	Stinner
PR	<u>401</u> ./dev/peps/pep-0401	BDFL Retirement	Warsaw, Cannon
SR	<u>402</u> ./dev/peps/pep-0402	Simplified Package Layout and Partitioning	Eby
SD	<u>403</u> ./dev/peps/pep-0403	General purpose decorator clause (aka "@in" clause)	Coghlan
IF	<u>404</u> ./dev/peps/pep-0404	Python 2.8 Un-release Schedule	Warsaw
SF	<u>405</u> ./dev/peps/pep-0405	Python Virtual Environments	Meyer
SW	<u>406</u> ./dev/peps/pep-0406	Improved Encapsulation of Import State	Coghlan, Slodkowicz
PD	<u>407</u> ./dev/peps/pep-0407	New release cycle and introducing long- term support ...	Pitrou, Brandl, Warsaw
SR	<u>408</u> ./dev/peps/pep-0408	Standard library __preview__ package	Coghlan, Bendersky
SF	<u>409</u> ./dev/peps/pep-0409	Suppressing exception context	Furman
SR	<u>410</u> ./dev/peps/pep-0410	Use decimal.Decimal type for timestamps	Stinner

	PEP	PEP Title	PEP Author(s)
I	<u>411</u> ./dev/peps/pep-0411)	Provisional packages in the Python standard library	Coghlan, Bendersky
SF	<u>412</u> ./dev/peps/pep-0412)	Key-Sharing Dictionary	Shannon
PW	<u>413</u> ./dev/peps/pep-0413)	Faster evolution of the Python Standard Library	Coghlan
SF	<u>414</u> ./dev/peps/pep-0414)	Explicit Unicode Literal for Python 3.3	Ronacher, Coghlan
SF	<u>415</u> ./dev/peps/pep-0415)	Implement context suppression with exception attributes	Peterson
SR	<u>416</u> ./dev/peps/pep-0416)	Add a frozendict builtin type	Stinner
SF	<u>417</u> ./dev/peps/pep-0417)	Including mock in the Standard Library	Foord
SF	<u>418</u> ./dev/peps/pep-0418)	Add monotonic time, performance counter, and ...	Simpson, Jewett, Turnbull, Stinner
SD	<u>419</u> ./dev/peps/pep-0419)	Protecting cleanup statements from interruptions	Colomiets
SF	<u>420</u> ./dev/peps/pep-0420)	Implicit Namespace Packages	Smith
SF	<u>421</u> ./dev/peps/pep-0421)	Adding sys.implementation	Snow
SW	<u>422</u> ./dev/peps/pep-0422)	Simpler customisation of class creation	Coghlan, Urban
ID	<u>423</u> ./dev/peps/pep-0423)	Naming conventions and recipes related to packaging	Bryon
SF	<u>424</u> ./dev/peps/pep-0424)	A method for exposing a length hint	Gaynor

	PEP	PEP Title	PEP Author(s)
SF	<u>425</u> <u>./dev/peps/pep-0425</u>	Compatibility Tags for Built Distributions	Holth
IW	<u>426</u> <u>./dev/peps/pep-0426</u>	Metadata for Python Software Packages 2.0	Coghlan, Holth, Stufft
SF	<u>427</u> <u>./dev/peps/pep-0427</u>	The Wheel Binary Package Format 1.0	Holth
SF	<u>428</u> <u>./dev/peps/pep-0428</u>	The pathlib module -- object-oriented filesystem paths	Pitrou
IF	<u>429</u> <u>./dev/peps/pep-0429</u>	Python 3.4 Release Schedule	Hastings
IF	<u>430</u> <u>./dev/peps/pep-0430</u>	Migrating to Python 3 as the default online ...	Coghlan
SS	<u>431</u> <u>./dev/peps/pep-0431</u>	Time zone support improvements	Regebro
SW	<u>432</u> <u>./dev/peps/pep-0432</u>	Restructuring the CPython startup sequence	Coghlan, Stinner, Snow
SS	<u>433</u> <u>./dev/peps/pep-0433</u>	Easier suppression of file descriptor inheritance	Stinner
I	<u>434</u> <u>./dev/peps/pep-0434</u>	IDLE Enhancement Exception for All Branches	Rovito, Reedy
SF	<u>435</u> <u>./dev/peps/pep-0435</u>	Adding an Enum type to the Python standard library	Warsaw, Bendersky, Furman
SF	<u>436</u> <u>./dev/peps/pep-0436</u>	The Argument Clinic DSL	Hastings
SR	<u>437</u> <u>./dev/peps/pep-0437</u>	A DSL for specifying signatures, annotations and ...	Krah
PS	<u>438</u> <u>./dev/peps/pep-0438</u>	Transitioning to release-file hosting on PyPI	Krekel, Meyer

	PEP	PEP Title	PEP Author(s)
SR	<u>439</u> (/dev/peps/pep-0439)	Inclusion of implicit pip bootstrap in Python ...	Jones
I	<u>440</u> (/dev/peps/pep-0440)	Version Identification and Dependency Specification	Coghlan, Stufft
SF	<u>441</u> (/dev/peps/pep-0441)	Improving Python ZIP Application Support	Holth, Moore
SF	<u>442</u> (/dev/peps/pep-0442)	Safe object finalization	Pitrou
SF	<u>443</u> (/dev/peps/pep-0443)	Single-dispatch generic functions	Langa
ID	<u>444</u> (/dev/peps/pep-0444)	Python Web3 Interface	McDonough, Ronacher
SF	<u>445</u> (/dev/peps/pep-0445)	Add new APIs to customize Python memory allocators	Stinner
SF	<u>446</u> (/dev/peps/pep-0446)	Make newly created file descriptors non-inheritable	Stinner
SD	<u>447</u> (/dev/peps/pep-0447)	Add __getdescriptor__ method to metaclass	Oussoren
SF	<u>448</u> (/dev/peps/pep-0448)	Additional Unpacking Generalizations	Landau
PF	<u>449</u> (/dev/peps/pep-0449)	Removal of the PyPI Mirror Auto Discovery and ...	Stufft
SF	<u>450</u> (/dev/peps/pep-0450)	Adding A Statistics Module To The Standard Library	D'Aprano
SF	<u>451</u> (/dev/peps/pep-0451)	A ModuleSpec Type for the Import System	Snow
IF	<u>452</u> (/dev/peps/pep-0452)	API for Cryptographic Hash Functions v2.0	Kuchling, Heimes

	PEP	PEP Title	PEP Author(s)
SF	<u>453</u> ./dev/peps/pep-0453	Explicit bootstrapping of pip in Python installations	Stufft, Coghlan
SF	<u>454</u> ./dev/peps/pep-0454	Add a new tracemalloc module to trace Python memory ...	Stinner
SR	<u>455</u> ./dev/peps/pep-0455	Adding a key-transforming dictionary to collections	Pitrou
SF	<u>456</u> ./dev/peps/pep-0456	Secure and interchangeable hash algorithm	Heimes
IF	<u>457</u> ./dev/peps/pep-0457	Notation For Positional-Only Parameters	Hastings
SA	<u>458</u> ./dev/peps/pep-0458	Secure PyPI downloads with signed repository metadata	Kuppusamy, Diaz, Moore, Puehringer, Lock, DeLong, Cappos
SW	<u>459</u> ./dev/peps/pep-0459	Standard Metadata Extensions for Python Software ...	Coghlan
SW	<u>460</u> ./dev/peps/pep-0460	Add binary interpolation and formatting	Pitrou
SF	<u>461</u> ./dev/peps/pep-0461	Adding % formatting to bytes and bytearray	Furman
PW	<u>462</u> ./dev/peps/pep-0462	Core development workflow automation for CPython	Coghlan
SR	<u>463</u> ./dev/peps/pep-0463	Exception-catching expressions	Angelico
PF	<u>464</u> ./dev/peps/pep-0464	Removal of the PyPI Mirror Authenticity API	Stufft
SF	<u>465</u> ./dev/peps/pep-0465	A dedicated infix operator for matrix multiplication	Smith
SF	<u>466</u> ./dev/peps/pep-0466	Network Security Enhancements for Python 2.7.x	Coghlan

	PEP	PEP Title	PEP Author(s)
SD	<u>467</u> (<u>./dev/peps/pep-0467</u>)	Minor API improvements for binary sequences	Coghlan, Furman
SF	<u>468</u> (<u>./dev/peps/pep-0468</u>)	Preserving the order of **kwargs in a function.	Snow
SW	<u>469</u> (<u>./dev/peps/pep-0469</u>)	Migration of dict iteration code to Python 3	Coghlan
PF	<u>470</u> (<u>./dev/peps/pep-0470</u>)	Removing External Hosting Support on PyPI	Stuftt
SF	<u>471</u> (<u>./dev/peps/pep-0471</u>)	os.scandir() function -- a better and faster ...	Hoyt
SR	<u>472</u> (<u>./dev/peps/pep-0472</u>)	Support for indexing with keyword arguments	Borini, Martinot-Lagarde
SR	<u>473</u> (<u>./dev/peps/pep-0473</u>)	Adding structured data to built-in exceptions	Kreft
PW	<u>474</u> (<u>./dev/peps/pep-0474</u>)	Creating forge.python.org	Coghlan
SF	<u>475</u> (<u>./dev/peps/pep-0475</u>)	Retry system calls failing with EINTR	Natali, Stinner
SF	<u>476</u> (<u>./dev/peps/pep-0476</u>)	Enabling certificate verification by default for ...	Gaynor
SF	<u>477</u> (<u>./dev/peps/pep-0477</u>)	Backport ensurepip (<u>PEP 453</u> (<u>./dev/peps/pep-0453</u>)) to Python 2.7	Stuftt, Coghlan
I	<u>478</u> (<u>./dev/peps/pep-0478</u>)	Python 3.5 Release Schedule	Hastings
SF	<u>479</u> (<u>./dev/peps/pep-0479</u>)	Change StopIteration handling inside generators	Angelico, GvR
S	<u>480</u> (<u>./dev/peps/pep-0480</u>)	Surviving a Compromise of PyPI: End-to-end signing ...	Kuppusamy, Diaz, Cappos, Moore

	PEP	PEP Title	PEP Author(s)
PW	<u>481</u> <u>((dev/peps/pep-0481))</u>	Migrate CPython to Git, Github, and Phabricator	Stuftt
IF	<u>482</u> <u>((dev/peps/pep-0482))</u>	Literature Overview for Type Hints	Langa
IF	<u>483</u> <u>((dev/peps/pep-0483))</u>	The Theory of Type Hints	GvR, Levkivskyi
SP	<u>484</u> <u>((dev/peps/pep-0484))</u>	Type Hints	GvR, Lehtosalo, Langa
SF	<u>485</u> <u>((dev/peps/pep-0485))</u>	A Function for testing approximate equality	Barker
SF	<u>486</u> <u>((dev/peps/pep-0486))</u>	Make the Python Launcher aware of virtual environments	Moore
SF	<u>487</u> <u>((dev/peps/pep-0487))</u>	Simpler customisation of class creation	Teichmann
SF	<u>488</u> <u>((dev/peps/pep-0488))</u>	Elimination of PYO files	Cannon
SF	<u>489</u> <u>((dev/peps/pep-0489))</u>	Multi-phase extension module initialization	Viktorin, Behnel, Coghlan
SR	<u>490</u> <u>((dev/peps/pep-0490))</u>	Chain exceptions at C level	Stinner
SD	<u>491</u> <u>((dev/peps/pep-0491))</u>	The Wheel Binary Package Format 1.9	Holth
SF	<u>492</u> <u>((dev/peps/pep-0492))</u>	Coroutines with async and await syntax	Selivanov
SF	<u>493</u> <u>((dev/peps/pep-0493))</u>	HTTPS verification migration tools for Python 2.7	Coghlan, Kuska, Lemburg
I	<u>494</u> <u>((dev/peps/pep-0494))</u>	Python 3.6 Release Schedule	Deily

	PEP	PEP Title	PEP Author(s)
SF	<u>495</u> (/dev/peps/pep-0495)	Local Time Disambiguation	Belopolsky, Peters
IR	<u>496</u> (/dev/peps/pep-0496)	Environment Markers	Polley
PR	<u>497</u> (/dev/peps/pep-0497)	A standard mechanism for backward compatibility	Schofield
SF	<u>498</u> (/dev/peps/pep-0498)	Literal String Interpolation	Smith
SD	<u>499</u> (/dev/peps/pep-0499)	<code>python -m foo</code> should bind ...	Simpson, Angelico, Jevnik
SR	<u>500</u> (/dev/peps/pep-0500)	A protocol for delegating datetime methods to their ...	Belopolsky, Peters
SD	<u>501</u> (/dev/peps/pep-0501)	General purpose string interpolation	Coghlan
IR	<u>502</u> (/dev/peps/pep-0502)	String Interpolation - Extended Discussion	Miller
IA	<u>503</u> (/dev/peps/pep-0503)	Simple Repository API	Stuftt
SW	<u>504</u> (/dev/peps/pep-0504)	Using the System RNG by default	Coghlan
SD	<u>505</u> (/dev/peps/pep-0505)	None-aware operators	Haase, Dower
SF	<u>506</u> (/dev/peps/pep-0506)	Adding A Secrets Module To The Standard Library	D'Aprano
PR	<u>507</u> (/dev/peps/pep-0507)	Migrate CPython to Git and GitLab	Warsaw
I	<u>508</u> (/dev/peps/pep-0508)	Dependency specification for Python Software Packages	Collins

	PEP	PEP Title	PEP Author(s)
SF	<u>509</u> <u>((dev/peps/pep-0509))</u>	Add a private version to dict	Stinner
SR	<u>510</u> <u>((dev/peps/pep-0510))</u>	Specialize functions with guards	Stinner
SR	<u>511</u> <u>((dev/peps/pep-0511))</u>	API for code transformers	Stinner
PF	<u>512</u> <u>((dev/peps/pep-0512))</u>	Migrating from hg.python.org to GitHub	Cannon
I	<u>513</u> <u>((dev/peps/pep-0513))</u>	A Platform Tag for Portable Linux Built Distributions	McGibbon, Smith
I	<u>514</u> <u>((dev/peps/pep-0514))</u>	Python registration in the Windows registry	Dower
SF	<u>515</u> <u>((dev/peps/pep-0515))</u>	Underscores in Numeric Literals	Brandl, Storchaka
SR	<u>516</u> <u>((dev/peps/pep-0516))</u>	Build system abstraction for pip/conda etc	Collins, Smith
SP	<u>517</u> <u>((dev/peps/pep-0517))</u>	A build-system independent format for source trees	Smith, Kluyver
SF	<u>518</u> <u>((dev/peps/pep-0518))</u>	Specifying Minimum Build System Requirements for ...	Cannon, Smith, Stuftt
SF	<u>519</u> <u>((dev/peps/pep-0519))</u>	Adding a file system path protocol	Cannon, Zevenhoven
SF	<u>520</u> <u>((dev/peps/pep-0520))</u>	Preserving Class Attribute Definition Order	Snow
SW	<u>521</u> <u>((dev/peps/pep-0521))</u>	Managing global context via 'with' blocks in ...	Smith
SR	<u>522</u> <u>((dev/peps/pep-0522))</u>	Allow BlockingIOError in security sensitive APIs	Coghlan, Smith

	PEP	PEP Title	PEP Author(s)
SF	<u>523</u> <u>((dev/peps/pep-0523))</u>	Adding a frame evaluation API to CPython	Cannon, Viehland
SF	<u>524</u> <u>((dev/peps/pep-0524))</u>	Make os.urandom() blocking on Linux	Stinner
SF	<u>525</u> <u>((dev/peps/pep-0525))</u>	Asynchronous Generators	Selivanov
SF	<u>526</u> <u>((dev/peps/pep-0526))</u>	Syntax for Variable Annotations	Gonzalez, House, Levkivskyi, Roach, GvR
PF	<u>527</u> <u>((dev/peps/pep-0527))</u>	Removing Un(der)used file types/extensions on PyPI	Stufft
SF	<u>528</u> <u>((dev/peps/pep-0528))</u>	Change Windows console encoding to UTF-8	Dower
SF	<u>529</u> <u>((dev/peps/pep-0529))</u>	Change Windows filesystem encoding to UTF-8	Dower
SF	<u>530</u> <u>((dev/peps/pep-0530))</u>	Asynchronous Comprehensions	Selivanov
SW	<u>531</u> <u>((dev/peps/pep-0531))</u>	Existence checking operators	Coghlan
SD	<u>532</u> <u>((dev/peps/pep-0532))</u>	A circuit breaking protocol and binary operators	Coghlan, Haase
SD	<u>533</u> <u>((dev/peps/pep-0533))</u>	Deterministic cleanup for iterators	Smith
SD	<u>534</u> <u>((dev/peps/pep-0534))</u>	Improved Errors for Missing Standard Library Modules	Orsava, Viktorin, Coghlan
SD	<u>535</u> <u>((dev/peps/pep-0535))</u>	Rich comparison chaining	Coghlan
SD	<u>536</u> <u>((dev/peps/pep-0536))</u>	Final Grammar for Literal String Interpolation	Angerer

	PEP	PEP Title	PEP Author(s)
I	<u>537</u> ./dev/peps/pep-0537	Python 3.7 Release Schedule	Deily
SF	<u>538</u> ./dev/peps/pep-0538	Coercing the legacy C locale to a UTF-8 based locale	Coghlan
SF	<u>539</u> ./dev/peps/pep-0539	A New C-API for Thread-Local Storage in CPython	Bray, Yamamoto
SF	<u>540</u> ./dev/peps/pep-0540	Add a new UTF-8 Mode	Stinner
PF	<u>541</u> ./dev/peps/pep-0541	Package Index Name Retention	Langa
SR	<u>542</u> ./dev/peps/pep-0542	Dot Notation Assignment In Function Header	Meskanen
SW	<u>543</u> ./dev/peps/pep-0543	A Unified TLS API for Python	Benfield, Heimes
SA	<u>544</u> ./dev/peps/pep-0544	Protocols: Structural subtyping (static duck typing)	Levkivskyi, Lehtosalo, Langa
PF	<u>545</u> ./dev/peps/pep-0545	Python Documentation Translations	Palard, Naoki, Stinner
SR	<u>546</u> ./dev/peps/pep-0546	Backport ssl.MemoryBIO and ssl.SSLObject to Python 2.7	Stinner, Benfield
SD	<u>547</u> ./dev/peps/pep-0547	Running extension modules using the -m option	Plch, Viktorin
SR	<u>548</u> ./dev/peps/pep-0548	More Flexible Loop Control	Murray
SR	<u>549</u> ./dev/peps/pep-0549	Instance Descriptors	Hastings
SW	<u>550</u> ./dev/peps/pep-0550	Execution Context	Selivanov, Pranskevichus

	PEP	PEP Title	PEP Author(s)
IW	<u>551</u> <u>((dev/peps/pep-0551))</u>	Security transparency in the Python runtime	Dower
SF	<u>552</u> <u>((dev/peps/pep-0552))</u>	Deterministic pycs	Peterson
SF	<u>553</u> <u>((dev/peps/pep-0553))</u>	Built-in breakpoint()	Warsaw
S	<u>554</u> <u>((dev/peps/pep-0554))</u>	Multiple Interpreters in the Stdlib	Snow
SW	<u>555</u> <u>((dev/peps/pep-0555))</u>	Context-local variables (contextvars)	Zevenhoven
SD	<u>556</u> <u>((dev/peps/pep-0556))</u>	Threaded garbage collection	Pitrou
SF	<u>557</u> <u>((dev/peps/pep-0557))</u>	Data Classes	Smith
S	<u>558</u> <u>((dev/peps/pep-0558))</u>	Defined semantics for locals()	Coghlan
SR	<u>559</u> <u>((dev/peps/pep-0559))</u>	Built-in noop()	Warsaw
SA	<u>560</u> <u>((dev/peps/pep-0560))</u>	Core support for typing module and generic types	Levkivskyi
SA	<u>561</u> <u>((dev/peps/pep-0561))</u>	Distributing and Packaging Type Information	Smith
SF	<u>562</u> <u>((dev/peps/pep-0562))</u>	Module <code>__getattr__</code> and <code>__dir__</code>	Levkivskyi
SA	<u>563</u> <u>((dev/peps/pep-0563))</u>	Postponed Evaluation of Annotations	Langa
SF	<u>564</u> <u>((dev/peps/pep-0564))</u>	Add new time functions with nanosecond resolution	Stinner

	PEP	PEP Title	PEP Author(s)
SF	<u>565</u> <u>./dev/peps/pep-0565</u>	Show DeprecationWarning in __main__	Coghlan
SF	<u>566</u> <u>./dev/peps/pep-0566</u>	Metadata for Python Software Packages 2.1	Ingram
SF	<u>567</u> <u>./dev/peps/pep-0567</u>	Context Variables	Selivanov
SD	<u>568</u> <u>./dev/peps/pep-0568</u>	Generator-sensitivity for Context Variables	Smith
I	<u>569</u> <u>./dev/peps/pep-0569</u>	Python 3.8 Release Schedule	Langa
SA	<u>570</u> <u>./dev/peps/pep-0570</u>	Python Positional-Only Parameters	Hastings, Galindo, Corchero, Weele
I	<u>571</u> <u>./dev/peps/pep-0571</u>	The manylinux2010 Platform Tag	Williams, Thomas, Kluyver
SA	<u>572</u> <u>./dev/peps/pep-0572</u>	Assignment Expressions	Angelico, Peters, GvR
SF	<u>573</u> <u>./dev/peps/pep-0573</u>	Module State Access from C Extension Methods	Viktorin, Coghlan, Snow, Plch
SF	<u>574</u> <u>./dev/peps/pep-0574</u>	Pickle protocol 5 with out-of-band data	Pitrou
SW	<u>575</u> <u>./dev/peps/pep-0575</u>	Unifying function/method classes	Demeyer
SW	<u>576</u> <u>./dev/peps/pep-0576</u>	Rationalize Built-in function classes	Shannon
SW	<u>577</u> <u>./dev/peps/pep-0577</u>	Augmented Assignment Expressions	Coghlan
SA	<u>578</u> <u>./dev/peps/pep-0578</u>	Python Runtime Audit Hooks	Dower

	PEP	PEP Title	PEP Author(s)
IF	<u>579</u> <u>(/dev/peps/pep-0579)</u>	Refactoring C functions and methods	Demeyer
SR	<u>580</u> <u>(/dev/peps/pep-0580)</u>	The C call protocol	Demeyer
PA	<u>581</u> <u>(/dev/peps/pep-0581)</u>	Using GitHub Issues for CPython	Mariatta
S	<u>582</u> <u>(/dev/peps/pep-0582)</u>	Python local packages directory	Das, Dower, Stufft, Coghlan
IW	<u>583</u> <u>(/dev/peps/pep-0583)</u>	A Concurrency Memory Model for Python	Yasskin
SF	<u>584</u> <u>(/dev/peps/pep-0584)</u>	Add Union Operators To dict	D'Aprano, Bucher
SA	<u>585</u> <u>(/dev/peps/pep-0585)</u>	Type Hinting Generics In Standard Collections	Langa
SA	<u>586</u> <u>(/dev/peps/pep-0586)</u>	Literal Types	Lee, Levkivskyi, Lehtosalo
SF	<u>587</u> <u>(/dev/peps/pep-0587)</u>	Python Initialization Configuration	Stinner, Coghlan
I	<u>588</u> <u>(/dev/peps/pep-0588)</u>	GitHub Issues Migration Plan	Mariatta
SA	<u>589</u> <u>(/dev/peps/pep-0589)</u>	TypedDict: Type Hints for Dictionaries with a Fixed ...	Lehtosalo
SA	<u>590</u> <u>(/dev/peps/pep-0590)</u>	Vectorcall: a fast calling protocol for CPython	Shannon, Demeyer
SA	<u>591</u> <u>(/dev/peps/pep-0591)</u>	Adding a final qualifier to typing	Sullivan, Levkivskyi
SF	<u>592</u> <u>(/dev/peps/pep-0592)</u>	Adding "Yank" Support to the Simple API	Stufft

	PEP	PEP Title	PEP Author(s)
SA	<u>593</u> (/dev/peps/pep-0593)	Flexible function and variable annotations	Varoquaux, Kashin
S	<u>594</u> (/dev/peps/pep-0594)	Removing dead batteries from the standard library	Heimes
IW	<u>595</u> (/dev/peps/pep-0595)	Improving bugs.python.org	Melotti, Peksag
I	<u>596</u> (/dev/peps/pep-0596)	Python 3.9 Release Schedule	Langa
SA	<u>597</u> (/dev/peps/pep-0597)	Add optional EncodingWarning	Naoki
IW	<u>598</u> (/dev/peps/pep-0598)	Introducing incremental feature releases	Coghlan
IF	<u>599</u> (/dev/peps/pep-0599)	The manylinux2014 Platform Tag	Ingram
IA	<u>600</u> (/dev/peps/pep-0600)	Future 'manylinux' Platform Tags for Portable Linux ...	Smith, Kluyver
SR	<u>601</u> (/dev/peps/pep-0601)	Forbid return/break/continue breaking out of finally	George, Taskaya
IA	<u>602</u> (/dev/peps/pep-0602)	Annual Release Cycle for Python	Langa
S	<u>603</u> (/dev/peps/pep-0603)	Adding a frozenmap type to collections	Selivanov
SA	<u>604</u> (/dev/peps/pep-0604)	Allow writing union types as X Y	PRADOS, Moss
IR	<u>605</u> (/dev/peps/pep-0605)	A rolling feature release stream for CPython	Dower, Coghlan
SR	<u>606</u> (/dev/peps/pep-0606)	Python Compatibility Version	Stinner

	PEP	PEP Title	PEP Author(s)
IF	<u>607</u> <u>((dev/peps/pep-607))</u>	Reducing CPython's Feature Delivery Latency	Langa, Dower, Coghlan
SR	<u>608</u> <u>((dev/peps/pep-608))</u>	Coordinated Python release	Hrončok, Stinner
P	<u>609</u> <u>((dev/peps/pep-609))</u>	PyPA Governance	Ingram, Gedam, Harihareswara
SF	<u>610</u> <u>((dev/peps/pep-610))</u>	Recording the Direct URL Origin of installed ...	Bidoul, Jerdonek
S	<u>611</u> <u>((dev/peps/pep-611))</u>	The one million limit	Shannon
SA	<u>612</u> <u>((dev/peps/pep-612))</u>	Parameter Specification Variables	Mendoza
SA	<u>613</u> <u>((dev/peps/pep-613))</u>	Explicit Type Aliases	Zhu
SF	<u>614</u> <u>((dev/peps/pep-614))</u>	Relaxing Grammar Restrictions On Decorators	Bucher
SA	<u>615</u> <u>((dev/peps/pep-615))</u>	Support for the IANA Time Zone Database in the ...	Ganssle
SA	<u>616</u> <u>((dev/peps/pep-616))</u>	String methods to remove prefixes and suffixes	Sweeney
SA	<u>617</u> <u>((dev/peps/pep-617))</u>	New PEG parser for CPython	GvR, Galindo, Nikolaou
SF	<u>618</u> <u>((dev/peps/pep-618))</u>	Add Optional Length-Checking To zip	Bucher
I	<u>619</u> <u>((dev/peps/pep-619))</u>	Python 3.10 Release Schedule	Salgado
S	<u>620</u> <u>((dev/peps/pep-620))</u>	Hide implementation details from the C API	Stinner

	PEP	PEP Title	PEP Author(s)
SF	<u>621</u> <u>((dev/peps/pep-0621))</u>	Storing project metadata in pyproject.toml	Cannon, Ingram, Ganssle, Gedam, Eustace, Kluyver, Chung
SS	<u>622</u> <u>((dev/peps/pep-0622))</u>	Structural Pattern Matching	Bucher, Moisset, Kohn, Levkivskyi, GvR, Talin
SA	<u>623</u> <u>((dev/peps/pep-0623))</u>	Remove wstr from Unicode	Naoki
S	<u>624</u> <u>((dev/peps/pep-0624))</u>	Remove Py_UNICODE encoder APIs	Naoki
S	<u>625</u> <u>((dev/peps/pep-0625))</u>	File name of a Source Distribution	Chung, Moore
SA	<u>626</u> <u>((dev/peps/pep-0626))</u>	Precise line numbers for debugging and other tools.	Shannon
IA	<u>627</u> <u>((dev/peps/pep-0627))</u>	Recording installed projects	Viktorin
SF	<u>628</u> <u>((dev/peps/pep-0628))</u>	Add <code>math.tau</code>	Coghlan
SF	<u>629</u> <u>((dev/peps/pep-0629))</u>	Versioning PyPI's Simple API	Stuftt
I	<u>630</u> <u>((dev/peps/pep-0630))</u>	Isolating Extension Modules	Viktorin
SA	<u>631</u> <u>((dev/peps/pep-0631))</u>	Dependency specification in pyproject.toml based on ...	Lev
SA	<u>632</u> <u>((dev/peps/pep-0632))</u>	Deprecate distutils module	Dower
SR	<u>633</u> <u>((dev/peps/pep-0633))</u>	Dependency specification in pyproject.toml using an ...	Opperman, Neelicattu
SA	<u>634</u> <u>((dev/peps/pep-0634))</u>	Structural Pattern Matching: Specification	Bucher, GvR

	PEP	PEP Title	PEP Author(s)
IF	<u>635</u> ./dev/peps/pep-0635	Structural Pattern Matching: Motivation and Rationale	Kohn, GvR
IF	<u>636</u> ./dev/peps/pep-0636	Structural Pattern Matching: Tutorial	Moisset
SR	<u>637</u> ./dev/peps/pep-0637	Support for indexing with keyword arguments	Borini
S	<u>638</u> ./dev/peps/pep-0638	Syntactic Macros	Shannon
S	<u>639</u> ./dev/peps/pep-0639	Metadata for Python Software Packages 2.2	Ombredanne
S	<u>640</u> ./dev/peps/pep-0640	Unused variable syntax	Wouters
SR	<u>641</u> ./dev/peps/pep-0641	Using an underscore in the version portion of ...	Cannon, Dower, Warsaw
S	<u>642</u> ./dev/peps/pep-0642	Explicit Pattern Syntax for Structural Pattern Matching	Coghlan
SA	<u>643</u> ./dev/peps/pep-0643	Metadata for Package Source Distributions	Moore
S	<u>644</u> ./dev/peps/pep-0644	Require OpenSSL 1.1.1 or newer	Heimes
P	<u>645</u> ./dev/peps/pep-0645	Allow writing optional types as x?	Moss
S	<u>646</u> ./dev/peps/pep-0646	Variadic Generics	Mendoza, Rahtz, Srinivasan, Siles
S	<u>647</u> ./dev/peps/pep-0647	User-Defined Type Guards	Traut
S	<u>648</u> ./dev/peps/pep-0648	Extensible customizations of the interpreter at startup	Corchero

	PEP	PEP Title	PEP Author(s)
S	<u>649</u> (/dev/peps/pep-0649)	Deferred Evaluation Of Annotations Using Descriptors	Hastings
P	<u>650</u> (/dev/peps/pep-0650)	Specifying Installer Requirements for Python Projects	Jayanthi, Ingram, Cannon
SR	<u>651</u> (/dev/peps/pep-0651)	Robust Stack Overflow Handling	Shannon
S	<u>652</u> (/dev/peps/pep-0652)	Maintaining the Stable ABI	Viktorin
S	<u>653</u> (/dev/peps/pep-0653)	Precise Semantics for Pattern Matching	Shannon
S	<u>654</u> (/dev/peps/pep-0654)	Exception Groups and except*	Katriel, Selivanov, GvR
S	<u>655</u> (/dev/peps/pep-0655)	Marking individual TypedDict items as required or ...	Foster
I	<u>656</u> (/dev/peps/pep-0656)	Platform Tag for Linux Distributions Using Musl	Chung
SR	<u>666</u> (/dev/peps/pep-0666)	Reject Foolish Indentation	Creighton
SR	<u>754</u> (/dev/peps/pep-0754)	IEEE 754 Floating Point Special Values	Warnes
I	<u>801</u> (/dev/peps/pep-0801)	Reserved	Warsaw
PF	<u>3000</u> (/dev/peps/pep-3000)	Python 3000	GvR
PW	<u>3001</u> (/dev/peps/pep-3001)	Procedure for reviewing and improving standard ...	Brandl
PF	<u>3002</u> (/dev/peps/pep-3002)	Procedure for Backwards-Incompatible Changes	Bethard

	PEP	PEP Title	PEP Author(s)
PF	<u>3003</u> <u>((dev/peps/pep-3003))</u>	Python Language Moratorium	Cannon, Noller, GvR
PF	<u>3099</u> <u>((dev/peps/pep-3099))</u>	Things that will Not Change in Python 3000	Brandl
PF	<u>3100</u> <u>((dev/peps/pep-3100))</u>	Miscellaneous Python 3.0 Plans	Cannon
SF	<u>3101</u> <u>((dev/peps/pep-3101))</u>	Advanced String Formatting	Talin
SF	<u>3102</u> <u>((dev/peps/pep-3102))</u>	Keyword-Only Arguments	Talin
SR	<u>3103</u> <u>((dev/peps/pep-3103))</u>	A Switch/Case Statement	GvR
SF	<u>3104</u> <u>((dev/peps/pep-3104))</u>	Access to Names in Outer Scopes	Yee
SF	<u>3105</u> <u>((dev/peps/pep-3105))</u>	Make print a function	Brandl
SF	<u>3106</u> <u>((dev/peps/pep-3106))</u>	Revamping dict.keys(), .values() and .items()	GvR
SF	<u>3107</u> <u>((dev/peps/pep-3107))</u>	Function Annotations	Winter, Lownds
SF	<u>3108</u> <u>((dev/peps/pep-3108))</u>	Standard Library Reorganization	Cannon
SF	<u>3109</u> <u>((dev/peps/pep-3109))</u>	Raising Exceptions in Python 3000	Winter
SF	<u>3110</u> <u>((dev/peps/pep-3110))</u>	Catching Exceptions in Python 3000	Winter
SF	<u>3111</u> <u>((dev/peps/pep-3111))</u>	Simple input built-in in Python 3000	Roberge

	PEP	PEP Title	PEP Author(s)
SF	<u>3112</u> <u>((dev/peps/pep-3112))</u>	Bytes literals in Python 3000	Orendorff
SF	<u>3113</u> <u>((dev/peps/pep-3113))</u>	Removal of Tuple Parameter Unpacking	Cannon
SF	<u>3114</u> <u>((dev/peps/pep-3114))</u>	Renaming iterator.next() to iterator.__next__()	Yee
SF	<u>3115</u> <u>((dev/peps/pep-3115))</u>	Metaclasses in Python 3000	Talin
SF	<u>3116</u> <u>((dev/peps/pep-3116))</u>	New I/O	Stutzbach, GvR, Verdone
SR	<u>3117</u> <u>((dev/peps/pep-3117))</u>	Postfix type declarations	Brandl
SF	<u>3118</u> <u>((dev/peps/pep-3118))</u>	Revising the buffer protocol	Oliphant, Banks
SF	<u>3119</u> <u>((dev/peps/pep-3119))</u>	Introducing Abstract Base Classes	GvR, Talin
SF	<u>3120</u> <u>((dev/peps/pep-3120))</u>	Using UTF-8 as the default source encoding	von Löwis
SA	<u>3121</u> <u>((dev/peps/pep-3121))</u>	Extension Module Initialization and Finalization	von Löwis
SR	<u>3122</u> <u>((dev/peps/pep-3122))</u>	Delineation of the main module	Cannon
SF	<u>3123</u> <u>((dev/peps/pep-3123))</u>	Making PyObject_HEAD conform to standard C	von Löwis
SD	<u>3124</u> <u>((dev/peps/pep-3124))</u>	Overloading, Generic Functions, Interfaces, and ...	Eby
SR	<u>3125</u> <u>((dev/peps/pep-3125))</u>	Remove Backslash Continuation	Jewett

	PEP	PEP Title	PEP Author(s)
SR	<u>3126</u> <u>((dev/peps/pep-3126))</u>	Remove Implicit String Concatenation	Jewett, Hettinger
SF	<u>3127</u> <u>((dev/peps/pep-3127))</u>	Integer Literal Support and Syntax	Maupin
SR	<u>3128</u> <u>((dev/peps/pep-3128))</u>	BList: A Faster List-like Type	Stutzbach
SF	<u>3129</u> <u>((dev/peps/pep-3129))</u>	Class Decorators	Winter
SR	<u>3130</u> <u>((dev/peps/pep-3130))</u>	Access to Current Module/Class/Function	Jewett
SF	<u>3131</u> <u>((dev/peps/pep-3131))</u>	Supporting Non-ASCII Identifiers	von Löwis
SF	<u>3132</u> <u>((dev/peps/pep-3132))</u>	Extended Iterable Unpacking	Brandl
SR	<u>3133</u> <u>((dev/peps/pep-3133))</u>	Introducing Roles	Winter
SF	<u>3134</u> <u>((dev/peps/pep-3134))</u>	Exception Chaining and Embedded Tracebacks	Yee
SF	<u>3135</u> <u>((dev/peps/pep-3135))</u>	New Super	Spealman, Delaney, Ryan
SR	<u>3136</u> <u>((dev/peps/pep-3136))</u>	Labeled break and continue	Chisholm
SF	<u>3137</u> <u>((dev/peps/pep-3137))</u>	Immutable Bytes and Mutable Buffer	GvR
SF	<u>3138</u> <u>((dev/peps/pep-3138))</u>	String representation in Python 3000	Ishimoto
SR	<u>3139</u> <u>((dev/peps/pep-3139))</u>	Cleaning out sys and the "interpreter" module	Peterson

	PEP	PEP Title	PEP Author(s)
SR	<u>3140</u> <u>((dev/peps/pep-3140))</u>	str(container) should call str(item), not repr(item)	Broytman, Jewett
SF	<u>3141</u> <u>((dev/peps/pep-3141))</u>	A Type Hierarchy for Numbers	Yasskin
SR	<u>3142</u> <u>((dev/peps/pep-3142))</u>	Add a "while" clause to generator expressions	Britton
SD	<u>3143</u> <u>((dev/peps/pep-3143))</u>	Standard daemon process library	Finney
SF	<u>3144</u> <u>((dev/peps/pep-3144))</u>	IP Address Manipulation Library for the Python ...	Moody
SW	<u>3145</u> <u>((dev/peps/pep-3145))</u>	Asynchronous I/O For subprocess.Popen	Pruitt, McCreary, Carlson
SW	<u>3146</u> <u>((dev/peps/pep-3146))</u>	Merging Unladen Swallow into CPython	Winter, Yasskin, Kleckner
SF	<u>3147</u> <u>((dev/peps/pep-3147))</u>	PYC Repository Directories	Warsaw
SF	<u>3148</u> <u>((dev/peps/pep-3148))</u>	futures - execute computations asynchronously	Quinlan
SF	<u>3149</u> <u>((dev/peps/pep-3149))</u>	ABI version tagged .so files	Warsaw
SD	<u>3150</u> <u>((dev/peps/pep-3150))</u>	Statement local namespaces (aka "given" clause)	Coghlan
SF	<u>3151</u> <u>((dev/peps/pep-3151))</u>	Reworking the OS and IO exception hierarchy	Pitrou
SR	<u>3152</u> <u>((dev/peps/pep-3152))</u>	Cofunctions	Ewing
SS	<u>3153</u> <u>((dev/peps/pep-3153))</u>	Asynchronous IO support	Houtven

	PEP	PEP Title	PEP Author(s)
SF	<u>3154</u> <u>((dev/peps/pep-3154))</u>	Pickle protocol version 4	Pitrou
SF	<u>3155</u> <u>((dev/peps/pep-3155))</u>	Qualified name for classes and functions	Pitrou
SF	<u>3156</u> <u>((dev/peps/pep-3156))</u>	Asynchronous IO Support Rebooted: the "asyncio" Module	GvR
IF	<u>3333</u> <u>((dev/peps/pep-3333))</u>	Python Web Server Gateway Interface v1.0.1	Eby
I	<u>8000</u> <u>((dev/peps/pep-8000))</u>	Python Language Governance Proposal Overview	Warsaw
PA	<u>8001</u> <u>((dev/peps/pep-8001))</u>	Python Governance Voting Process	Cannon, Heimes, Stuftt, Snow, Smith, Langa, Mariatta, Smith, Salgado, Hettinger, Einat, Peters, Ware
I	<u>8002</u> <u>((dev/peps/pep-8002))</u>	Open Source Governance Survey	Warsaw, Langa, Pitrou, Hellmann, Willing
IR	<u>8010</u> <u>((dev/peps/pep-8010))</u>	The Technical Leader Governance Model	Warsaw
IR	<u>8011</u> <u>((dev/peps/pep-8011))</u>	Python Governance Model Lead by Trio of Pythonistas	Mariatta, Warsaw
IR	<u>8012</u> <u>((dev/peps/pep-8012))</u>	The Community Governance Model	Langa
IR	<u>8013</u> <u>((dev/peps/pep-8013))</u>	The External Council Governance Model	Dower
IR	<u>8014</u> <u>((dev/peps/pep-8014))</u>	The Commons Governance Model	Jansen
IR	<u>8015</u> <u>((dev/peps/pep-8015))</u>	Organization of the Python community	Stinner
IA	<u>8016</u> <u>((dev/peps/pep-8016))</u>	The Steering Council Model	Smith, Stuftt

PEP	PEP Title	PEP Author(s)
I 8100 (./dev/peps/pep-8100)	January 2019 steering council election	Smith, III
I 8101 (./dev/peps/pep-8101)	2020 Term steering council election	Jodlowska, III
I 8102 (./dev/peps/pep-8102)	2021 Term steering council election	Jodlowska, III, Carey

Reserved PEP Numbers (#id16).

PEP	PEP Title	PEP Author(s)
801 (./dev/peps/pep-0801)	RESERVED	Warsaw

PEP Types Key (#id17).

<i>I - Informational PEP</i>
<i>P - Process PEP</i>
<i>S - Standards Track PEP</i>

PEP Status Key (#id18).

<i>A - Accepted (Standards Track only) or Active proposal</i>
<i>D - Deferred proposal</i>
<i>F - Final proposal</i>
<i>P - Provisional proposal</i>
<i>R - Rejected proposal</i>
<i>S - Superseded proposal</i>
<i>W - Withdrawn proposal</i>

Authors/Owners (#id19).

Name	Email Address
Aahz	aahz at pythoncraft.com
Ahlstrom, James C.	jim at interet.com
Althoff, Jim	james_althoff at i2.com
Altis, Kevin	altis at semi-retired.com
and community, The Python core team	
Angelico, Chris	rosuav at gmail.com
Angerer, Philipp	phil.angerer at gmail.com
Ascher, David	davida at activestate.com
Astrand, Peter	astrand at lysator.liu.se
Banks, Carl	pythondev at aerojockey.com
Barker, Christopher	chris.barker at noaa.gov
Barrett, Paul	barrett at stsci.edu
Batista, Facundo	facundo at taniquetil.com.ar
Baxter, Anthony	anthony at interlink.com.au
Behnel, Stefan	stefan_ml at behnel.de
Bellman, Thomas	bellman+pep-divmod at lysator.liu.se
Belopolsky, Alexander	alexander.belopolsky at gmail.com
Bendersky, Eli	eliben at gmail.com
Benfield, Cory	cory at lukasa.co.uk
Bethard, Steven	steven.bethard at gmail.com
Bidoul, Stéphane	stephane.bidoul at gmail.com
Borini, Stefano	
Brandl, Georg	georg at python.org
Bray, Erik M.	
Britton, Gerald	gerald.britton at gmail.com
Broytman, Oleg	phd at phdru.name
Bryon, Benoit	benoit at marmelune.net
Bucher, Brandt	brandt at python.org
Cannon, Brett	brett at python.org
Cappos, Justin	jcappos at nyu.edu
Carey, Joe	joe at python.org
Carlson, Josiah	jcarlson at uci.edu
Carroll, W Isaac	icarroll at pobox.com
Chisholm, Matt	matt-python at theory.org
Chung, Tzu-Ping	uranusjr at gmail.com
Chung, Tzu-ping	uranusjr at gmail.com

Name	Email Address
Coghlan, Nick	ncoghlan at gmail.com
Cole, Dave	djc at object-craft.com.au
Collins, Robert	rbtcollins at hp.com
Colomiets, Paul	paul at colomiets.name
Corchero, Mario	mariocj89 at gmail.com
Craig, Christopher A.	python-pep at ccraig.org
Creighton, Laura	lac at strakt.com
D'Aprano, Steven	steve at pearwood.info
Das, Kushal	mail at kushaldas.in
Deily, Ned	nad at python.org
Delaney, Tim	timothy.c.delaney at gmail.com
DeLong, Lois Anne	lad278 at nyu.edu
Demeyer, Jeroen	j.demeyer at ugent.be
Diaz, Vladimir	vladimir.diaz at nyu.edu
Diederich, Jack	jackdied at gmail.com
Dörwald, Walter	walter at livinglogic.de
Dower, Steve	steve.dower at python.org
Drake, Fred L., Jr.	fred at fdrake.net
Dubner, Michael P.	dubnerm at mindless.com
Dubois, Paul F.	paul at pfdubois.com
Eby, Phillip J.	pje at telecommunity.com
Eby, P.J.	pje at telecommunity.com
Einat, Tal	taleinat at gmail.com
Elliott, Micah	mde at tracos.org
Epler, Jeff	jepler at unpythonic.net
Eppstein, David	eppstein at ics.uci.edu
Eustace, Sébastien	sebastien at eustace.io
Evans, Clark C.	cce at clarkevans.com
Ewing, Greg	greg.ewing at canterbury.ac.nz
Ewing, Gregory	greg.ewing at canterbury.ac.nz
Faassen, Martijn	faassen at infrae.com
Finney, Ben	ben+python at benfinney.id.au
Foord, Michael	michael at python.org
Foster, David	david at dafoster.net
Furman, Ethan	ethan at stoneleaf.us
Galindo, Pablo	pablogsal at python.org
Ganssle, Paul	paul at ganssle.io

Name	Email Address
Gaynor, Alex	alex.gaynor at gmail.com
Gedam, Pradyun	pradyunsg at gmail.com
George, Damien	
Giacometti, Frédéric B.	fred at arakne.com
Gilbert, Scott	xscottg at yahoo.com
Gonzalez, Ryan	rymg19 at gmail.com
Goodger, David	goodger at python.org
Griffin, Grant	g2 at iowegian.com
Haase, Mark E.	mehaase at gmail.com
Hammond, Mark	mhammond at skippinet.com.au
Harihareswara, Sumana	sh at changeset.nyc
Harris, Peter	scav at blueyonder.co.uk
Hastings, Larry	larry at hastings.org
Heimes, Christian	christian at python.org
Heller, Thomas	theller at python.net
Hellmann, Doug	doug at doughellmann.com
Hetland, Magnus Lie	magnus at hetland.org
Hettinger, Raymond	python at rcn.com
Hodgson, Neil	neilh at scintilla.org
Holth, Daniel	dholth at gmail.com
House, Philip	phouse512 at gmail.com
Houtven, Laurens Van	_ at lvh.cc
Hoyt, Ben	benhoyt at gmail.com
Hrončok, Miro	miro at hroncok.cz
Hudson, Michael	mwh at python.net
Hylton, Jeremy	jeremy at alum.mit.edu
III, Ee W. Durbin	ee at python.org
Ingram, Dustin	di at python.org
Ishimoto, Atsuo	ishimoto--at--gembook.org
Jansen, Jack	jack at cwi.nl
Jayanthi, Vikram	vikramjayanthi at google.com
Jerdonek, Chris	chris.jerdonek at gmail.com
Jevnik, Joseph	joejev at gmail.com
Jewett, Jim	jimjjewett at gmail.com
Jewett, Jim J.	jimjjewett at gmail.com
Jodlowska, Ewa	ewa at python.org
Jones, Richard	richard at python.org

Name	Email Address
Kashin, Konstantin	kkashin at fb.com
Katriel, Irit	iritkatriel at gmail.com
Kleckner, Reid	rnk at mit.edu
Kluyver, Thomas	thomas at kluyver.me.uk
Kohn, Tobias	kohnt at tobiaskohn.ch
Koltsov, Stepan	yozh at mx1.ru
Krah, Stefan	skrah at bytereef.org
Kreft, Sebastian	skreft at deezer.com
Krekel, Holger	holger at merlinux.eu
Kuchling, A.M.	amk at amk.ca
Kuppusamy, Trishank Karthik	karthik at trishank.com
Kuska, Robert	rkuska at redhat.com
Landau, Joshua	joshua at landau.ws
Langa, Łukasz	lukasz at python.org
Lee, Michael	michael.lee.0x2a at gmail.com
Lehtosalo, Jukka	jukka.lehtosalo at iki.fi
Lemburg, Marc-André	mal at lemburg.com
Lev, Ofek	ofekmeister at gmail.com
Levkivskyi, Ivan	levkivskyi at gmail.com
Lielens, Gregory	gregory.lielens at fft.be
Lindqvist, Björn	bjourne at gmail.com
Lock, Joshua	jlock at vmware.com
von Löwis, Martin	martin at v.loewis.de
v. Löwis, Martin	martin at v.loewis.de
Lownds, Tony	tony at lownds.com
Mariatta	mariatta at python.org
Martelli, Alex	aleaxit at gmail.com
Martinot-Lagarde, Joseph	
Mastrodomenico, Lino	l.mastrodomenico at gmail.com
Maupin, Patrick	pmaupin at gmail.com
McClelland, Andrew	eternalsquire at comcast.net
McCreary, Charles R.	
McDonough, Chris	chrism at plope.com
McGibbon, Robert T.	rmcgibbo at gmail.com
McMillan, Gordon	gmcm at hypernet.com
McNamara, Andrew	andrewm at object-craft.com.au
Melotti, Ezio	ezio.melotti at gmail.com

Name	Email Address
Mendoza, Mark	mendoza.mark.a at gmail.com
Meskanen, Markus	markusmeskanen at gmail.com
Meyer, Mike	mwm at mired.org
Meyer, Carl	carl at oddbird.net
Mick, Trent	trentm at activestate.com
Miller, Mike G.	
Moisset, Daniel F	dfmoisset at gmail.com
Montanaro, Skip	skip at pobox.com
Moody, Peter	pmoody at google.com
Moore, Paul	p.f.moore at gmail.com
Moore, Marina	mm9693 at nyu.edu
Moss, Maggie	maggiebmoos at gmail.com
Murray, R David	
Naoki, Inada	songofacandy at gmail.com
Natali, Charles-François	cf.natali at gmail.com
Neelicattu, Arun Babu	arun.neelicattu at gmail.com
Nikolaou, Lysandros	lisandrosnik at gmail.com
Noller, Jesse	jnoller at gmail.com
North, Ben	ben at redfrontdoor.org
Norwitz, Neal	nnorwitz at gmail.com
Ochtman, Dirkjan	dirkjan at ochtman.nl
Oliphant, Travis	oliphant at ee.byu.edu
Ombredanne, Philippe	pombredanne at nexb.com
Opperman, Laurie	laurie_opperman at hotmail.com
Orendorff, Jason	jason.orendorff at gmail.com
Orsava, Tomáš	tomas.n at orsava.cz
Oudkerk, Richard	r.m.oudkerk at googlemail.com
Oussoren, Ronald	ronaldoussoren at mac.com
Palard, Julien	julien at palard.fr
Pedroni, Samuele	pedronis at python.org
Peksag, Berker	berker.peksag at gmail.com
Pelletier, Michel	michel at users.sourceforge.net
Peters, Tim	tim.peters at gmail.com
Peterson, Benjamin	benjamin at python.org
Petrone, Jason	jp at demonseed.net
Pitrou, Antoine	solipsis at pitrou.net
Plch, Marcel	gmarcel.plch at gmail.com

Name	Email Address
Polley, James	jp at jamezpolley.com
PRADOS, Philippe	python at prados.fr
Pranskevichus, Elvis	elvis at edgedb.com
Prescod, Paul	paul at prescod.net
Pruitt, (James) Eric	
Puehringer, Lukas	lukas.puehringer at nyu.edu
Quinlan, Brian	brian at sweetapp.com
Rahtz, Matthew	mrahtz at google.com
Reedy, Terry	tjreedy at udel.edu
Regebro, Lennart	regebro at gmail.com
Reifschneider, Sean	jafo-pep at tummy.com
Reis, Christian R.	kiko at async.com.br
Riehl, Jonathan	jriehl at spaceship.com
Roach, Lisa	lisaroach14 at gmail.com
Roberge, Andre	andre.roberge at gmail.com
Ronacher, Armin	armin.ronacher at active-4.com
van Rossum, Guido (GvR)	guido at python.org
van Rossum, Just (JvR)	just at lettererror.com
Rovito, Todd	rovitotv at gmail.com
Ryan, Lie	lie.1296 at gmail.com
Sajip, Vinay	vinay_sajip at red-dove.com
Salgado, Pablo Galindo	pablogsal at python.org
Schemenauer, Neil	nas at arcatrix.com
Schneider-Kamp, Peter	nowonder at nowonder.de
Schofield, Ed	ed at pythoncharmers.com
Selivanov, Yury	yury at edgedb.com
Seo, Jiwon	seojiwon at gmail.com
Shannon, Mark	mark at hotpy.org
Siles, Vincent	vsiles at fb.com
Simpson, Cameron	cs at cskk.id.au
Slodkowicz, Greg	jergosh at gmail.com
Smith, Kevin D.	kevin.smith at themorgue.org
Smith, Eric V.	eric at trueblade.com
Smith, Nathaniel J.	njs at pobox.com
Smith, Nathaniel	njs at pobox.com
Smith, Ethan	ethan at ethanhs.me
Smith, Gregory P.	greg at krypto.org

Name	Email Address
Snow, Eric	ericsnowcurrently at gmail.com
Spealman, Calvin	ironfroggy at gmail.com
Srinivasan, Pradeep Kumar	gohanpra at gmail.com
Staley, Kerrick	mail at kerrickstaley.com
Stein, Greg	gstein at lyra.org
Stinner, Victor	vstinner at python.org
Storchaka, Serhiy	
Stufft, Donald	donald at stufft.io
Stutzbach, Daniel	daniel at stutzbachenterprises.com
Sullivan, Michael J.	sully at msully.net
Suzi, Roman	rnd at onego.ru
Sweeney, Dennis	sweeney.dennis650 at gmail.com
Talin	viridia at gmail.com
Taschuk, Steven	staschuk at telusplanet.net
Taskaya, Batuhan	
Teichmann, Martin	lkb.teichmann at gmail.com
Thomas, Geoffrey	geofft at ldpreload.com
Tirosh, Oren	oren at hishome.net
Traut, Eric	erictr at microsoft.com
Turnbull, Stephen J.	stephen at xemacs.org
Urban, Daniel	urban.dani+py at gmail.com
Varoquaux, Till	till at fb.com
Vassalotti, Alexandre	alexandre at peadrop.com
Verdone, Mike	mike.verdone at gmail.com
Viehland, Dino	dinov at microsoft.com
Viktorin, Petr	encukou at gmail.com
Ware, Zachary	zachary.ware at gmail.com
Warnes, Gregory R.	gregory_r_warnes at groton.pfizer.com
Warsaw, Barry	barry at python.org
Way, Terence	terry at wayforward.net
Weele, Eric N. Vander	ericvw at gmail.com
Wells, Cliff	logiplexsoftware at earthlink.net
Whitley, Jervis	jervisau at gmail.com
Williams, Mark	mrw at enotuniq.org
Willing, Carol	willingc at gmail.com
Wilson, Greg	gvwilson at ddj.com
Winter, Collin	collinwinter at google.com

Name	Email Address
Wouters, Thomas	thomas at python.org
Yamamoto, Masayuki	
Yasskin, Jeffrey	jyasskin at google.com
Yee, Ka-Ping	ping at zesty.ca
Zadka, Moshe	moshez at zadka.site.co.il
Zevenhoven, Koos	k7hoven at gmail.com
Zhu, Huaiyu	hzhu at users.sourceforge.net
Zhu, Shannon	szhu at fb.com
Ziadé, Tarek	tarek at ziade.org

References (#id20)

- [1] [PEP 1 \(/dev/peps/pep-0001\)](https://dev.peps/pep-0001): PEP Purpose and Guidelines
- [2] View PEP history online: <https://github.com/python/peps> (<https://github.com/python/peps>)

Tweets by @ThePSF

Python Software Foundation Retweeted



Ewa Jodlowska
@ewa_jodlowska

This year [@pycon](#) is hosting several summits and sprints us.pycon.org/2021/! Are there organizations out there looking to sponsor these efforts and the support [@thePSF](#) is providing them? These are a la carte options (\$5,000 each) on python.org/sponsors/appli...

5h



Python Software Foundation
@ThePSF

Thank you to Pythonistas all over the world for supporting our membership drive! 760 new members, 79 new/renewing supporting members, and 130 self-certified managing or contributing members joined [@ThePSF](#) family! This is the best community ever 🎉💙💛!

6h



Python Software Foundation
@ThePSF

Join [@ThePSF](#) as a basic member (it's free) and help us reach our goal of signing up 2000 new/renewing members in the month of March! Come for the language, stay for the community 💙💛🎉

Embed

[View on Twitter](#)

The PSF

The Python Software Foundation is the organization behind Python. Become a member of the PSF and help advance the software and our mission.

[▲ Back to Top](#)

[▲ Back to Top](#)
