

[Courseware \(/courses/HumanitiesScience/StatLearning/Winter2014/courseware\)](/courses/HumanitiesScience/StatLearning/Winter2014/courseware)[Course Info \(/courses/HumanitiesScience/StatLearning/Winter2014/info\)](/courses/HumanitiesScience/StatLearning/Winter2014/info)[Discussion \(/courses/HumanitiesScience/StatLearning/Winter2014/discussion/forum\)](/courses/HumanitiesScience/StatLearning/Winter2014/discussion/forum)[Wiki \(/courses/HumanitiesScience/StatLearning/Winter2014/course_wiki\)](/courses/HumanitiesScience/StatLearning/Winter2014/course_wiki)[Progress \(/courses/HumanitiesScience/StatLearning/Winter2014/progress\)](/courses/HumanitiesScience/StatLearning/Winter2014/progress)[Lecture Slides \(pdf\) \(/courses/HumanitiesScience/StatLearning/Winter2014/ba1951b8f66c4cdca2fcaabcdc91b792/\)](/courses/HumanitiesScience/StatLearning/Winter2014/ba1951b8f66c4cdca2fcaabcdc91b792/)[R Sessions \(/courses/HumanitiesScience/StatLearning/Winter2014/0d68641c19484ef9aa6aeea03426dc68/\)](/courses/HumanitiesScience/StatLearning/Winter2014/0d68641c19484ef9aa6aeea03426dc68/)

6.4.R1 (1/1 point)

You are fitting a linear model to data assumed to have Gaussian errors. The model has up to $p = 5$ predictors and $n = 100$ observations. Which of the following is most likely true of the relationship between C_p and AIC in terms of using the statistic to select a number of predictors to include?

- ☐ C_p will select a model with more predictors AIC
- ☐ C_p will select a model with fewer predictors AIC
- ☒ C_p will select the same model as AIC ✓
- ☐ Not enough information is given to decide

EXPLANATION

For linear models with Gaussian errors, C_p and AIC are equivalent.

[Hide Answer](#)

You have used 1 of 5 submissions

