

← Back

2.3 Gaussian Mixture Model Self-Check Quiz

Practice Assignment • 3h

≡ Hide menu

Week 2: Object Tracking

Ungraded Plugin: 2.1

Overview of Object Tracking

5 min

Ungraded Plugin: 2.2

Change Detection

11 min

Practice Assignment: 2.2

Change Detection Self-Check Quiz

Submitted

Ungraded Plugin: 2.3

Gaussian Mixture Model

16 min

Practice Assignment: 2.3

Gaussian Mixture Model Self-Check Quiz

Submitted

Ungraded Plugin: 2.4

Object Tracking using Templates

8 min

Practice Assignment: 2.4

Object Tracking using Templates Self-Check Quiz

3h

Ungraded Plugin: 2.5

Tracking by Feature Detection

12 min

Practice Assignment: 2.5

Tracking by Feature Detection Self-Check Quiz

3h

Discussion Prompt: Week 2

Object Tracking

10 min

Week 2 Quiz

Your grade: 100%

Next item →

Your latest: 100% • Your highest: 100% • To pass you need at least 80% We keep your highest score

2.3 Gaussian Mixture Model Self-Check Quiz

1. Does the covariance matrix of a d -dimensional GMM always need to be a diagonal matrix?

1 / 1 point

Yes

No

coach

Ready to review what you've learned before starting the assignment? I'm here to help.

Correct

Refer to 8:00 of the lecture

Help me practice

Let's chat

Assignment details

1 / 1 point

2. What is the condition for a pixel value $\tilde{X}$ to belong to a Gaussian k in GMM with mean μ_k and standard deviation σ_k aside from $||\tilde{X} - \mu_k|| < 5\sigma_k$?

1 point

$||\tilde{X} - \mu_k|| < \sigma_k$

$||\tilde{X} - \mu_k|| < 5\sigma_k$

$||\tilde{X} - \mu_k|| < 2.5\sigma_k$

$||\tilde{X} - \mu_k|| < 0.5\sigma_k$

Your grade

To pass you need at least 80%. We keep your highest score.

100%

View submission

See feedback

Correct

Refer to 12:15 of the lecture

Like

Dislike

Report an issue