

Automatically create requirements.txt

Asked 7 years, 11 months ago Modified 27 days ago Viewed 1.5m times

▲

▼

🔖

🕒

1138

Highly active question You have enough reputation to answer or unprotect this question.

Sometimes I download the python source code from `github` and don't know how to install all the dependencies. If there is no `requirements.txt` file I have to create it by hands.

The question is:

Given the python source code directory is it possible to create `requirements.txt` automatically from the import section?

python dependencies python-import requirements.txt Edit tags

Share Edit Follow Close Flag Unprotect

edited Jun 10, 2021 at 11:22

Vadim Kotov
8,064 8 48 62

asked Jul 28, 2015 at 18:29

Igor Barinov
21.4k 10 28 33

77 ▲
👤 at 18:36

You can do it by running `pip freeze > requirements.txt` will save all your python libraries with current version into `requirements.txt` file – [Shaikhul](#) Jul 28, 2015 at 18:36

25 ▲
👤 – [jonsharpe](#) Jul 28, 2015 at 18:58

@Shaikhul but that doesn't help in the case where you don't have the dependencies installed because you've only just downloaded the package from GitHub...

35 ▲
👤

Please note: a) `pip freeze` will dump current versions of `all` the installed modules on that system irrespective of there usage in the current project. b) `pip` will only list modules that have been installed via `pip` – [akskap](#) Jan 17, 2017 at 3:10

1 ▲
👤

@akskap what are the non `pip` ways of installing modules? `setup.py` install? Will `pipreqs` ignore those? – [sureshvv](#) Sep 27, 2021 at 7:47

2 ▲
👤

@akskap: what if I'm using a `venv` to run my project? – [user749127](#) Oct 27, 2022 at 22:40

|

34 Answers

Sorted by: [Reset to default](#)

Date modified (newest first) ▾

▲

▼

🔖

🕒

1176

Use [Pipenv or other tools](#) is recommended for improving your development flow.

```
pip3 freeze > requirements.txt # Python3
pip freeze > requirements.txt # Python2
```

If you do not use a virtual environment, [pigar](#) will be a good choice for you.

Share Edit Follow Flag

edited Jun 22 at 12:46

damnever
12.1k 1 12 18

answered Nov 2, 2015 at 0:39

11 ▲
👤

For anyone erroring, I recommend trying `pip3 freeze > requirements.txt` before asking a question. – [baranskistad](#) Aug 18, 2017 at 15:39

8 ▲
👤

I execute `pip3 freeze > requirements.txt` and I'm surprised to not find some packages I am actually using such as `argparse` and `configparser`. Is it because they are part of Python core? I believe a better answer is to use `pipreqs` below because it will only list the requirements your project is using. – [Alexis.Rolland](#) Nov 3, 2017 at 17:15 ✎

88 ▲
👤

@damnever Ok thank you! `pip3 freeze` gives me the list of all the Python packages installed in my environment whereas `pipreqs` gives me all the ones actually used in my source code which is what I was looking for. Beside that, nothing's wrong with it. – [Alexis.Rolland](#) Nov 4, 2017 at 4:22

2 ▲
👤

`pipenv` has serious issues, see this discussion: news.ycombinator.com/Item?id=18612590 – [Justin M. Keyes](#) Jan 4, 2019 at 14:53

9 ▲
👤

Piping into `requirements.txt` can be [quite a bad idea](#). – [pfabri](#) Mar 21, 2019 at 19:42

|

▲

▼

🔖

🕒

0

For a different use case from the original question, where you do have the environment but have not pinned your dependencies, I found `pipreqs` to be inconsistent as it would sometimes duplicate dependencies with different versions like two entries of `pillow` with version `9.0.0` and `9.5.0` as well as fail to catch some needed dependencies.

I realized `pipreqs` is overkill for me personally.

I saw several people mention that `pip freeze` comes with caveat of storing ALL of your environments packages.

However, there is a simple solution that works well for me:

Sort out unpinned top level requirements into dev and core files like so:

```
requirements
├── core.txt
└── dev.txt
```

Since you probably only want your core requirements for production,

```
pip freeze | grep -F -f requirements/core.txt > requirements.txt
```

And let's say you wanted to omit extra like trailing `+cpu` at the end of the requirement names (which I needed to do for a Hugging Face deployment), you could chain a piped filter beforehand.

```
pip freeze | grep -F -f requirements/core.txt | sed 's/+cpu//g' > requirements.txt
```

I find this much simpler to maintain.

Share Edit Follow Flag

answered Jun 12 at 18:51

Evan Lesmez
59 1 6

▲

▼

🔖

🕒

0

`pipreqs --savepath=requirements.in` && `pip-compile` won't be working if you are on windows power shell

try this;

```
( pipreqs --savepath=requirements.in ) -and (pip-compile)
```

Share Edit Follow Flag

answered Feb 27 at 22:25

Mustafa CAN
1 3

▲

▼

🔖

🕒

6

@Francis has it right - <https://stackoverflow.com/a/65728461/1021819>

But just to add:

With additional support for Jupyter notebooks - i.e. `.ipynb` files - you can now use <https://pypi.org/project/pipreqsnb> (same syntax as `pipreqs`):

```
pip install pipreqsnb
pipreqsnb .
```

[I am not an author]

Share Edit Follow Flag

edited Feb 2 at 21:12

jtlz2
7,585 8 64 114

answered Jul 27, 2021 at 11:43

1 ▲
👤

This works great, but you need to use the command as `pipreqsnb .` , not `pipreqs .` – [c0d3rman](#) Feb 2 at 19:44

▲

▼

🔖

🕒

41

I blindly followed the accepted answer of using `pip3 freeze > requirements.txt`

It generated a huge file that listed all the dependencies of the entire solution, which is not what I wanted.

So you need to figure out what sort of `requirements.txt` you are trying to generate.

If you **need a requirements.txt file that has ALL the dependencies**, then use the `pip3`

```
pip3 freeze > requirements.txt
```

However, if you want to **generate a minimal requirements.txt that only lists the dependencies you need**, then **use the pipreqs package**. Especially *helpful if you have numerous requirements.txt files in per component level in the project* and not a single file on the solution wide level.

```
pip install pipreqs
pipreqs [path to folder]
e.g. pipreqs .
pipreqs . --force --ignore=tests (Overwrites exisiting requirements.txt, ignores the tests directory)
```

Share Edit Follow Flag

edited Jan 28 at 17:30

answered Jan 14, 2021 at 23:36

https://stackoverflow.com/questions/31684375/automatically-create-requirements-txt

1/6

- 

If you don't to include subdirectories, you can add the --ignore <dirs> flag to your command – Francis Jun 17, 2021 at 1:55


- 

If you require Jupyter notebook support, you can see jltz2's answer below stackoverflow.com/a/68544207/1622880 – Francis Oct 24, 2021 at 23:00





11







CREATE requirement.txt:

For Python 3 version command is:

```
pip3 freeze > requirements.txt
```

For Python 2 version command is:

```
pip freeze > requirements.txt
```

Install requirements.txt:

For Python 3 version command is:

```
pip3 install -r requirements.txt
```

For Python 2 version command is:

```
pip install -r requirements.txt
```

Share Edit Follow Flag

edited Dec 29, 2022 at 11:27

answered Dec 29, 2022 at 11:22



MD. SHIFULLAH

8031016



52







Kinda mind-blowing how this simple task is so complicated in Python. Here is what I think is the best way to do it automatically.

You need two tools:

1. [pipreqs](#)

```
pip3 install pipreqs
```

pipreqs will go through your project and only install the packages that your project use. Instead of all the packages in your python environment as `pip freeze` would do.

But there's a problem with this approach. It does not install the sub-packages.

For example, your project uses `pandas==1.3.2`. `pandas` itself uses `numpy==1.21.2` among other packages. But `pipreqs` itself does not write the sub-packages (i.e. `numpy`) in `requirements.txt`.

This is where you need to combine `pipreqs` with the second tool.

2. [pip-tools](#)

```
pip3 install pip-tools
```

`pip-tools` will take the packages in `requirements.in` and generate the `requirements.txt` with all the sub-packages. For example, if you have `pandas==1.3.2` in `requirements.in`, `pip-tools` would generate

```
numpy==1.21.2 # via pandas in requirements.txt .
```

But you need to manually add the package in `requirements.in`. Which is prone to mistake and you might forget to do this once in a while.

This is where you can use the first tool.

But both the tools write to `requirements.txt`. So how do you fix it?

Use the `--savepath` for `pipreqs` to write in `requirements.in` instead of the default `requirements.txt`.

To do it in one command; just do

```
pipreqs --savepath=requirements.in && pip-compile
```

There you go. Now you don't need to worry about manually maintaining the packages and you're `requirements.txt` will have all the sub-packages so that your build is deterministic.

TL;DR

1. `pip3 install pipreqs`

2. `pip3 install pip-tools`

Use the following to build a deterministic `requirements.txt`

```
pipreqs --savepath=requirements.in && pip-compile
```

Share Edit Follow Flag

edited Nov 24, 2022 at 23:23

answered Sep 7, 2021 at 2:36



crimson_penguin

2,71811724



Snehasis Ghosh

729610

- 

6



It should be `pip install pip-tools` instead of `pip install pip-tool` – Shashwat Swain Feb 21, 2022 at 11:20


- 

pigar works best for me – Phyto Arkar Lwin Aug 4, 2022 at 5:38


- 

When I ran `pipreqs --savepath=requirements.in && pip-compile`, `pipreqs` created a `requirements.in` file in addition to `requirements.txt`. Can you elaborate in your post or a comment why `requirements.in` is generated? – Sergei Wallace Dec 20, 2022 at 2:44


- 

@SergeiWallace I don't know if this is still useful to you, but it created `requirements.in` because `pipreqs --savepath=requirements.in && pip-compile` has `--savepath=requirements.in` with a `.in` extension not `.txt` – Kárlis Kazāks Jan 9 at 19:32


- 

@SergeiWallace The `requirements.in` file is only used as an intermediate file which `pip-compile` then uses to generate the final `requirements.txt`. – Cory Gross May 23 at 14:09





0







Pipenv users can generate the requirement.txt file from the project's Pipfile with:

```
pipenv lock --requirements
```

Share Edit Follow Flag

answered Sep 22, 2022 at 15:14



Daniel Garcia Baena

1,19141933



Error: No such option: --requirements Did you mean --quiet? – melbic May 9 at 16:04





6







You can just do it with command. it will create requirement.txt and add relevant modules automatically.

For Unix : `pip3 freeze > requirements.txt`

For Windos: `pip freeze > requirements.txt`

Share Edit Follow Flag

answered Aug 25, 2022 at 7:15



chamzz dot

60721224



I think the difference between using `pip3` and `pip` is coming from the Python Version difference. Not necessarily from the operating system that is used, CMIIW. For Python3 : `pip3 freeze > requirements.txt` For Python2: `pip freeze > requirements.txt` – Muhamad Rafi Pamungkas Jan 6 at 7:19





28







As most of the answers using `pipreqs` didn't work for me. Here, is my answer.

To generate the requirements.txt file:

```
pip install pipreqs
```

```
python -m pipreqs.pipreqs --encoding utf-8 /path/to/project
```

I prefer using `pipreqs` more than `pip freeze`, as `pip freeze` saves all packages in the environment including those that you don't use in your current project. However, `pipreqs` only save the ones you are using in your project.

To install the requirements use:

```
pip3 install -r requirements.txt
```

Share Edit Follow Flag

answered Jun 18, 2022 at 12:09

https://stackoverflow.com/questions/31684375/automatically-create-requirements-txt

2/6

Mostafa Wael

2,69211823



I tried this but it missed some packages. I think this only grabs from the import statements, so it can miss some things you need, and will cause errors on deployment.

McGrewAug 26, 2022 at 19:20

1



Yes, as I have mentioned, use it if you only want those packages, not all the packages in the environment.

Mostafa WaelAug 27, 2022 at 1:19



1

Not pip freeze > requirements.txt. Note that it's double underscore before local.



However installing pipreqs helps too. Pip install pipreqs.



The perfect solution though is to have a pipfile. The pipfile updates on its own whenever you install a new local package. It also has a pipfile.lock similar to package.json in JavaScript. To do this always install your packages with pipenv not pip. So we do pipenv

ShareEditFollowFlag

answered May 4, 2022 at 16:18

Samuel Attah

112



I have a project which only needs robotframework and rpaframework. I have tried both pipreqs -> it gives me just robotframework then pip freeze > requirements.txt gives many libraries which not in used in the project. how do I use these tool/command to output the requiremnt correctly? it will helps in setting up the new environment.

user2201789Jun 28 at 10:03



1

Using pip freeze > requirements.txt is a bad way to create the requirements file! It can serve as a temporary solution for your problem but when managing requirements for python project it is best to do it manually.



1

A simple search for "import" or "from x import" will give you the list of all dependencies that need to be installed (nothing extra).



The problem with pip freeze it that it simply dumps all installed packages with strict versions, every dependency has its own dependencies and they are included in the dump. For example, you have lib==1.0 installed, that needs sub-lib==0.5, if you use pip freeze you'll get both, but later when you wish to update the version of lib to 2.0, most likely you'll get conflicts since lib v2.0 now uses sub-lib v1.0 not v0.5 that you require... This [gets complex fast](#) for multiple dependencies.

We got into those problems in a couple of projects, since then I created an [automated script](#) to clean pip freeze 's dumps, it is safe (comments unneeded dependencies) and works great.

ShareEditFollowFlag

answered Apr 25, 2022 at 8:28

eyalyoli

1,6271716



Or if your are using a something like virtualenv you can just run this command to generate a requirements.txt

3

```
$ ./venv/bin/pip freeze > requirements.txt
```



ShareEditFollowFlag

Sanaf

338313



tried creating a docker image with these requirements, and it failed (which was not the case with the pipreqs solution).

XemaMar 22, 2022 at 10:51



I'm not sure why it happened although I use this all the time while creating docker image. If you can provide the error here I might be able to explain it.

SanafMar 22, 2022 at 17:48



Automatic requirements.txt updating approach

8

While developing a python application with **requirements.txt** we have several choices:



1

Generate requirements.txt after development, when we want to deploy it. It is performed by pip freeze > requirements.txt Or pipreqs for less messy result.

2

Add every module to requirements.txt manually after each install.

3

Install manager that will handle requirements.txt updates for us.

There are many answers for the 1-st option, the 2-d option is self-explanatory, so I would like to describe the 3-d approach. There is a library called **to-requirements.txt**. To install it type this:

```
pip install to-requirements.txt # Pip install to requirements.txt
```

If you read the whole command at once you would see, what it does. After installing you should setup it. Run:

```
requirements-txt setup
```

It overrides the pip scripts so that each pip install or pip uninstall updates the requirements.txt file of your project automatically with required versions of packages. The overriding is made safely, so that after uninstalling this package the pip will behave ordinary.

And you could **customize** the way it works. For example, disable it globally and activate it only for the required directories, activate it only for git repositories, or allow / disallow to create requirements.txt file if it does not exist.

Links:

1

Documentation - <https://requirements-txt.readthedocs.io/en/latest/>

2

GitHub - <https://github.com/VollAlex/requirements-txt>

3

PyPI - <https://pypi.org/project/to-requirements.txt/>

ShareEditFollowFlag

edited Dec 22, 2021 at 0:22

voilalex

1,98321317



For python3: (I have both python 2 and 3 on my machine, where python2 is the default)

124

```
# install
pip3 install pipreqs

# Run in current directory
python3 -m pipreqs.pipreqs .
```



python2:

```
pip install pipreqs
python -m pipreqs.pipreqs .
```

To check your python version:

```
python --version
```

ShareEditFollowFlag

edited Sep 19, 2021 at 9:58

Rea Haas

1,99811616

4



Worked for me with a slight modification: pip install pipreqs and then python -m pipreqs.pipreqs .

Tirbo06Sep 17, 2021 at 11:29

2



@Tirbo06 I added the python2 version as well, and the command to check which version of python is installed :)

Rea HaasSep 19, 2021 at 9:59



I needed python -m pipreqs.pipreqs --encoding=utf8 --force because of some UTF8 characters (in my code, I guess?), [as seen here](#)

Nate AndersonMay 15 at 17:10



54

conda list -e > requirements.txt



This was taken from this Github link [pratos/condaenv.txt](#)



If an error been seen, and you are using anaconda, try to use the .yaml option:

```
conda env export > <environment-name>.yaml
```

For other person to use the environment or if you are creating a new enviroment on another machine:

```
conda env create -f <environment-name>.yaml
```


[.yaml option been found here](#)

Share Edit Follow Flag

edited Jun 29, 2021 at 20:05
 [Madhuv Sharma](#)
21 1 1 6

answered Feb 18, 2019 at 21:20
 [HassanSh_3571619](#)
1,849 1 19 18

- 1

▲

▼

if you're not using a virtual environment, this will create an overly long requirements.txt file – [SBFRF](#) Jul 14, 2019 at 14:28
- 3

▲

▼

Does this actually work? Whenever I have tried this there are dependencies and syntax particulars that `pip install requirements.txt` rejects. – [conner.xyz](#) Jul 15, 2019 at 20:33
- ▲

▼

I found some errors using the .txt, so just added the other option that worked with me too..."Using the .yaml" mentioned above. – [HassanSh_3571619](#) Mar 3, 2020 at 23:50

Simple Pythonic Way

9 To get a list of all the *REQUIREMENTS* in a standard `requirements.txt` file, you can use the following command.

```
pip freeze > requirements.txt
```

Now, this should automatically create a **standard requirements file** with all of the packages installed alongside their corresponding versions.

Pretty Print on Terminal

If you just want to get a pretty print on the terminal you can use the following approach.

```
pip list
```

This lists all of the installed packages, in a pretty print format.

Custom Dependency

If you have a project folder like say, a Github Repo, and you want to get a **custom requirements.txt for project** You can use the following Package.
<https://pypi.org/project/pipreqs/> `pipreqs`

Usage

```
$ pipreqs /home/project/location  
Successfully saved requirements file in /home/project/location/requirements.txt
```

Contents of requirements.txt

```
wheel==0.23.0  
Yang==0.1.9  
docopt==0.6.2
```

Share Edit Follow Flag

answered Jun 27, 2021 at 21:28
 [Muneeb Ahmad Khurram](#)
562 7 19

If you have installed many dependencies in your system and you need requirements.txt for a specific project, you can install first pipreqs:

8 `$ pip install pipreqs`

and execute the below command under the project folder.

```
$ pipreqs
```

This command will generate requirements.txt file for the particular project.

Share Edit Follow Flag

edited Jun 8, 2021 at 19:10
 [Davel17](#)
1,631 7 23 38

answered Jun 8, 2021 at 9:47
 [Arti Gupta](#)
81 1 1

If you want to list only packages used inside a virtualenv use:

6 `pip freeze -l > requirements.txt`

Share Edit Follow Flag

answered Apr 10, 2021 at 10:32
 [Rexcirus](#)
2,431 3 22 40

- 1

▲

▼

`-. --local` If in a virtualenv that has global access, do not output globally-installed packages. Does exactly what I need. – [rob](#) Apr 25, 2022 at 10:14

Make sure to run pip3 for python3.7.

12 `pip3 freeze >> yourfile.txt`

Before executing the above command make sure you have created a virtual environment.

python3:

```
pip3 install virtualenv  
python3 -m venv <myenvname>
```

python2:

```
pip install virtualenv  
virtualenv <myenvname>
```

After that put your source code in the directory. If you run the python file now, probably it won't launch if you are using non-native modules. You can install those modules by running `pip3 install <module>` Or `pip install <module>`.

This will not affect you entire module list except the environment you are in.

Now you can execute the command at the top and now you have a requirements file which contains only the modules you installed in the virtual environment. Now you can run the command at the top.

I advise everyone to use environments as it makes things easier when it comes to stuff like this.

Share Edit Follow Flag

edited Feb 5, 2021 at 19:44
 [TylerH](#)
20.7k 65 73 98

answered Apr 1, 2019 at 0:04
user11269100

I created this bash command.

2

```
for l in $(pip freeze); do p=$(echo "$l" | cut -d '=' -f1); f=$(find . -type f -exec  
grep "$p" {} \; | grep 'import'); [[ ! -z "$f" ]] && echo "$l" ; done;
```

Share Edit Follow Flag

edited Jan 24, 2021 at 14:11
 [Greenonline](#)
1,322 8 22 31

answered Jan 24, 2021 at 3:20
 [Helvio](#)
61 1

Firstly, your project file must be a py file which is direct python file. If your file is in ipynb format, you can convert it to py type by using the line of code below:

20 `jupyter nbconvert --to=python`

Then, you need to install pipreqs library from cmd (terminal for mac).

```
pip install pipreqs
```

Now we can create txt file by using the code below. If you are in the same path with your file, you can just write `./`. Otherwise you need to give path of your file.

```
pipreqs ./
```


or

pipreqs /home/project/location

That will create a requirements.txt file for your project.

Share Edit Follow Flag

answered Jan 4, 2021 at 5:27

 berkayln
935 1 8 14

 I get No template sub-directory with name 'python' found in the following paths – koppor Jun 8, 2021 at 15:31

 You can try uninstalling and installing nbconvert using: pip uninstall nbconvert pip install nbconvert @koppor – berkayln Jun 9, 2021 at 7:03 



Not a complete solution, but may help to compile a shortlist on Linux.



```
3 grep --include='*.py' -rhpO '\s*(from|import)\s+\w+' . | sed -r 's/\s*
(import|from)\s+//' | sort -u > requirements.txt
```

Share Edit Follow Flag

edited Dec 10, 2020 at 10:54

answered Dec 10, 2020 at 10:48

 Andor
5,483 5 26 24



best way for Python 3 is:



7 pip3 freeze > requirements.txt



it worked for me...



Share Edit Follow Flag

answered May 13, 2020 at 18:13

 Mohit Rathod
1,059 1 19 32

10  Excuse me but how is your answer different to stackoverflow.com/a/33468993/5791355? – Taras Jan 8, 2021 at 8:30 



If Facing the same issue as mine i.e. **not on the virtual environment** and wants requirements.txt **for a specific project** or from the **selected folder(includes children)** and pipreqs is not supporting.



You can use :



```
import os
import sys
from fuzzywuzzy import fuzz
import subprocess

path = "C:/Users/Username/Desktop/DjangoProjects/restAPItest"

files = os.listdir(path)
pyfiles = []
for root, dirs, files in os.walk(path):
    for file in files:
        if file.endswith('.py'):
            pyfiles.append(os.path.join(root, file))

stopWords = ['from', 'import', ',', '.', '']

importables = []

for file in pyfiles:
    with open(file) as f:
        content = f.readlines()

        for line in content:
            if "import" in line:
                for sw in stopWords:
                    line = ' '.join(line.split(sw))

                importables.append(line.strip().split(' ')[0])

importables = set(importables)

subprocess.call(f"pip freeze > {path}/requirements.txt", shell=True)

with open(path+'/requirements.txt') as req:
    modules = req.readlines()
    modules = {m.split('=')[0].lower(): m for m in modules}

notList = [''.join(i.split('_')) for i in sys.builtin_module_names]+['os']

new_requirements = []
for req_module in importables:
    try :
        new_requirements.append(modules[req_module])

    except KeyError:
        for k,v in modules.items():
            if len(req_module)>1 and req_module not in notList:
                if fuzz.partial_ratio(req_module,k) > 90:
                    new_requirements.append(modules[k])

new_requirements = [i for i in set(new_requirements)]

new_requirements

with open(path+'/requirements.txt','w') as req:
    req.write(''.join(new_requirements))
```

P.S: It may have a few additional libraries as it checks on fuzzylogic.

Share Edit Follow Flag

answered Aug 15, 2019 at 18:40

 DARK_COD3R
2,055 16 21



You can use the following code to generate a requirements.txt file:



1292 pip install pipreqs



pipreqs /path/to/project



more info related to pipreqs can be found [here](#).



Sometimes you come across pip freeze , but this saves all packages in the environment including those that you don't use in your current project.

Share Edit Follow Flag

answered Jul 28, 2015 at 18:34

 Djanssens
17.4k 7 27 42

3  @Shaikhul if you got these warnings you will not have a full file, you will just get a part of requirements. You can check it on github.com/npow/MemNN/tree/hyperopt repo. I have only 'hyperopt == 0.0.2 numpy == 1.9.2 scikit_learn == 0.16.1 theano == 0.7.0' – Igor Barinov Jul 28, 2015 at 19:59

25  I used pipreqs and needed to specify the used charset in my scanned projectfolder - otherwise I received an error generated by pipreqs: pipreqs --encoding utf-8 – squeeze44 Oct 9, 2020 at 22:51

4  Works in Python 3.9 on Windows 10 – CPSuperstore Mar 5, 2021 at 19:24

3  Note: This will not include installed apps in your settings that are not explicitly imported in your views but nonetheless being used in the background. – Tamdim Mar 19, 2021 at 18:22 

7  Important notice: this variant can be bad. Use virtualenv and pip3 freeze > requirements.txt. Let me explain: pipreqs only saves packages which are imported in project, not their dependencies. Sometimes package maintainer write requirement rule like this: "Jinja2>=2.10" (this is from setup.py of Flask 1.0.2 package). So the incompatible major version can be installed (in my example i got Jinja 3.1.0) and breaks everything. – khokm Apr 11, 2022 at 20:43 

|



 **This answer is hidden.** This answer was [deleted](#) via review 22 days ago by [UpAndAdam](#), [desertnaut](#), [Michael M.](#), [Koedit](#).

i have predictions order (1157,1) and sample order (1157,9) i can not multiply these for inverse transformation to original data kindly help

Share Edit Follow **Undelete** Flag

answered Jun 27 at 5:40

 muhammad shoaib
1

 If you have a new question, please ask it by clicking the [Ask Question](#) button. Include a link to this question if it helps provide context. - [From Review](#) – UpAndAdam Jun 30 at 15:32

Comments disabled on deleted / locked posts / reviews

▲

-2

▼

🔖

🕒

🔒

This answer is hidden. This answer was [deleted](#) via review 5 months ago by [ChrisGPT is on strike](#), [Moritz Ringler](#), [Zsolt Meszaros](#), [Fedor](#).

```
create dependencies list:
pip3 freeze > requirements.txt
```

```
install all dependencies from requirements.txt file:
pip3 install -r requirements.txt
```

Share Edit Follow **Undelete** Flag

answered Mar 10 at 6:32



[Rishan](#)

314

2

▲

🚩

Please make more obvious wha the additional insight is which yo contribute to existing other answers. Both parts are already provide on this page. – [Yunnosch](#) Mar 10 at 6:55

Comments disabled on deleted / locked posts / reviews

▲

-1

▼

🔖

🕒

🔒

This post is hidden. It was [deleted](#) 1 year ago by the post author.

For the newer version of pip (to make sure the written reference is the package version rather than the package local directory)

```
pip list --format=freeze > requirements.txt
```

(source: <https://stackoverflow.com/a/62886215/9874846>)

Share Edit Follow **Undelete** Flag

answered Aug 29, 2021 at 1:19



[Mokhamad Arfan Wicaksono](#)

31547

Comments disabled on deleted / locked posts / reviews

▲

-2

▼

🔖

🕒

🔒

This post is hidden. It was [deleted](#) 1 year ago by the post author.

You could use this command in linux (not sure about windows)

```
pip3 freeze > requirements.txt
```

Share Edit Follow **Undelete** Flag

edited Aug 1, 2021 at 13:48

answered Aug 1, 2021 at 11:48



[MD SHAYON](#)

1

▲

🚩

This is the same solution as in [the accepted answer](#). – [Eric Aya](#) Aug 1, 2021 at 11:50

▲

🚩

Also stackoverflow.com/a/68155413/2227743 ... – [Eric Aya](#) Aug 1, 2021 at 11:55

Comments disabled on deleted / locked posts / reviews

▲

28

▼

🔖

🕒

🔒

This post is hidden. It was [deleted](#) 10 months ago by [Jean-François Fabre](#) ♦.

To create a requirement Python module list, write this code in your terminal:

```
pip3 freeze > requirements.txt
```

Share Edit Follow **Undelete** Flag

edited Jul 17, 2021 at 7:39



[Maximouse](#)

4,17011428

answered Jul 16, 2021 at 6:44



[Qiamast](#)

41345

2

▲

🚩

What does this add compared to other answers above? – [Jakob](#) Aug 11, 2021 at 9:25

▲

🚩

have a one easy way to do this – [Qiamast](#) Aug 12, 2021 at 14:43

2

▲

🚩

This worked for me in colab as well! – [YoungSheldon](#) Oct 11, 2021 at 16:11

▲

🚩

Another answer explains why this approach is not recommended (even though it works). – [Cypher](#) Jul 18, 2022 at 12:17

Comments disabled on deleted / locked posts / reviews

▲

-4

▼

🔖

🕒

🔒

This post is hidden. It was [deleted](#) last year by the post author.

if you are using PyCharm, when you open or clone the project into the PyCharm it shows an alert and ask you for installing all necessary packages.

Share Edit Follow **Undelete** Flag

answered May 28, 2020 at 0:39



[Ahmet Erturk](#)

12

7

▲

🚩

This genuinely has nothing to do with the question being asked. – [Grant Curell](#) Aug 18, 2020 at 18:05

1

▲

🚩

@GrantCurell You are correct regarding the question, but it solves the problem which can be found in the first sentence. – [marfagerland](#) Jan 7, 2021 at 11:59

Comments disabled on deleted / locked posts / reviews

▲

5

▼

🔖

🕒

🔒

This post is hidden. It was [deleted](#) 3 years ago by [Jean-François Fabre](#) ♦.

```
pip install pipreqs
pipreqs /path/to/project
```

Note: Using pip freeze, saves all packages in the environment including those that you don't use in your current project.

Share Edit Follow **Undelete** Flag

answered Nov 22, 2019 at 7:55



[Avhi Aryal](#)

5911

▲

🚩

copy of stackoverflow.com/a/31684470/6451573, answered 4 years earlier – [Jean-François Fabre](#) ♦ Jan 28, 2020 at 18:09

Comments disabled on deleted / locked posts / reviews

▲

-1

▼

🔖

🕒

🔒

This post is hidden. It was [deleted](#) 7 years ago by the post author.

I came across a similar SO answer before and have been using that idea till date. You can have a script similar to this, which will write all the dependencies into 'requirements.txt'

```
import pip
with open("requirements.txt", "w") as f:
    for dist in pip.get_installed_distributions():
        req = dist.as_requirement()
        f.write(str(req) + "\n")
```

Share Edit Follow **Undelete** Flag

edited Jul 28, 2015 at 18:40

answered Jul 28, 2015 at 18:33



[Sentient07](#)

1,27011624

▲

🚩

This is how to create a list of packages you already have installed (and a much less neat one that `pip freeze > requirements.txt`), not how to determine from a package what you need to have installed. – [jonsharpe](#) Jul 28, 2015 at 19:00

Comments disabled on deleted / locked posts / reviews

https://stackoverflow.com/questions/31684375/automatically-create-requirements-txt

6/6