

Your grade: **100%**

Your latest: **100%** • Your highest: **100%** • To pass you need at least 50%. We keep your highest score.

Next item →

1.

Which steps are involved in using the `ImageDataGenerator` class to create augmented images? Select all that apply.

1 / 1 point
- ☒ Using the `flow` method to generate batches of augmented images

 **Correct**

Yes! The `flow` method is used to generate batches of augmented images.

☒ Loading images using `load_img`

 **Correct**

Correct! Loading images using `load_img` is part of the process.

☒ Initializing the `ImageDataGenerator` with desired transformations

 **Correct**

Correct! Initializing the `ImageDataGenerator` with desired transformations is the first step.

☒ Saving augmented images to disk using `save_to_dir` parameter

 **Correct**

Correct! Saving augmented images to disk can be done using the `save_to_dir` parameter.

☐ Using the `.fit` method to compute internal data statistics
2.

Which of the following are common transformations applied in image augmentation using Keras' `ImageDataGenerator` class? Select all that apply.

1 / 1 point
- ☒ Shear

 **Correct**

Correct! Shear transformation is often applied to images during augmentation.

☒ Scaling

 **Correct**

Yes! Scaling is used to resize images as part of augmentation.

☐ Sound adjustment

☒ Brightness adjustment

 **Correct**

Correct! Brightness adjustment is a common method in image augmentation.

☒ Rotation

 **Correct**

Correct! Rotation is a common transformation applied to images.
3.

Which argument of the `ImageDataGenerator` is used to randomly flip inputs horizontally?

1 / 1 point
- ☒ `horizontal_flip`

☐ `random_flip`

☐ `vertical_flip`

☐ `flip_axis`

 **Correct**

Correct! The `horizontal_flip` argument is used to randomly flip inputs horizontally.

4.

Which of the following steps are involved in implementing image data augmentation using the Keras `flow_from_dataframe` method?

1 / 1 point

☐ Compiling the Keras model

☒ Creating a CSV file with image labels

 **Correct**

Correct, you need a CSV file with image labels for the method to work.

☒ Specifying the augmentation parameters in the `ImageDataGenerator`

 **Correct**

Correct, specifying augmentation parameters is essential for data augmentation.

☐ Training the model with augmented data

☒ Defining the directory structure where images are stored

 **Correct**

Correct, defining the directory structure is a fundamental step.

5.

What is the primary purpose of creating a CSV file for image labels in the context of a deep learning project using Keras?

1 / 1 point

☐ To organize images into different directories based on their labels

☐ To store URLs of the images for data loading

☒ To store labels associated with the images for supervised learning

☐ To store metadata about the images such as image dimensions and color channels

 **Correct**

Correct! The primary purpose of a CSV file in this context is to store labels for supervised learning tasks.

https://www.coursera.org/learn/packt-deep-learning-with-keras-and-practical-applications-vcwvs/assignment-submission/qnh1/assessment-4/view-feedback

1/1