



Module and Programming Assignment Quiz

8 questions

1.

What will be printed by the following code? Of course, you can run this code and get the question right, but we want you to answer this question (and all of these questions) without running the code.

```
String s1 = new String("String 1");
String s2 = "String 1";
if (s1 == s2) {
    System.out.println("Equal");
} else {
    System.out.println("Not equal");
}
```

☐ Not equal

☐ Equal

2.

Which of the following lines of code correctly assign a String containing the text "My String" to the variable 'text'?

(Select all correct options.)

☐

```
String text = new String("My ");
text + new String("String");
```

☐

```
String s1 = "My String";
String text = s1;
```

☐

```
String text = "My ";  
text.concat("String");
```

(Note that in our videos we might have accidentally called the method `append`--the correct method name is `"concat"`).

☐

```
String text = "My ";
String s2 = "String";
text = text + s2;
```

3.

What best describes the functionality of the following method?

```
public int mystery(String s)
{
    char[] letters = s.toCharArray();
    int x = 0;
    for (int i = 0; i < letters.length; i++) {
        if (letters[i] == ' ') {
            letters[i] = '_';
            x++;
        }
    }
    return x;
}
```

- It counts the number of spaces in a given string, and returns the count. It does not change the original String.
- It counts the number of spaces in a given String and returns the count. It also replaces all spaces in the given String with underscore characters ('_').
- It counts the number of total characters in the String and returns the count. It also replaces all spaces in the given String with underscore characters ('_').

4.

Assume you have a String variable s that stores the text

```
"%one%%two%%three%%%"
```

Which of the following calls to s.split will return the String array: ["%", "%%", "%%%", "%%%%%"]

☐

```
s.split("%+");
```

☐

```
s.split("[a-z]+");
```

☐

```
s.split("one|two|three");
```

☐

```
s.split("[one,two,three]")
```

5.

Assume that you have a Document object stored in the variable `d`, whose whole text string is

"one (1), two (2), three (3)"

Which of the following calls to `getTokens` will return the list of Strings given here:

["one", "(1)", "two", "(2)", "three", "(3)"]

Notice the commas are not preserved in the strings in the list.

☐

```
d.getTokens("[^, ]+")
```

Notice there is a space after the comma in the character class.

☐

```
d.getTokens("[^,]+")
```

Notice there is NO space after the comma in the character class.

☐

```
d.getTokens("[a-z()0-9]+");
```

Hint: The `( )` will be treated as literal tokens inside the character set.

☐

```
d.getTokens("[a-z]+|[()0-9]+");
```

Help Center

Hint: The () will be treated as literal tokens inside the character set.

6.

How much time did you spend on the programming assignment?

- ☐ <1 hour
 - ☐ 1-2 hours
 - ☐ 2-3 hours
 - ☐ 3-4 hours
 - ☐ 4-5 hours
 - ☐ 5+ hours
-

7.

How difficult did you find the programming assignment?

- ☐ Very Easy
 - ☐ Easy
 - ☐ Somewhat Easy
 - ☐ Somewhat Difficult
 - ☐ Difficult
 - ☐ Very Difficult
-

8.

How much did you enjoy the programming assignment?

- ☐ I really enjoyed the programming assignment
- ☐ I enjoyed the programming assignment
- ☐ I'm neutral about the programming assignment

- ☐ I did not enjoy the programming assignment
 - ☐ I really did not enjoy the programming assignment
-

Upgrade to submit



(https://accounts.coursera.org/i/zendesk/courserahelp?return_to=https://learner.coursera.help/hc)