Google Gen AI SDK



Documentation: https://googleapis.github.io/python-genai/

https://github.com/googleapis/python-genai

Google Gen AI Python SDK provides an interface for developers to integrate Google's generative models into their Python applications. It supports the Gemini Developer API and Gemini Enterprise Agent Platform API APIs.

Installation

```
pip install google-genai
```

With *uv*:

```
uv pip install google-genai
```

Imports

```
from google import genai
from google.genai import types
```

Create a client

Please run one of the following code blocks to create a client for different services (Gemini Developer API or Gemini Enterprise Agent Platform API).

```
from google import genai

# Only run this block for Gemini Developer API
client = genai.Client(api_key='GEMINI_API_KEY')
```

```
from google import genai

# Only run this block for Gemini Enterprise Agent Platform API
client = genai.Client(
    enterprise=True, project='your-project-id', location='us-central1'
)
```

(Optional) Using environment variables:

You can create a client by configuring the necessary environment variables. Configuration setup instructions depends on whether you're using the Gemini Developer API or the Gemini API in Gemini Enterprise Agent Platform.

Gemini Developer API: Set the *GEMINI_API_KEY* or *GOOGLE_API_KEY*. It will automatically be picked up by the client. It's recommended that you set only one of those variables, but if both are set, *GOOGLE_API_KEY* takes precedence.

```
export GEMINI_API_KEY='your-api-key'
```

Gemini API on Gemini Enterprise Agent Platform: Set *GOOGLE_GENAI_USE_ENTERPRISE*, *GOOGLE_CLOUD_PROJECT* and *GOOGLE_CLOUD_LOCATION*, as shown below:

```
export GOOGLE_GENAI_USE_ENTERPRISE=true
export GOOGLE_CLOUD_PROJECT='your-project-id'
export GOOGLE_CLOUD_LOCATION='us-central1'
```

```
from google import genai

client = genai.Client()
```

Close a client

Explicitly close the sync client to ensure that resources, such as the underlying HTTP connections, are properly cleaned up and closed.

```
from google.genai import Client

client = Client()
response_1 = client.models.generate_content(
    model=MODEL_ID,
    contents='Hello',
)
response_2 = client.models.generate_content(
    model=MODEL_ID,
    contents='Ask a question',
)
# Close the sync client to release resources.
client.close()
```

To explicitly close the async client:

```
from google.genai import Client

aclient = Client(
    enterprise=True, project='my-project-id', location='us-central1'
).aio
response_1 = await aclient.models.generate_content(
    model=MODEL_ID,
    contents='Hello',
)
response_2 = await aclient.models.generate_content(
    model=MODEL_ID,
    contents='Ask a question',
)
# Close the async client to release resources.
await aclient.aclose()
```

Client context managers

By using the sync client context manager, it will close the underlying sync client when exiting the with block.

```
from google.genai import Client

with Client() as client:
    response_1 = client.models.generate_content(
        model=MODEL_ID,
        contents='Hello',
    )
    response_2 = client.models.generate_content(
        model=MODEL_ID,
        contents='Ask a question',
    )
```

By using the async client context manager, it will close the underlying async client when exiting the with block.

```
from google.genai import Client

async with Client().aio as aclient:
    response_1 = await aclient.models.generate_content(
        model=MODEL_ID,
        contents='Hello',
    )
    response_2 = await aclient.models.generate_content(
        model=MODEL_ID,
        contents='Ask a question',
    )
```

API Selection

By default, the SDK uses the beta API endpoints provided by Google to support preview features in the APIs. The stable API endpoints can be selected by setting the API version to *v1*.

To set the API version use `http_options`. For example, to set the API version to `v1` for Gemini Enterprise Agent Platform API:

```
from google import genai
from google.genai import types

client = genai.Client(
    enterprise=True,
    project='your-project-id',
    location='us-central1',
    http_options=types.HttpOptions(api_version='v1')
)
```

To set the API version to *v1alpha* for the Gemini Developer API:

```
from google import genai
from google.genai import types

# Only run this block for Gemini Developer API
client = genai.Client(
    api_key='GEMINI_API_KEY',
    http_options=types.HttpOptions(api_version='v1alpha')
)
```

Faster async client option: Aiohttp

By default we use httpx for both sync and async client implementations. In order to have faster performance, you may install *google-genai[aiohttp]*. In Gen AI SDK we configure *trust_env=True* to match with the default behavior of httpx. Additional args of *aiohttp.ClientSession.request()* (see _RequestOptions args) can be passed through the following way:

```
http_options = types.HttpOptions(
    async_client_args={'cookies': ..., 'ssl': ...},
)

client=Client(..., http_options=http_options)
```

Proxy

Both httpx and aiohttp libraries use *urllib.request.getproxies* from environment variables. Before client initialization, you may set proxy (and optional SSL_CERT_FILE) by setting the environment variables:

```
export HTTPS_PROXY='http://username:password@proxy_uri:port'
export SSL_CERT_FILE='client.pem'
```

If you need *socks5* proxy, httpx supports *socks5* proxy if you pass it via args to httpx.Client(). You may install *httpx[socks]* to use it. Then you can pass it through the following way:

```
http_options = types.HttpOptions(
    client_args={'proxy': 'socks5://user:pass@host:port'},
    async_client_args={'proxy': 'socks5://user:pass@host:port'},
)

client=Client(..., http_options=http_options)
```

Custom base url

In some cases you might need a custom base url (for example, API gateway proxy server) and bypass some authentication checks for project, location, or API key. You may pass the custom base url like this:

```
base_url = 'https://test-api-gateway-proxy.com'
client = Client(
    enterprise=True,  # Currently only enterprise=True is supported.
    http_options={
        'base_url': base_url,
        'headers': {'Authorization': 'Bearer test_token'},
    },
)
```

Types

Parameter types can be specified as either dictionaries(`TypedDict`) or Pydantic Models. Pydantic model types are available in the `types` module.

Models

The `client.models` modules exposes model inferencing and model getters. See the 'Create a client' section above to initialize a client.

Generate Content

with text content input (text output)

```
response = client.models.generate_content(
    model='gemini-flash-latest', contents='Why is the sky blue?'
)
print(response.text)
```

with text content input (image output)

```
from google.genai import types

response = client.models.generate_content(
    model='gemini-3.1-flash-lite-image',
    contents='A cartoon infographic for flying sneakers',
    config=types.GenerateContentConfig(
        response_modalities=["IMAGE"],
        image_config=types.ImageConfig(
            aspect_ratio="9:16",
        ),
    ),
)

for part in response.parts:
    if part.inline_data:
        generated_image = part.as_image()
        generated_image.show()
```

with text content input (audio / speech output)

```
from google.genai import types

response = client.models.generate_content(
    model='gemini-3.8-flash-tts',
    contents='Give me a cheerful greeting.',
    config=types.GenerateContentConfig(
        response_modalities=['AUDIO'],
        speech_config=types.SpeechConfig(
            voice_config=types.VoiceConfig(
                prebuilt_voice_config=types.PrebuiltVoiceConfig(
                    voice_name='Aoede'
                )
            )
        ),
    ),
)

for part in response.parts:
    if part.inline_data:
        with open('greeting.wav', 'wb') as f:
            f.write(part.inline_data.data)
```

with uploaded file (Gemini Developer API only)

download the file in console.

```
!wget -q https://storage.googleapis.com/generativeai-downloads/data/a11.txt
```

python code.

```
file = client.files.upload(file='a11.txt')
response = client.models.generate_content(
    model='gemini-flash-latest',
    contents=['Could you summarize this file?', file]
)
print(response.text)
```

How to structure *contents* argument for *generate_content*

The SDK always converts the inputs to the *contents* argument into *list[types.Content]*. The following shows some common ways to provide your inputs.

Provide a *list[types.Content]*

This is the canonical way to provide contents, SDK will not do any conversion.

Provide a *types.Content* instance

```
from google.genai import types

contents = types.Content(
    role='user',
    parts=[types.Part.from_text(text='Why is the sky blue?')]
)
```

SDK converts this to

```
[
    types.Content(
        role='user',
        parts=[types.Part.from_text(text='Why is the sky blue?')]
    )
]
```

Provide a string

```
contents='Why is the sky blue?'
```

The SDK will assume this is a text part, and it converts this into the following:

```
[
    types.UserContent(
        parts=[
            types.Part.from_text(text='Why is the sky blue?')
        ]
    )
]
```

Where a *types.UserContent* is a subclass of *types.Content*, it sets the *role* field to be *user*.

Provide a list of string

```
contents=['Why is the sky blue?', 'Why is the cloud white?']
```

The SDK assumes these are 2 text parts, it converts this into a single content, like the following:

```
[
    types.UserContent(
        parts=[
            types.Part.from_text(text='Why is the sky blue?'),
            types.Part.from_text(text='Why is the cloud white?'),
        ]
    )
]
```

Where a *types.UserContent* is a subclass of *types.Content*, the *role* field in *types.UserContent* is fixed to be *user*.

Provide a function call part

```
from google.genai import types

contents = types.Part.from_function_call(
    name='get_weather_by_location',
    args={'location': 'Boston'}
)
```

The SDK converts a function call part to a content with a *model* role:

```
[
    types.ModelContent(
        parts=[
            types.Part.from_function_call(
                name='get_weather_by_location',
                args={'location': 'Boston'}
            )
        ]
    )
]
```

Where a *types.ModelContent* is a subclass of *types.Content*, the *role* field in *types.ModelContent* is fixed to be *model*.

Provide a list of function call parts

```
from google.genai import types

contents = [
    types.Part.from_function_call(
        name='get_weather_by_location',
        args={'location': 'Boston'}
    ),
    types.Part.from_function_call(
        name='get_weather_by_location',
        args={'location': 'New York'}
    ),
]
```

Google Gen AI SDK documentation

Search

ON THIS PAGE

Installation
Imports
Create a client
Close a client

Submodules
genai.client module
genai.live module
genai.models module
genai.tokens module
genai.tunings module
genai.types module

The SDK converts a list of function call parts to the a content with a *model* role:

```
[
    types.ModelContent(
        parts=[
            types.Part.from_function_call(
                name='get_weather_by_location',
                args={'location': 'Boston'}
            ),
            types.Part.from_function_call(
                name='get_weather_by_location',
                args={'location': 'New York'}
            )
        ]
    )
]
```

Where a *types.ModelContent* is a subclass of *types.Content*, the *role* field in *types.ModelContent* is fixed to be *model*.

Provide a non function call part

```
from google.genai import types

contents = types.Part.from_uri(
    file_uri: 'gs://generativeai-downloads/images/scones.jpg',
    mime_type: 'image/jpeg',
)
```

The SDK converts all non function call parts into a content with a *user* role.

```
[
    types.UserContent(parts=[
        types.Part.from_uri(
            file_uri: 'gs://generativeai-downloads/images/scones.jpg',
            mime_type: 'image/jpeg',
        )
    ])
]
```

Provide a list of non function call parts

```
from google.genai import types

contents = [
    types.Part.from_text('What is this image about?'),
    types.Part.from_uri(
        file_uri: 'gs://generativeai-downloads/images/scones.jpg',
        mime_type: 'image/jpeg',
    )
]
```

The SDK will convert the list of parts into a content with a *user* role

```
[
    types.UserContent(
        parts=[
            types.Part.from_text('What is this image about?'),
            types.Part.from_uri(
                file_uri: 'gs://generativeai-downloads/images/scones.jpg',
                mime_type: 'image/jpeg',
            )
        ]
    )
]
```

Mix types in contents

You can also provide a list of *types.ContentUnion*. The SDK leaves items of *types.Content* as is, it groups consecutive non function call parts into a single *types.UserContent*, and it groups consecutive function call parts into a single *types.ModelContent*.

If you put a list within a list, the inner list can only contain *types.PartUnion* items. The SDK will convert the inner list into a single *types.UserContent*.

System Instructions and Other Configs

The output of the model can be influenced by several optional settings available in generate_content's config parameter. For example, increasing *max_output_tokens* is essential for longer model responses. To make a model more deterministic, lowering the *temperature* parameter reduces randomness, with values near 0 minimizing variability. Capabilities and parameter defaults for each model is shown in the Gemini Enterprise Agent Platform docs and Gemini API docs respectively.

```
from google.genai import types

response = client.models.generate_content(
    model='gemini-flash-latest',
    contents='high',
    config=types.GenerateContentConfig(
        system_instruction='I say high, you say low',
        max_output_tokens=3,
        temperature=0.3,
    ),
)
print(response.text)
```

Typed Config

All API methods support Pydantic types for parameters as well as dictionaries. You can get the type from `google.genai.types`.

Client context managers
API Selection
Faster async client option: Aiohttp
Proxy
Custom base url
Types
Models
Generate Content
with text content input (text output)
with text content input (image output)
with text content input (audio / speech output)
with uploaded file (Gemini Developer API only)
How to structure *contents* argument for *generate_content*
Provide a *list[types.Content]*
Provide a *types.Content* instance
Provide a string
Provide a list of string
Provide a function call part
Provide a list of function call parts
Provide a non function call part
Provide a list of non function call parts
Mix types in contents
System Instructions and Other Configs
Typed Config
List Base Models
List Base Models (Asynchronous)
Safety Settings
Function Calling
Automatic Python function Support:
Disabling automatic function calling
Manually declare and invoke a function for function calling
Function calling with ANY tools config mode
Model Context Protocol (MCP) support (experimental)
JSON Response Schema
JSON Schema support
Pydantic Model Schema support
Enum Response Schema
Text Response
JSON Response
Generate Content (Synchronous Streaming)
Streaming for text content
Streaming for image content
Generate Content (Asynchronous Non Streaming)
Generate Content (Asynchronous Streaming)
Count Tokens and Compute Tokens
Compute Tokens
Count Tokens (Asynchronous)
Local Count Tokens
Local Compute Tokens
Embed Content
Imagen
Generate Images
Upscale Image
Edit Image
Veo
Generate Videos (Text to Video)
Generate Videos (Image to Video)
Generate Videos (Video to Video)
Chats
Send Message (Synchronous Non-Streaming)
Send Message (Synchronous Streaming)
Send Message (Asynchronous Non-Streaming)
Send Message (Asynchronous Streaming)
Files
Upload
Get

```python
from google.genai import types

response = client.models.generate_content(
    model='gemini-flash-latest',
    contents=types.Part.from_text(text='Why is the sky blue?'),
    config=types.GenerateContentConfig(
        temperature=0,
        top_p=0.95,
        top_k=20,
        candidate_count=1,
        seed=5,
        max_output_tokens=100,
        stop_sequences=['STOP!'],
        presence_penalty=0.0,
        frequency_penalty=0.0,
    ),
)

print(response.text)
```

List Base Models

To retrieve tuned models, see: List Tuned Models

```python
for model in client.models.list():
    print(model)
```

```python
pager = client.models.list(config={'page_size': 10})
print(pager.page_size)
print(pager[0])
pager.next_page()
print(pager[0])
```

List Base Models (Asynchronous)

```python
async for job in await client.aio.models.list():
    print(job)
```

```python
async_pager = await client.aio.models.list(config={'page_size': 10})
print(async_pager.page_size)
print(async_pager[0])
await async_pager.next_page()
print(async_pager[0])
```

Safety Settings

```python
from google.genai import types

response = client.models.generate_content(
    model='gemini-flash-latest',
    contents='Say something bad.',
    config=types.GenerateContentConfig(
        safety_settings=[
            types.SafetySetting(
                category='HARM_CATEGORY_HATE_SPEECH',
                threshold='BLOCK_ONLY_HIGH',
            )
        ]
    ),
)
print(response.text)
```

Function Calling

Automatic Python function Support:

You can pass a Python function directly and it will be automatically called and responded by default.

```python
from google.genai import types

def get_current_weather(location: str) -> str:
    """Returns the current weather.

    Args:
        location: The city and state, e.g. San Francisco, CA
    """
    return 'sunny'


response = client.models.generate_content(
    model='gemini-flash-latest',
    contents='What is the weather like in Boston?',
    config=types.GenerateContentConfig(
        tools=[get_current_weather],
    ),
)

print(response.text)
```

Disabling automatic function calling

If you pass in a python function as a tool directly, and do not want automatic function calling, you can disable automatic function calling as follows:

```
from google.genai import types

response = client.models.generate_content(
    model='gemini-flash-latest',
    contents='What is the weather like in Boston?',
    config=types.GenerateContentConfig(
        tools=[get_current_weather],
        automatic_function_calling=types.AutomaticFunctionCallingConfig(
            disable=True
        ),
    ),
)
```

With automatic function calling disabled, you will get a list of function call parts in the response:

```
function_calls: Optional[List[types.FunctionCall]] = response.function_calls
```

Manually declare and invoke a function for function calling

If you don't want to use the automatic function support, you can manually declare the function and invoke it.

The following example shows how to declare a function and pass it as a tool. Then you will receive a function call part in the response.

```
from google.genai import types

function = types.FunctionDeclaration(
    name='get_current_weather',
    description='Get the current weather in a given location',
    parameters_json_schema={
        'type': 'object',
        'properties': {
            'location': {
                'type': 'string',
                'description': 'The city and state, e.g. San Francisco, CA',
            }
        },
        'required': ['location'],
    },
)

tool = types.Tool(function_declarations=[function])

response = client.models.generate_content(
    model='gemini-flash-latest',
    contents='What is the weather like in Boston?',
    config=types.GenerateContentConfig(
        tools=[tool],
    ),
)
print(response.function_calls[0])
```

After you receive the function call part from the model, you can invoke the function and get the function response. And then you can pass the function response to the model. The following example shows how to do it for a simple function invocation.

```
from google.genai import types

user_prompt_content = types.Content(
    role='user',
    parts=[types.Part.from_text(text='What is the weather like in Boston?')],
)
function_call_part = response.function_calls[0]
function_call_content = response.candidates[0].content


try:
    function_result = get_current_weather(
        **function_call_part.function_call.args
    )
    function_response = {'result': function_result}
except (
    Exception
) as e:  # instead of raising the exception, you can let the model handle it
    function_response = {'error': str(e)}


function_response_part = types.Part.from_function_response(
    name=function_call_part.name,
    response=function_response,
)
function_response_content = types.Content(
    role='tool', parts=[function_response_part]
)

response = client.models.generate_content(
    model='gemini-flash-latest',
    contents=[
        user_prompt_content,
        function_call_content,
        function_response_content,
    ],
    config=types.GenerateContentConfig(
        tools=[tool],
    ),
)

print(response.text)
```

Function calling with `ANY` tools config mode

If you configure function calling mode to be *ANY*, then the model will always return function call parts. If you also pass a python function as a tool, by default the SDK will perform automatic function calling until the remote calls exceed the maximum remote call for automatic function calling (default to 10 times).

If you'd like to disable automatic function calling in *ANY* mode:

```
from google.genai import types

def get_current_weather(location: str) -> str:
    """Returns the current weather.

    Args:
        location: The city and state, e.g. San Francisco, CA
    """
    return "sunny"

response = client.models.generate_content(
    model="gemini-flash-latest",
    contents="What is the weather like in Boston?",
    config=types.GenerateContentConfig(
        tools=[get_current_weather],
        automatic_function_calling=types.AutomaticFunctionCallingConfig(
            disable=True
        ),
        tool_config=types.ToolConfig(
            function_calling_config=types.FunctionCallingConfig(mode='ANY')
        ),
    ),
)
```

If you'd like to set `x` number of automatic function call turns, you can configure the maximum remote calls to be `x + 1`. Assuming you prefer `1` turn for automatic function calling:

```
from google.genai import types

def get_current_weather(location: str) -> str:
    """Returns the current weather.

    Args:
        location: The city and state, e.g. San Francisco, CA
    """
    return "sunny"

response = client.models.generate_content(
    model="gemini-flash-latest",
    contents="What is the weather like in Boston?",
    config=types.GenerateContentConfig(
        tools=[get_current_weather],
        automatic_function_calling=types.AutomaticFunctionCallingConfig(
            maximum_remote_calls=2
        ),
        tool_config=types.ToolConfig(
            function_calling_config=types.FunctionCallingConfig(mode='ANY')
        ),
    ),
)
```

Model Context Protocol (MCP) support (experimental)

Built-in MCP support is an experimental feature. You can pass a local MCP server as a tool directly.

```
import os
import asyncio
from datetime import datetime
from mcp import ClientSession, StdioServerParameters
from mcp.client.stdio import stdio_client
from google import genai

client = genai.Client()

# Create server parameters for stdio connection
server_params = StdioServerParameters(
    command="npx",  # Executable
    args=["-y", "@philschmid/weather-mcp"],  # MCP Server
    env=None,  # Optional environment variables
)

async def run():
    async with stdio_client(server_params) as (read, write):
        async with ClientSession(read, write) as session:
            # Prompt to get the weather for the current day in London.
            prompt = f"What is the weather in London in {datetime.now().strftime('%Y-%m-%d')}

            # Initialize the connection between client and server
            await session.initialize()

            # Send request to the model with MCP function declarations
            response = await client.aio.models.generate_content(
                model="gemini-flash-latest",
                contents=prompt,
                config=genai.types.GenerateContentConfig(
                    temperature=0,
                    tools=[session],  # uses the session, will automatically call the tool us
                ),
            )
            print(response.text)

# Start the asyncio event loop and run the main function
asyncio.run(run())
```

JSON Response Schema

However you define your schema, don't duplicate it in your input prompt, including by giving examples of expected JSON output. If you do, the generated output might be lower in quality.

JSON Schema support

Schemas can be provided as standard JSON schema.

```
user_profile = {
    'properties': {
        'age': {
            'anyOf': [
                {'maximum': 20, 'minimum': 0, 'type': 'integer'},
                {'type': 'null'},
            ],
            'title': 'Age',
        },
        'username': {
            'description': "User's unique name",
            'title': 'Username',
            'type': 'string',
        },
    },
    'required': ['username', 'age'],
    'title': 'User Schema',
    'type': 'object',
}

response = client.models.generate_content(
    model='gemini-flash-latest',
    contents='Give me a random user profile.',
    config={
        'response_mime_type': 'application/json',
        'response_json_schema': user_profile
    },
)
print(response.parsed)
```

Pydantic Model Schema support

Schemas can be provided as Pydantic Models.

```
from pydantic import BaseModel
from google.genai import types


class CountryInfo(BaseModel):
    name: str
    population: int
    capital: str
    continent: str
    gdp: int
    official_language: str
    total_area_sq_mi: int


response = client.models.generate_content(
    model='gemini-flash-latest',
    contents='Give me information for the United States.',
    config=types.GenerateContentConfig(
        response_mime_type='application/json',
        response_schema=CountryInfo,
    ),
)
print(response.text)
```

```
from google.genai import types

response = client.models.generate_content(
    model='gemini-flash-latest',
    contents='Give me information for the United States.',
    config=types.GenerateContentConfig(
        response_mime_type='application/json',
        response_schema={
            'required': [
                'name',
                'population',
                'capital',
                'continent',
                'gdp',
                'official_language',
                'total_area_sq_mi',
            ],
            'properties': {
                'name': {'type': 'STRING'},
                'population': {'type': 'INTEGER'},
                'capital': {'type': 'STRING'},
                'continent': {'type': 'STRING'},
                'gdp': {'type': 'INTEGER'},
                'official_language': {'type': 'STRING'},
                'total_area_sq_mi': {'type': 'INTEGER'},
            },
            'type': 'OBJECT',
        },
    ),
)
print(response.text)
```

Enum Response Schema

Text Response

You can set `response_mime_type` to `'text/x.enum'` to return one of those enum values as the response.

```
from enum import Enum

class InstrumentEnum(Enum):
    PERCUSSION = 'Percussion'
    STRING = 'String'
    WOODWIND = 'Woodwind'
    BRASS = 'Brass'
    KEYBOARD = 'Keyboard'

response = client.models.generate_content(
    model='gemini-flash-latest',
    contents='What instrument plays multiple notes at once?',
    config={
        'response_mime_type': 'text/x.enum',
        'response_schema': InstrumentEnum,
    },
)
print(response.text)
```

JSON Response

You can also set `response_mime_type` to `'application/json'`, the response will be identical but in quotes.

```
from enum import Enum

class InstrumentEnum(Enum):
    PERCUSSION = 'Percussion'
    STRING = 'String'
    WOODWIND = 'Woodwind'
    BRASS = 'Brass'
    KEYBOARD = 'Keyboard'

response = client.models.generate_content(
    model='gemini-flash-latest',
    contents='What instrument plays multiple notes at once?',
    config={
        'response_mime_type': 'application/json',
        'response_schema': InstrumentEnum,
    },
)
print(response.text)
```

Generate Content (Synchronous Streaming)

Generate content in a streaming format so that the model outputs streams back to you, rather than being returned as one chunk.

Streaming for text content

```
for chunk in client.models.generate_content_stream(
    model='gemini-flash-latest', contents='Tell me a story in 300 words.'
):
    print(chunk.text, end='')
```

Streaming for image content

If your image is stored in Google Cloud Storage, you can use the `from_uri` class method to create a `Part` object.

```
from google.genai import types

for chunk in client.models.generate_content_stream(
    model='gemini-flash-latest',
    contents=[
        'What is this image about?',
        types.Part.from_uri(
            file_uri='gs://generativeai-downloads/images/scones.jpg',
            mime_type='image/jpeg',
        ),
    ],
):
    print(chunk.text, end='')
```

If your image is stored in your local file system, you can read it in as bytes data and use the `from_bytes` class method to create a `Part` object.

```
from google.genai import types

YOUR_IMAGE_PATH = 'your_image_path'
YOUR_IMAGE_MIME_TYPE = 'your_image_mime_type'
with open(YOUR_IMAGE_PATH, 'rb') as f:
    image_bytes = f.read()

for chunk in client.models.generate_content_stream(
    model='gemini-flash-latest',
    contents=[
        'What is this image about?',
        types.Part.from_bytes(data=image_bytes, mime_type=YOUR_IMAGE_MIME_TYPE),
    ],
):
    print(chunk.text, end='')
```

Generate Content (Asynchronous Non Streaming)

`client.aio` exposes all the analogous async methods that are available on `client`. Note that it applies to all the modules.

For example, `client.aio.models.generate_content` is the `async` version of `client.models.generate_content`

```
response = await client.aio.models.generate_content(
    model='gemini-flash-latest', contents='Tell me a story in 300 words.'
)

print(response.text)
```

Generate Content (Asynchronous Streaming)

```
async for chunk in await client.aio.models.generate_content_stream(
    model='gemini-flash-latest', contents='Tell me a story in 300 words.'
):
    print(chunk.text, end='')
```

Count Tokens and Compute Tokens

```
response = client.models.count_tokens(
    model='gemini-flash-latest',
    contents='why is the sky blue?',
)
print(response)
```

Compute Tokens

Compute tokens is only supported in Gemini Enterprise Agent Platform.

```
response = client.models.compute_tokens(
    model='gemini-flash-latest',
    contents='why is the sky blue?',
)
print(response)
```

Count Tokens (Asynchronous)

```
response = await client.aio.models.count_tokens(
    model='gemini-flash-latest',
    contents='why is the sky blue?',
)
print(response)
```

Local Count Tokens

Local Compute Tokens

Embed Content

```
response = client.models.embed_content(
    model='gemini-embedding-001',
    contents='why is the sky blue?',
)
print(response)
```

```
from google.genai import types

# multiple contents with config
response = client.models.embed_content(
    model='gemini-embedding-001',
    contents=['why is the sky blue?', 'What is your age?'],
    config=types.EmbedContentConfig(output_dimensionality=10),
)

print(response)
```

Imagen

Generate Images

Support for generate images in Gemini Developer API is behind an allowlist

```
from google.genai import types

# Generate Image
response1 = client.models.generate_images(
    model='imagen-4.0-generate-001',
    prompt='An umbrella in the foreground, and a rainy night sky in the background',
    config=types.GenerateImagesConfig(
        number_of_images=1,
        include_rai_reason=True,
        output_mime_type='image/jpeg',
    ),
)
response1.generated_images[0].image.show()
```

Upscale Image

Upscale image is only supported in Gemini Enterprise Agent Platform.

```
from google.genai import types

# Upscale the generated image from above
response2 = client.models.upscale_image(
    model='imagen-4.0-upscale-preview',
    image=response1.generated_images[0].image,
    upscale_factor='x2',
    config=types.UpscaleImageConfig(
        include_rai_reason=True,
        output_mime_type='image/jpeg',
    ),
)
response2.generated_images[0].image.show()
```

Edit Image

Edit image uses a separate model from generate and upscale.

Edit image is only supported in Gemini Enterprise Agent Platform.

```
# Edit the generated image from above
from google.genai import types
from google.genai.types import RawReferenceImage, MaskReferenceImage

raw_ref_image = RawReferenceImage(
    reference_id=1,
    reference_image=response1.generated_images[0].image,
)

# Model computes a mask of the background
mask_ref_image = MaskReferenceImage(
    reference_id=2,
    config=types.MaskReferenceConfig(
        mask_mode='MASK_MODE_BACKGROUND',
        mask_dilation=0,
    ),
)

response3 = client.models.edit_image(
    model='imagen-3.0-capability-001',
    prompt='Sunlight and clear sky',
    reference_images=[raw_ref_image, mask_ref_image],
    config=types.EditImageConfig(
        edit_mode='EDIT_MODE_INPAINT_INSERTION',
        number_of_images=1,
        include_rai_reason=True,
        output_mime_type='image/jpeg',
    ),
)
response3.generated_images[0].image.show()
```

Veo

Support for generating videos is considered public preview

Generate Videos (Text to Video)

```
from google.genai import types

# Create operation
operation = client.models.generate_videos(
    model='veo-3.1-generate-preview',
    source=types.GenerateVideosSource(
        prompt='A neon hologram of a cat driving at top speed',
    ),
    config=types.GenerateVideosConfig(
        number_of_videos=1,
        duration_seconds=5,
        enhance_prompt=True,
    ),
)

# Poll operation
while not operation.done:
    time.sleep(20)
    operation = client.operations.get(operation)

video = operation.response.generated_videos[0].video
video.show()
```

Generate Videos (Image to Video)

```
from google.genai import types

# Read local image (uses mimetypes.guess_type to infer mime type)
image = types.Image.from_file(location="local/path/file.png")

# Create operation
operation = client.models.generate_videos(
    model='veo-3.1-generate-preview',
    source=types.GenerateVideosSource(
        # Prompt is optional if image is provided
        prompt='Night sky',
        image=image,
    ),
    config=types.GenerateVideosConfig(
        number_of_videos=1,
        duration_seconds=5,
        enhance_prompt=True,
        # Can also pass an Image into last_frame for frame interpolation
    ),
)

# Poll operation
while not operation.done:
    time.sleep(20)
    operation = client.operations.get(operation)

video = operation.response.generated_videos[0].video
video.show()
```

Generate Videos (Video to Video)

Currently, only Gemini Enterprise Agent Platform supports Video to Video generation (Video extension).

```
from google.genai import types

# Read local video (uses mimetypes.guess_type to infer mime type)
video = types.Video.from_file("local/path/video.mp4")

# Create operation
operation = client.models.generate_videos(
    model='veo-3.1-generate-preview',
    source=types.GenerateVideosSource(
        # Prompt is optional if Video is provided
        prompt='Night sky',
        # Input video must be in GCS
        video=types.Video(
            uri="gs://bucket-name/inputs/videos/cat_driving.mp4",
        ),
    ),
    config=types.GenerateVideosConfig(
        number_of_videos=1,
        duration_seconds=5,
        enhance_prompt=True,
    ),
)

# Poll operation
while not operation.done:
    time.sleep(20)
    operation = client.operations.get(operation)

video = operation.response.generated_videos[0].video
video.show()
```

Chats

Create a chat session to start a multi-turn conversations with the model. Then, use *chat.send_message* function multiple times within the same chat session so that it can reflect on its previous responses (i.e., engage in an ongoing conversation). See the ‘Create a client’ section above to initialize a client.

Send Message (Synchronous Non-Streaming)

```
chat = client.chats.create(model='gemini-flash-latest')
response = chat.send_message('tell me a story')
print(response.text)
response = chat.send_message('summarize the story you told me in 1 sentence')
print(response.text)
```

Send Message (Synchronous Streaming)

```
chat = client.chats.create(model='gemini-flash-latest')
for chunk in chat.send_message_stream('tell me a story'):
    print(chunk.text)
```

Send Message (Asynchronous Non-Streaming)

```
chat = client.aio.chats.create(model='gemini-flash-latest')
response = await chat.send_message('tell me a story')
print(response.text)
```

Send Message (Asynchronous Streaming)

```
chat = client.aio.chats.create(model='gemini-flash-latest')
async for chunk in await chat.send_message_stream('tell me a story'):
    print(chunk.text)
```

Files

Files are only supported in Gemini Developer API. See the 'Create a client' section above to initialize a client.

```
gcloud storage cp gs://cloud-samples-data/generative-ai/pdf/2312.11805v3.pdf .
gcloud storage cp gs://cloud-samples-data/generative-ai/pdf/2403.05530.pdf .
```

Upload

```
file1 = client.files.upload(file='2312.11805v3.pdf')
file2 = client.files.upload(file='2403.05530.pdf')

print(file1)
print(file2)
```

Get

```
file1 = client.files.upload(file='2312.11805v3.pdf')
file_info = client.files.get(name=file1.name)
```

Delete

```
file3 = client.files.upload(file='2312.11805v3.pdf')

client.files.delete(name=file3.name)
```

Caches

`client.caches` contains the control plane APIs for cached content.

See the 'Create a client' section above to initialize a client.

Create

```
from google.genai import types

if client.enterprise:
    file_uris = [
        'gs://cloud-samples-data/generative-ai/pdf/2312.11805v3.pdf',
        'gs://cloud-samples-data/generative-ai/pdf/2403.05530.pdf',
    ]
else:
    file_uris = [file1.uri, file2.uri]

cached_content = client.caches.create(
    model='gemini-flash-latest',
    config=types.CreateCachedContentConfig(
        contents=[
            types.Content(
                role='user',
                parts=[
                    types.Part.from_uri(
                        file_uri=file_uris[0], mime_type='application/pdf'
                    ),
                    types.Part.from_uri(
                        file_uri=file_uris[1],
                        mime_type='application/pdf',
                    ),
                ],
            )
        ],
        system_instruction='What is the sum of the two pdfs?',
        display_name='test cache',
        ttl='3600s',
    ),
)
```

Get

```
cached_content = client.caches.get(name=cached_content.name)
```

Generate Content with Caches

```
from google.genai import types

response = client.models.generate_content(
    model='gemini-flash-latest',
    contents='Summarize the pdfs',
    config=types.GenerateContentConfig(
        cached_content=cached_content.name,
    ),
)
print(response.text)
```

Interactions

The Interactions API is a unified interface for interacting with Gemini models and agents. It simplifies state management, tool orchestration, and long-running tasks. See the Interactions documentation for more details.

Basic Interaction

```
interaction = client.interactions.create(
    model='gemini-flash-latest',
    input='Tell me a short joke about programming.'
)
print(interaction.output_text)
```

Stateful Conversation

The Interactions API supports server-side state management. You can continue a conversation by referencing the `previous_interaction_id`.

```
# 1. First turn
interaction1 = client.interactions.create(
    model='gemini-flash-latest',
    input='Hi, my name is Amir.'
)
print(f"Model: {interaction1.output_text}")

# 2. Second turn (passing previous_interaction_id)
interaction2 = client.interactions.create(
    model='gemini-flash-latest',
    input='What is my name?',
    previous_interaction_id=interaction1.id,
)
print(f"Model: {interaction2.output_text}")
```

Multimodal Output (Images and Audio)

The Interactions API can generate multimodal outputs, such as images or audio, by specifying `response_modalities`.

```
import base64

# Generate an image
interaction = client.interactions.create(
    model='gemini-3.1-flash-lite-image',
    input='Generate an image of a futuristic city.',
    response_modalities=['IMAGE'],
)

if interaction.output_image:
    print(f"Generated image with mime_type: {interaction.output_image.mime_type}")
    with open("generated_city.png", "wb") as f:
        f.write(base64.b64decode(interaction.output_image.data))
```

```
import base64

# Generate speech
interaction = client.interactions.create(
    model='gemini-3.8-flash-tts',
    input='Say hello and give a one sentence motivational quote.',
    response_modalities=['AUDIO'],
)

if interaction.output_audio:
    print(f"Generated audio with mime_type: {interaction.output_audio.mime_type}")
    with open("greeting.wav", "wb") as f:
        f.write(base64.b64decode(interaction.output_audio.data))
```

Built-in Tools

You can use Google's built-in tools such as Google Search or Code Execution.

```
interaction = client.interactions.create(
    model='gemini-flash-latest',
    input='Who won the last Super Bowl?',
    tools=[{'type': 'google_search'}],
)
print(interaction.output_text)
```

Tunings

`client.tunings` contains tuning job APIs and supports supervised fine tuning through `tune`. Only supported in Gemini Enterprise Agent Platform. See the 'Create a client' section above to initialize a client.

Tune

- Gemini Enterprise Agent Platform supports tuning from GCS source or from a Gemini Enterprise Agent Platform Multimodal Dataset

```
from google.genai import types

model = 'gemini-flash-latest'
training_dataset = types.TuningDataset(
    # or gcs_uri=my_enterprise_multimodal_dataset
    gcs_uri='gs://your-gcs-bucket/your-tuning-data.jsonl',
)
```

```
from google.genai import types

tuning_job = client.tunings.tune(
    base_model=model,
    training_dataset=training_dataset,
    config=types.CreateTuningJobConfig(
        epoch_count=1, tuned_model_display_name='test_dataset_examples model'
    ),
)
print(tuning_job)
```

Get Tuning Job

```
tuning_job = client.tunings.get(name=tuning_job.name)
print(tuning_job)
```

```
import time

completed_states = set(
    [
        'JOB_STATE_SUCCEEDED',
        'JOB_STATE_FAILED',
        'JOB_STATE_CANCELLED',
    ]
)

while tuning_job.state not in completed_states:
    print(tuning_job.state)
    tuning_job = client.tunings.get(name=tuning_job.name)
    time.sleep(10)
```

Use Tuned Model

```
response = client.models.generate_content(
    model=tuning_job.tuned_model.endpoint,
    contents='why is the sky blue?',
)

print(response.text)
```

Get Tuned Model

```
tuned_model = client.models.get(model=tuning_job.tuned_model.model)
print(tuned_model)
```

Update Tuned Model

```
from google.genai import types

tuned_model = client.models.update(
    model=tuning_job.tuned_model.model,
    config=types.UpdateModelConfig(
        display_name='my tuned model', description='my tuned model description'
    ),
)
print(tuned_model)
```

List Tuned Models

To retrieve base models, see: List Base Models

```
for model in client.models.list(config={'page_size': 10, 'query_base': False}):
    print(model)
```

```
pager = client.models.list(config={'page_size': 10, 'query_base': False})
print(pager.page_size)
print(pager[0])
pager.next_page()
print(pager[0])
```

List Tuned Models (Asynchronous)

```
async for job in await client.aio.models.list(config={'page_size': 10, 'query_base': False}):
    print(job)
```

```
async_pager = await client.aio.models.list(config={'page_size': 10, 'query_base': False})
print(async_pager.page_size)
print(async_pager[0])
await async_pager.next_page()
print(async_pager[0])
```

Update Tuned Model

```
from google.genai import types

model = pager[0]

model = client.models.update(
    model=model.name,
    config=types.UpdateModelConfig(
        display_name='my tuned model', description='my tuned model description'
    ),
)

print(model)
```

List Tuning Jobs

```
for job in client.tunings.list(config={'page_size': 10}):
    print(job)
```

```
pager = client.tunings.list(config={'page_size': 10})
print(pager.page_size)
print(pager[0])
pager.next_page()
print(pager[0])
```

List Tuning Jobs (Asynchronous):

```
async for job in await client.aio.tunings.list(config={'page_size': 10}):
    print(job)
```

```
async_pager = await client.aio.tunings.list(config={'page_size': 10})
print(async_pager.page_size)
print(async_pager[0])
await async_pager.next_page()
print(async_pager[0])
```

Batch Prediction

Create a batch job. See the 'Create a client' section above to initialize a client.

Create

Vertex AI client support using a BigQuery table or a GCS file as the source.

```
# Specify model and source file only, destination and job display name will be auto-populated
job = client.batches.create(
    model='gemini-flash-latest',
    src='bq://my-project.my-dataset.my-table',  # or "gs://path/to/input/data"
)

print(job)
```

Gemini Developer API

```
# Create a batch job with inlined requests
batch_job = client.batches.create(
    model="gemini-flash-latest",
    src=[{
        "contents": [{
            "parts": [{
                "text": "Hello!",
            }],
            "role": "user",
        }],
        "config": {"response_modalities": ["text"]},
    }],
)

job
```

In order to create a batch job with file name. Need to upload a json file. For example myrequests.json:

```
{"key":"request_1", "request": {"contents": [{"parts": [{"text":
 "Explain how AI works in a few words"}]}], "generation_config": {"response_modalities": ["TE
{"key":"request_2", "request": {"contents": [{"parts": [{"text": "Explain how Crypto works in
```

Then upload the file.

```
# Upload a file to Gemini Developer API
file_name = client.files.upload(
    file='myrequests.json',
    config=types.UploadFileConfig(display_name='test-json'),
)
# Create a batch job with file name
batch_job = client.batches.create(
    model="gemini-flash-latest",
    src="files/test-json",
)
```

```
# Get a job by name
job = client.batches.get(name=job.name)

job.state
```

```
completed_states = set(
    [
        'JOB_STATE_SUCCEEDED',
        'JOB_STATE_FAILED',
        'JOB_STATE_CANCELLED',
        'JOB_STATE_PAUSED',
    ]
)

while job.state not in completed_states:
    print(job.state)
    job = client.batches.get(name=job.name)
    time.sleep(30)

job
```

List

```
from google.genai import types

for job in client.batches.list(config=types.ListBatchJobsConfig(page_size=10)):
    print(job)
```

List Batch Jobs with Pager

```
from google.genai import types

pager = client.batches.list(config=types.ListBatchJobsConfig(page_size=10))
print(pager.page_size)
print(pager[0])
pager.next_page()
print(pager[0])
```

List Batch Jobs (Asynchronous)

```
from google.genai import types

async for job in await client.aio.batches.list(
    config=types.ListBatchJobsConfig(page_size=10)
):
    print(job)
```

List Batch Jobs with Pager (Asynchronous)

```
from google.genai import types

async_pager = await client.aio.batches.list(
    config=types.ListBatchJobsConfig(page_size=10)
)
print(async_pager.page_size)
print(async_pager[0])
await async_pager.next_page()
print(async_pager[0])
```

Delete

```
# Delete the job resource
delete_job = client.batches.delete(name=job.name)

delete_job
```

Error Handling

To handle errors raised by the model service, the SDK provides this APIError class.

```
from google.genai import errors

try:
    client.models.generate_content(
        model="invalid-model-name",
        contents="What is your name?",
    )
except errors.APIError as e:
    print(e.code) # 404
    print(e.message)
```

Extra Request Body

The `extra_body` field in `HttpOptions` accepts a dictionary of additional JSON properties to include in the request body. This can be used to access new or experimental backend features that are not yet formally supported in the SDK. The structure of the dictionary must match the backend API's request structure.

- Gemini Enterprise Agent Platform backend API docs: https://docs.cloud.google.com/gemini-enterprise-agent-platform/reference/rest
- GeminiAPI backend API docs: https://ai.google.dev/api/rest

```
response = client.models.generate_content(
    model="gemini-flash-latest",
    contents="What is the weather in Boston? and how about Sunnyvale?",
    config=types.GenerateContentConfig(
        tools=[get_current_weather],
        http_options=types.HttpOptions(extra_body={'tool_config': {'function_calling_config':
    ),
)
```

Reference

- Submodules

- genai.client module
  - AsyncClient
    - AsyncClient.aclose()
    - AsyncClient.agents
    - AsyncClient.auth_tokens
    - AsyncClient.batches
    - AsyncClient.caches
    - AsyncClient.chats
    - AsyncClient.credentials
    - AsyncClient.environments
    - AsyncClient.file_search_stores
    - AsyncClient.files
    - AsyncClient.interactions
    - AsyncClient.live
    - AsyncClient.models
    - AsyncClient.operations
    - AsyncClient.triggers
    - AsyncClient.tunings
    - AsyncClient.voices
    - AsyncClient.webhooks
  - Client
    - Client.api_key
    - Client.enterprise
    - Client.vertexai
    - Client.credentials
    - Client.project
    - Client.location
    - Client.debug_config
    - Client.http_options
    - Client.agents
    - Client.aio
    - Client.auth_tokens
    - Client.batches
    - Client.caches
    - Client.chats
    - Client.close()
    - Client.credentials
    - Client.environments
    - Client.file_search_stores
    - Client.files
    - Client.interactions
    - Client.models
    - Client.operations
    - Client.triggers
    - Client.tunings
    - Client.vertexai
    - Client.voices
    - Client.webhooks
  - DebugConfig
    - DebugConfig.client_mode
    - DebugConfig.replay_id
    - DebugConfig.replays_directory

- GAOS Client Resources
  - `GeminiNextGenInteractions`
    - `GeminiNextGenInteractions.cancel()`
    - `GeminiNextGenInteractions.create()`
    - `GeminiNextGenInteractions.delete()`
    - `GeminiNextGenInteractions.get()`
    - `GeminiNextGenInteractions.with_raw_response`
    - `GeminiNextGenInteractions.with_streaming_response`
  - `AsyncGeminiNextGenInteractions`
    - `AsyncGeminiNextGenInteractions.cancel()`
    - `AsyncGeminiNextGenInteractions.create()`
    - `AsyncGeminiNextGenInteractions.delete()`
    - `AsyncGeminiNextGenInteractions.get()`
    - `AsyncGeminiNextGenInteractions.with_raw_response`
    - `AsyncGeminiNextGenInteractions.with_streaming_response`
  - `GeminiNextGenAgents`
    - `GeminiNextGenAgents.create()`
    - `GeminiNextGenAgents.delete()`
    - `GeminiNextGenAgents.get()`
    - `GeminiNextGenAgents.list()`
    - `GeminiNextGenAgents.with_raw_response`
    - `GeminiNextGenAgents.with_streaming_response`
  - `AsyncGeminiNextGenAgents`
    - `AsyncGeminiNextGenAgents.create()`
    - `AsyncGeminiNextGenAgents.delete()`
    - `AsyncGeminiNextGenAgents.get()`
    - `AsyncGeminiNextGenAgents.list()`
    - `AsyncGeminiNextGenAgents.with_raw_response`
    - `AsyncGeminiNextGenAgents.with_streaming_response`
  - `GeminiNextGenWebhooks`
    - `GeminiNextGenWebhooks.create()`
    - `GeminiNextGenWebhooks.delete()`
    - `GeminiNextGenWebhooks.get()`
    - `GeminiNextGenWebhooks.list()`
    - `GeminiNextGenWebhooks.ping()`
    - `GeminiNextGenWebhooks.rotate_signing_secret()`
    - `GeminiNextGenWebhooks.update()`
    - `GeminiNextGenWebhooks.with_raw_response`
    - `GeminiNextGenWebhooks.with_streaming_response`
  - `AsyncGeminiNextGenWebhooks`
    - `AsyncGeminiNextGenWebhooks.create()`
    - `AsyncGeminiNextGenWebhooks.delete()`
    - `AsyncGeminiNextGenWebhooks.get()`
    - `AsyncGeminiNextGenWebhooks.list()`
    - `AsyncGeminiNextGenWebhooks.ping()`
    - `AsyncGeminiNextGenWebhooks.rotate_signing_secret()`
    - `AsyncGeminiNextGenWebhooks.update()`
    - `AsyncGeminiNextGenWebhooks.with_raw_response`
    - `AsyncGeminiNextGenWebhooks.with_streaming_response`
  - `GeminiNextGenTriggers`
    - `GeminiNextGenTriggers.create()`
    - `GeminiNextGenTriggers.delete()`
    - `GeminiNextGenTriggers.get()`
    - `GeminiNextGenTriggers.list()`
    - `GeminiNextGenTriggers.list_executions()`
    - `GeminiNextGenTriggers.run()`
    - `GeminiNextGenTriggers.update()`
    - `GeminiNextGenTriggers.with_raw_response`
    - `GeminiNextGenTriggers.with_streaming_response`
  - `AsyncGeminiNextGenTriggers`
    - `AsyncGeminiNextGenTriggers.create()`
    - `AsyncGeminiNextGenTriggers.delete()`
    - `AsyncGeminiNextGenTriggers.get()`
    - `AsyncGeminiNextGenTriggers.list()`
    - `AsyncGeminiNextGenTriggers.list_executions()`
    - `AsyncGeminiNextGenTriggers.run()`
    - `AsyncGeminiNextGenTriggers.update()`
    - `AsyncGeminiNextGenTriggers.with_raw_response`
    - `AsyncGeminiNextGenTriggers.with_streaming_response`
  - `GeminiNextGenEnvironments`
    - `GeminiNextGenEnvironments.create()`
    - `GeminiNextGenEnvironments.create_environment()`
    - `GeminiNextGenEnvironments.delete()`
    - `GeminiNextGenEnvironments.delete_environment()`
    - `GeminiNextGenEnvironments.files`
    - `GeminiNextGenEnvironments.get()`
    - `GeminiNextGenEnvironments.get_environment()`
    - `GeminiNextGenEnvironments.list()`
    - `GeminiNextGenEnvironments.list_environments()`
    - `GeminiNextGenEnvironments.with_raw_response`
    - `GeminiNextGenEnvironments.with_streaming_response`

        - AsyncGeminiNextGenEnvironments
            - AsyncGeminiNextGenEnvironments.create()
            - AsyncGeminiNextGenEnvironments.create_environment()
            - AsyncGeminiNextGenEnvironments.delete()
            - AsyncGeminiNextGenEnvironments.delete_environment()
            - AsyncGeminiNextGenEnvironments.files
            - AsyncGeminiNextGenEnvironments.get()
            - AsyncGeminiNextGenEnvironments.get_environment()
            - AsyncGeminiNextGenEnvironments.list()
            - AsyncGeminiNextGenEnvironments.list_environments()
            - AsyncGeminiNextGenEnvironments.with_raw_response
            - AsyncGeminiNextGenEnvironments.with_streaming_response
- genai.live module
    - AsyncLive
        - AsyncLive.connect()
        - AsyncLive.music
    - AsyncSession
        - AsyncSession.close()
        - AsyncSession.receive()
        - AsyncSession.send()
        - AsyncSession.send_client_content()
        - AsyncSession.send_context_update()
        - AsyncSession.send_realtime_input()
        - AsyncSession.send_tool_response()
        - AsyncSession.start_stream()
- genai.models module
    - AsyncModels
        - AsyncModels.compute_tokens()
        - AsyncModels.count_tokens()
        - AsyncModels.delete()
        - AsyncModels.edit_image()
        - AsyncModels.embed_content()
        - AsyncModels.generate_content()
        - AsyncModels.generate_content_stream()
        - AsyncModels.generate_images()
        - AsyncModels.generate_videos()
        - AsyncModels.get()
        - AsyncModels.list()
        - AsyncModels.recontext_image()
        - AsyncModels.segment_image()
        - AsyncModels.update()
        - AsyncModels.upscale_image()
    - Models
        - Models.compute_tokens()
        - Models.count_tokens()
        - Models.delete()
        - Models.edit_image()
        - Models.embed_content()
        - Models.generate_content()
        - Models.generate_content_stream()
        - Models.generate_images()
        - Models.generate_videos()
        - Models.get()
        - Models.list()
        - Models.recontext_image()
        - Models.segment_image()
        - Models.update()
        - Models.upscale_image()
- genai.tokens module
    - AsyncTokens
        - AsyncTokens.create()
    - Tokens
        - Tokens.create()
- genai.tunings module
    - AsyncTunings
        - AsyncTunings.cancel()
        - AsyncTunings.get()
        - AsyncTunings.list()
        - AsyncTunings.tune()
        - AsyncTunings.validate_reward()
    - Tunings
        - Tunings.cancel()
        - Tunings.get()
        - Tunings.list()
        - Tunings.tune()
        - Tunings.validate_reward()

- genai.types module
  - ActivityEnd
  - ActivityEndDict
  - ActivityHandling
    - ActivityHandling.ACTIVITY_HANDLING_UNSPECIFIED
    - ActivityHandling.NO_INTERRUPTION
    - ActivityHandling.START_OF_ACTIVITY_INTERRUPTS
  - ActivityStart
  - ActivityStartDict
  - AdapterSize
    - AdapterSize.ADAPTER_SIZE_EIGHT
    - AdapterSize.ADAPTER_SIZE_FOUR
    - AdapterSize.ADAPTER_SIZE_ONE
    - AdapterSize.ADAPTER_SIZE_SIXTEEN
    - AdapterSize.ADAPTER_SIZE_THIRTY_TWO
    - AdapterSize.ADAPTER_SIZE_TWO
    - AdapterSize.ADAPTER_SIZE_UNSPECIFIED
  - AggregationMetric
    - AggregationMetric.AGGREGATION_METRIC_UNSPECIFIED
    - AggregationMetric.AVERAGE
    - AggregationMetric.MAXIMUM
    - AggregationMetric.MEDIAN
    - AggregationMetric.MINIMUM
    - AggregationMetric.MODE
    - AggregationMetric.PERCENTILE_P90
    - AggregationMetric.PERCENTILE_P95
    - AggregationMetric.PERCENTILE_P99
    - AggregationMetric.STANDARD_DEVIATION
    - AggregationMetric.VARIANCE
  - AggregationOutput
    - AggregationOutput.aggregation_results
    - AggregationOutput.dataset
  - AggregationOutputDict
    - AggregationOutputDict.aggregation_results
    - AggregationOutputDict.dataset
  - AggregationResult
    - AggregationResult.aggregation_metric
    - AggregationResult.bleu_metric_value
    - AggregationResult.custom_code_execution_result
    - AggregationResult.exact_match_metric_value
    - AggregationResult.pairwise_metric_result
    - AggregationResult.pointwise_metric_result
    - AggregationResult.rouge_metric_value
  - AggregationResultDict
    - AggregationResultDict.aggregation_metric
    - AggregationResultDict.bleu_metric_value
    - AggregationResultDict.custom_code_execution_result
    - AggregationResultDict.exact_match_metric_value
    - AggregationResultDict.pairwise_metric_result
    - AggregationResultDict.pointwise_metric_result
    - AggregationResultDict.rouge_metric_value
  - ApiAuth
    - ApiAuth.api_key_config
  - ApiAuthApiKeyConfig
    - ApiAuthApiKeyConfig.api_key_secret_version
    - ApiAuthApiKeyConfig.api_key_string
  - ApiAuthApiKeyConfigDict
    - ApiAuthApiKeyConfigDict.api_key_secret_version
    - ApiAuthApiKeyConfigDict.api_key_string
  - ApiAuthDict
    - ApiAuthDict.api_key_config
  - ApiKeyConfig
    - ApiKeyConfig.api_key_secret
    - ApiKeyConfig.api_key_string
    - ApiKeyConfig.http_element_location
    - ApiKeyConfig.name
  - ApiKeyConfigDict
    - ApiKeyConfigDict.api_key_secret
    - ApiKeyConfigDict.api_key_string
    - ApiKeyConfigDict.http_element_location
    - ApiKeyConfigDict.name
  - ApiSpec
    - ApiSpec.API_SPEC_UNSPECIFIED
    - ApiSpec.ELASTIC_SEARCH
    - ApiSpec.SIMPLE_SEARCH

- AspectRatio
  - AspectRatio.ASPECT_RATIO_EIGHT_BY_ONE
  - AspectRatio.ASPECT_RATIO_FIVE_BY_FOUR
  - AspectRatio.ASPECT_RATIO_FOUR_BY_FIVE
  - AspectRatio.ASPECT_RATIO_FOUR_BY_ONE
  - AspectRatio.ASPECT_RATIO_FOUR_BY_THREE
  - AspectRatio.ASPECT_RATIO_NINE_BY_SIXTEEN
  - AspectRatio.ASPECT_RATIO_ONE_BY_EIGHT
  - AspectRatio.ASPECT_RATIO_ONE_BY_FOUR
  - AspectRatio.ASPECT_RATIO_ONE_BY_ONE
  - AspectRatio.ASPECT_RATIO_SIXTEEN_BY_NINE
  - AspectRatio.ASPECT_RATIO_THREE_BY_FOUR
  - AspectRatio.ASPECT_RATIO_THREE_BY_TWO
  - AspectRatio.ASPECT_RATIO_TWENTY_ONE_BY_NINE
  - AspectRatio.ASPECT_RATIO_TWO_BY_THREE
  - AspectRatio.ASPECT_RATIO_UNSPECIFIED
- AudioChunk
  - AudioChunk.data
  - AudioChunk.mime_type
  - AudioChunk.source_metadata
- AudioChunkDict
  - AudioChunkDict.data
  - AudioChunkDict.mime_type
  - AudioChunkDict.source_metadata
- AudioResponseFormat
  - AudioResponseFormat.bit_rate
  - AudioResponseFormat.delivery
  - AudioResponseFormat.mime_type
  - AudioResponseFormat.sample_rate
- AudioResponseFormatDict
  - AudioResponseFormatDict.bit_rate
  - AudioResponseFormatDict.delivery
  - AudioResponseFormatDict.mime_type
  - AudioResponseFormatDict.sample_rate
- AudioTranscriptionConfig
  - AudioTranscriptionConfig.adaptation_phrases
  - AudioTranscriptionConfig.custom_vocabulary
  - AudioTranscriptionConfig.diarization
  - AudioTranscriptionConfig.language_auto
  - AudioTranscriptionConfig.language_codes
  - AudioTranscriptionConfig.language_hints
  - AudioTranscriptionConfig.mode
  - AudioTranscriptionConfig.word_timestamp
- AudioTranscriptionConfigDict
  - AudioTranscriptionConfigDict.adaptation_phrases
  - AudioTranscriptionConfigDict.custom_vocabulary
  - AudioTranscriptionConfigDict.diarization
  - AudioTranscriptionConfigDict.language_auto
  - AudioTranscriptionConfigDict.language_codes
  - AudioTranscriptionConfigDict.language_hints
  - AudioTranscriptionConfigDict.mode
  - AudioTranscriptionConfigDict.word_timestamp
- AudioTranscriptionConfigMode
  - AudioTranscriptionConfigMode.MODE_UNSPECIFIED
  - AudioTranscriptionConfigMode.SMART
  - AudioTranscriptionConfigMode.VERBATIM
- AuthConfig
  - AuthConfig.api_key
  - AuthConfig.api_key_config
  - AuthConfig.auth_type
  - AuthConfig.google_service_account_config
  - AuthConfig.http_basic_auth_config
  - AuthConfig.oauth_config
  - AuthConfig.oidc_config
- AuthConfigDict
  - AuthConfigDict.api_key
  - AuthConfigDict.api_key_config
  - AuthConfigDict.auth_type
  - AuthConfigDict.google_service_account_config
  - AuthConfigDict.http_basic_auth_config
  - AuthConfigDict.oauth_config
  - AuthConfigDict.oidc_config
- AuthConfigGoogleServiceAccountConfig
  - AuthConfigGoogleServiceAccountConfig.service_account
- AuthConfigGoogleServiceAccountConfigDict
  - AuthConfigGoogleServiceAccountConfigDict.service_account
- AuthConfigHttpBasicAuthConfig
  - AuthConfigHttpBasicAuthConfig.credential_secret
- AuthConfigHttpBasicAuthConfigDict
  - AuthConfigHttpBasicAuthConfigDict.credential_secret
- AuthConfigOauthConfig
  - AuthConfigOauthConfig.access_token
  - AuthConfigOauthConfig.service_account
- AuthConfigOauthConfigDict
  - AuthConfigOauthConfigDict.access_token
  - AuthConfigOauthConfigDict.service_account

- AuthConfigOidcConfig
  - AuthConfigOidcConfig.id_token
  - AuthConfigOidcConfig.service_account
- AuthConfigOidcConfigDict
  - AuthConfigOidcConfigDict.id_token
  - AuthConfigOidcConfigDict.service_account
- AuthToken
  - AuthToken.expire_time
  - AuthToken.name
  - AuthToken.new_session_expire_time
  - AuthToken.uses
- AuthTokenDict
  - AuthTokenDict.expire_time
  - AuthTokenDict.name
  - AuthTokenDict.new_session_expire_time
  - AuthTokenDict.uses
- AuthType
  - AuthType.API_KEY_AUTH
  - AuthType.AUTH_TYPE_UNSPECIFIED
  - AuthType.GOOGLE_SERVICE_ACCOUNT_AUTH
  - AuthType.HTTP_BASIC_AUTH
  - AuthType.NO_AUTH
  - AuthType.OAUTH
  - AuthType.OIDC_AUTH
- AutomaticActivityDetection
  - AutomaticActivityDetection.disabled
  - AutomaticActivityDetection.end_of_speech_sensitivity
  - AutomaticActivityDetection.prefix_padding_ms
  - AutomaticActivityDetection.silence_duration_ms
  - AutomaticActivityDetection.start_of_speech_sensitivity
- AutomaticActivityDetectionDict
  - AutomaticActivityDetectionDict.disabled
  - AutomaticActivityDetectionDict.end_of_speech_sensitivity
  - AutomaticActivityDetectionDict.prefix_padding_ms
  - AutomaticActivityDetectionDict.silence_duration_ms
  - AutomaticActivityDetectionDict.start_of_speech_sensitivity
- AutomaticFunctionCallingConfig
  - AutomaticFunctionCallingConfig.disable
  - AutomaticFunctionCallingConfig.ignore_call_history
  - AutomaticFunctionCallingConfig.maximum_remote_calls
- AutomaticFunctionCallingConfigDict
  - AutomaticFunctionCallingConfigDict.disable
  - AutomaticFunctionCallingConfigDict.ignore_call_history
  - AutomaticFunctionCallingConfigDict.maximum_remote_calls
- AutoraterConfig
  - AutoraterConfig.autorater_model
  - AutoraterConfig.flip_enabled
  - AutoraterConfig.generation_config
  - AutoraterConfig.sampling_count
- AutoraterConfigDict
  - AutoraterConfigDict.autorater_model
  - AutoraterConfigDict.flip_enabled
  - AutoraterConfigDict.generation_config
  - AutoraterConfigDict.sampling_count
- AvatarConfig
  - AvatarConfig.audio_bitrate_bps
  - AvatarConfig.avatar_name
  - AvatarConfig.customized_avatar
  - AvatarConfig.video_bitrate_bps
- AvatarConfigDict
  - AvatarConfigDict.audio_bitrate_bps
  - AvatarConfigDict.avatar_name
  - AvatarConfigDict.customized_avatar
  - AvatarConfigDict.video_bitrate_bps
- BatchJob
  - BatchJob.completion_stats
  - BatchJob.create_time
  - BatchJob.dest
  - BatchJob.display_name
  - BatchJob.end_time
  - BatchJob.error
  - BatchJob.model
  - BatchJob.name
  - BatchJob.output_info
  - BatchJob.src
  - BatchJob.start_time
  - BatchJob.state
  - BatchJob.update_time
  - BatchJob.done
- BatchJobDestination
  - BatchJobDestination.bigquery_uri
  - BatchJobDestination.file_name
  - BatchJobDestination.format
  - BatchJobDestination.gcs_uri
  - BatchJobDestination.inlined_embed_content_responses
  - BatchJobDestination.inlined_responses
  - BatchJobDestination.vertex_dataset

- BatchJobDestinationDict
  - BatchJobDestinationDict.bigquery_uri
  - BatchJobDestinationDict.file_name
  - BatchJobDestinationDict.format
  - BatchJobDestinationDict.gcs_uri
  - BatchJobDestinationDict.inlined_embed_content_responses
  - BatchJobDestinationDict.inlined_responses
  - BatchJobDestinationDict.vertex_dataset
- BatchJobDict
  - BatchJobDict.completion_stats
  - BatchJobDict.create_time
  - BatchJobDict.dest
  - BatchJobDict.display_name
  - BatchJobDict.end_time
  - BatchJobDict.error
  - BatchJobDict.model
  - BatchJobDict.name
  - BatchJobDict.output_info
  - BatchJobDict.src
  - BatchJobDict.start_time
  - BatchJobDict.state
  - BatchJobDict.update_time
- BatchJobOutputInfo
  - BatchJobOutputInfo.bigquery_output_table
  - BatchJobOutputInfo.gcs_output_directory
  - BatchJobOutputInfo.vertex_multimodal_dataset_name
- BatchJobOutputInfoDict
  - BatchJobOutputInfoDict.bigquery_output_table
  - BatchJobOutputInfoDict.gcs_output_directory
  - BatchJobOutputInfoDict.vertex_multimodal_dataset_name
- BatchJobSource
  - BatchJobSource.bigquery_uri
  - BatchJobSource.file_name
  - BatchJobSource.format
  - BatchJobSource.gcs_uri
  - BatchJobSource.inlined_requests
  - BatchJobSource.vertex_dataset_name
- BatchJobSourceDict
  - BatchJobSourceDict.bigquery_uri
  - BatchJobSourceDict.file_name
  - BatchJobSourceDict.format
  - BatchJobSourceDict.gcs_uri
  - BatchJobSourceDict.inlined_requests
  - BatchJobSourceDict.vertex_dataset_name
- Behavior
  - Behavior.BLOCKING
  - Behavior.NON_BLOCKING
  - Behavior.UNSPECIFIED
- BigQuerySource
  - BigQuerySource.input_uri
- BigQuerySourceDict
  - BigQuerySourceDict.input_uri
- BleuMetricValue
  - BleuMetricValue.score
- BleuMetricValueDict
  - BleuMetricValueDict.score
- BleuSpec
  - BleuSpec.use_effective_order
- BleuSpecDict
  - BleuSpecDict.use_effective_order
- Blob
  - Blob.data
  - Blob.display_name
  - Blob.mime_type
  - Blob.as_image()
- BlobDict
  - BlobDict.data
  - BlobDict.display_name
  - BlobDict.mime_type
- BlockedReason
  - BlockedReason.BLOCKED_REASON_UNSPECIFIED
  - BlockedReason.BLOCKLIST
  - BlockedReason.IMAGE_SAFETY
  - BlockedReason.JAILBREAK
  - BlockedReason.MODEL_ARMOR
  - BlockedReason.OTHER
  - BlockedReason.PROHIBITED_CONTENT
  - BlockedReason.SAFETY
- CachedContent
  - CachedContent.create_time
  - CachedContent.display_name
  - CachedContent.expire_time
  - CachedContent.model
  - CachedContent.name
  - CachedContent.update_time
  - CachedContent.usage_metadata

- CachedContentDict
  - CachedContentDict.create_time
  - CachedContentDict.display_name
  - CachedContentDict.expire_time
  - CachedContentDict.model
  - CachedContentDict.name
  - CachedContentDict.update_time
  - CachedContentDict.usage_metadata
- CachedContentUsageMetadata
  - CachedContentUsageMetadata.audio_duration_seconds
  - CachedContentUsageMetadata.image_count
  - CachedContentUsageMetadata.text_count
  - CachedContentUsageMetadata.total_token_count
  - CachedContentUsageMetadata.video_duration_seconds
- CachedContentUsageMetadataDict
  - CachedContentUsageMetadataDict.audio_duration_seconds
  - CachedContentUsageMetadataDict.image_count
  - CachedContentUsageMetadataDict.text_count
  - CachedContentUsageMetadataDict.total_token_count
  - CachedContentUsageMetadataDict.video_duration_seconds
- CancelBatchJobConfig
  - CancelBatchJobConfig.http_options
- CancelBatchJobConfigDict
  - CancelBatchJobConfigDict.http_options
- CancelTuningJobConfig
  - CancelTuningJobConfig.http_options
- CancelTuningJobConfigDict
  - CancelTuningJobConfigDict.http_options
- CancelTuningJobResponse
  - CancelTuningJobResponse.sdk_http_response
- CancelTuningJobResponseDict
  - CancelTuningJobResponseDict.sdk_http_response
- Candidate
  - Candidate.avg_logprobs
  - Candidate.citation_metadata
  - Candidate.content
  - Candidate.continuation_token
  - Candidate.finish_message
  - Candidate.finish_reason
  - Candidate.grounding_metadata
  - Candidate.index
  - Candidate.logprobs_result
  - Candidate.safety_ratings
  - Candidate.token_count
  - Candidate.url_context_metadata
- CandidateDict
  - CandidateDict.avg_logprobs
  - CandidateDict.citation_metadata
  - CandidateDict.content
  - CandidateDict.continuation_token
  - CandidateDict.finish_message
  - CandidateDict.finish_reason
  - CandidateDict.grounding_metadata
  - CandidateDict.index
  - CandidateDict.logprobs_result
  - CandidateDict.safety_ratings
  - CandidateDict.token_count
  - CandidateDict.url_context_metadata
- Checkpoint
  - Checkpoint.checkpoint_id
  - Checkpoint.epoch
  - Checkpoint.step
- CheckpointDict
  - CheckpointDict.checkpoint_id
  - CheckpointDict.epoch
  - CheckpointDict.step
- ChunkingConfig
  - ChunkingConfig.white_space_config
- ChunkingConfigDict
  - ChunkingConfigDict.white_space_config
- Citation
  - Citation.end_index
  - Citation.license
  - Citation.publication_date
  - Citation.start_index
  - Citation.title
  - Citation.uri
- CitationDict
  - CitationDict.end_index
  - CitationDict.license
  - CitationDict.publication_date
  - CitationDict.start_index
  - CitationDict.title
  - CitationDict.uri
- CitationMetadata
  - CitationMetadata.citations
- CitationMetadataDict
  - CitationMetadataDict.citations

- CodeExecutionResult
  - CodeExecutionResult.id
  - CodeExecutionResult.outcome
  - CodeExecutionResult.output
- CodeExecutionResultDict
  - CodeExecutionResultDict.id
  - CodeExecutionResultDict.outcome
  - CodeExecutionResultDict.output
- CompletionStats
  - CompletionStats.failed_count
  - CompletionStats.incomplete_count
  - CompletionStats.successful_count
  - CompletionStats.successful_forecast_point_count
- CompletionStatsDict
  - CompletionStatsDict.failed_count
  - CompletionStatsDict.incomplete_count
  - CompletionStatsDict.successful_count
  - CompletionStatsDict.successful_forecast_point_count
- CompositeReinforcementTuningRewardConfig
  - CompositeReinforcementTuningRewardConfig.weighted_reward_configs
- CompositeReinforcementTuningRewardConfigDict
  - CompositeReinforcementTuningRewardConfigDict.weighted_reward_configs
- CompositeReinforcementTuningRewardConfigWeightedRewardConfig
  - CompositeReinforcementTuningRewardConfigWeightedRewardConfig.reward_config
  - CompositeReinforcementTuningRewardConfigWeightedRewardConfig.weight
- CompositeReinforcementTuningRewardConfigWeightedRewardConfigDict
  - CompositeReinforcementTuningRewardConfigWeightedRewardConfigDict.reward_config
  - CompositeReinforcementTuningRewardConfigWeightedRewardConfigDict.weight
- ComputationBasedMetricSpec
  - ComputationBasedMetricSpec.parameters
  - ComputationBasedMetricSpec.type
- ComputationBasedMetricSpecDict
  - ComputationBasedMetricSpecDict.parameters
  - ComputationBasedMetricSpecDict.type
- ComputationBasedMetricType
  - ComputationBasedMetricType.BLEU
  - ComputationBasedMetricType.COMPUTATION_BASED_METRIC_TYPE_UNSPECIFIED
  - ComputationBasedMetricType.EXACT_MATCH
  - ComputationBasedMetricType.ROUGE
- ComputeTokensConfig
  - ComputeTokensConfig.http_options
- ComputeTokensConfigDict
  - ComputeTokensConfigDict.http_options
- ComputeTokensResponse
  - ComputeTokensResponse.sdk_http_response
  - ComputeTokensResponse.tokens_info
- ComputeTokensResponseDict
  - ComputeTokensResponseDict.sdk_http_response
  - ComputeTokensResponseDict.tokens_info
- ComputeTokensResult
  - ComputeTokensResult.tokens_info
- ComputeTokensResultDict
  - ComputeTokensResultDict.tokens_info
- ComputerUse
  - ComputerUse.disabled_safety_policies
  - ComputerUse.enable_prompt_injection_detection
  - ComputerUse.environment
  - ComputerUse.excluded_predefined_functions
- ComputerUseDict
  - ComputerUseDict.disabled_safety_policies
  - ComputerUseDict.enable_prompt_injection_detection
  - ComputerUseDict.environment
  - ComputerUseDict.excluded_predefined_functions
- Content
  - Content.parts
  - Content.role
- ContentDict
  - ContentDict.parts
  - ContentDict.role
- ContentEmbedding
  - ContentEmbedding.statistics
  - ContentEmbedding.values
- ContentEmbeddingDict
  - ContentEmbeddingDict.statistics
- ContentEmbeddingStatistics
  - ContentEmbeddingStatistics.token_count
  - ContentEmbeddingStatistics.tokens_details
  - ContentEmbeddingStatistics.truncated
- ContentEmbeddingStatisticsDict
  - ContentEmbeddingStatisticsDict.token_count
  - ContentEmbeddingStatisticsDict.tokens_details
  - ContentEmbeddingStatisticsDict.truncated
- ContentReferenceImage
  - ContentReferenceImage.reference_id
  - ContentReferenceImage.reference_image
  - ContentReferenceImage.reference_type

- ContentReferenceImageDict
  - ContentReferenceImageDict.reference_id
  - ContentReferenceImageDict.reference_image
  - ContentReferenceImageDict.reference_type
- ContextWindowCompressionConfig
  - ContextWindowCompressionConfig.sliding_window
  - ContextWindowCompressionConfig.trigger_tokens
- ContextWindowCompressionConfigDict
  - ContextWindowCompressionConfigDict.sliding_window
  - ContextWindowCompressionConfigDict.trigger_tokens
- ControlReferenceConfig
  - ControlReferenceConfig.control_type
  - ControlReferenceConfig.enable_control_image_computation
- ControlReferenceConfigDict
  - ControlReferenceConfigDict.control_type
  - ControlReferenceConfigDict.enable_control_image_computation
- ControlReferenceImage
  - ControlReferenceImage.config
  - ControlReferenceImage.control_image_config
  - ControlReferenceImage.reference_id
  - ControlReferenceImage.reference_image
  - ControlReferenceImage.reference_type
- ControlReferenceImageDict
  - ControlReferenceImageDict.config
  - ControlReferenceImageDict.reference_id
  - ControlReferenceImageDict.reference_image
  - ControlReferenceImageDict.reference_type
- ControlReferenceType
  - ControlReferenceType.CONTROL_TYPE_CANNY
  - ControlReferenceType.CONTROL_TYPE_DEFAULT
  - ControlReferenceType.CONTROL_TYPE_FACE_MESH
  - ControlReferenceType.CONTROL_TYPE_SCRIBBLE
- CountTokensConfig
  - CountTokensConfig.generation_config
  - CountTokensConfig.http_options
  - CountTokensConfig.system_instruction
  - CountTokensConfig.tools
- CountTokensConfigDict
  - CountTokensConfigDict.generation_config
  - CountTokensConfigDict.http_options
  - CountTokensConfigDict.system_instruction
  - CountTokensConfigDict.tools
- CountTokensResponse
  - CountTokensResponse.cached_content_token_count
  - CountTokensResponse.sdk_http_response
  - CountTokensResponse.total_tokens
- CountTokensResponseDict
  - CountTokensResponseDict.cached_content_token_count
  - CountTokensResponseDict.sdk_http_response
  - CountTokensResponseDict.total_tokens
- CountTokensResult
  - CountTokensResult.total_tokens
- CountTokensResultDict
  - CountTokensResultDict.total_tokens
- CreateAuthTokenConfig
  - CreateAuthTokenConfig.expire_time
  - CreateAuthTokenConfig.http_options
  - CreateAuthTokenConfig.live_connect_constraints
  - CreateAuthTokenConfig.lock_additional_fields
  - CreateAuthTokenConfig.new_session_expire_time
  - CreateAuthTokenConfig.uses
- CreateAuthTokenConfigDict
  - CreateAuthTokenConfigDict.expire_time
  - CreateAuthTokenConfigDict.http_options
  - CreateAuthTokenConfigDict.live_connect_constraints
  - CreateAuthTokenConfigDict.lock_additional_fields
  - CreateAuthTokenConfigDict.new_session_expire_time
  - CreateAuthTokenConfigDict.uses
- CreateAuthTokenParameters
  - CreateAuthTokenParameters.config
- CreateAuthTokenParametersDict
  - CreateAuthTokenParametersDict.config
- CreateBatchJobConfig
  - CreateBatchJobConfig.dest
  - CreateBatchJobConfig.display_name
  - CreateBatchJobConfig.http_options
  - CreateBatchJobConfig.webhook_config
- CreateBatchJobConfigDict
  - CreateBatchJobConfigDict.dest
  - CreateBatchJobConfigDict.display_name
  - CreateBatchJobConfigDict.http_options
  - CreateBatchJobConfigDict.webhook_config

- CreateCachedContentConfig
  - CreateCachedContentConfig.contents
  - CreateCachedContentConfig.display_name
  - CreateCachedContentConfig.expire_time
  - CreateCachedContentConfig.http_options
  - CreateCachedContentConfig.kms_key_name
  - CreateCachedContentConfig.system_instruction
  - CreateCachedContentConfig.tool_config
  - CreateCachedContentConfig.tools
  - CreateCachedContentConfig.ttl
- CreateCachedContentConfigDict
  - CreateCachedContentConfigDict.contents
  - CreateCachedContentConfigDict.display_name
  - CreateCachedContentConfigDict.expire_time
  - CreateCachedContentConfigDict.http_options
  - CreateCachedContentConfigDict.kms_key_name
  - CreateCachedContentConfigDict.system_instruction
  - CreateCachedContentConfigDict.tool_config
  - CreateCachedContentConfigDict.tools
  - CreateCachedContentConfigDict.ttl
- CreateEmbeddingsBatchJobConfig
  - CreateEmbeddingsBatchJobConfig.display_name
  - CreateEmbeddingsBatchJobConfig.http_options
- CreateEmbeddingsBatchJobConfigDict
  - CreateEmbeddingsBatchJobConfigDict.display_name
  - CreateEmbeddingsBatchJobConfigDict.http_options
- CreateFileConfig
  - CreateFileConfig.http_options
  - CreateFileConfig.should_return_http_response
- CreateFileConfigDict
  - CreateFileConfigDict.http_options
  - CreateFileConfigDict.should_return_http_response
- CreateFileResponse
  - CreateFileResponse.sdk_http_response
- CreateFileResponseDict
  - CreateFileResponseDict.sdk_http_response
- CreateFileSearchStoreConfig
  - CreateFileSearchStoreConfig.display_name
  - CreateFileSearchStoreConfig.embedding_model
  - CreateFileSearchStoreConfig.http_options
- CreateFileSearchStoreConfigDict
  - CreateFileSearchStoreConfigDict.display_name
  - CreateFileSearchStoreConfigDict.embedding_model
  - CreateFileSearchStoreConfigDict.http_options
- CreateTuningJobConfig
  - CreateTuningJobConfig.adapter_size
  - CreateTuningJobConfig.base_teacher_model
  - CreateTuningJobConfig.batch_size
  - CreateTuningJobConfig.beta
  - CreateTuningJobConfig.checkpoint_interval
  - CreateTuningJobConfig.composite_reward_config
  - CreateTuningJobConfig.custom_base_model
  - CreateTuningJobConfig.description
  - CreateTuningJobConfig.encryption_spec
  - CreateTuningJobConfig.epoch_count
  - CreateTuningJobConfig.evaluate_interval
  - CreateTuningJobConfig.evaluation_config
  - CreateTuningJobConfig.export_last_checkpoint_only
  - CreateTuningJobConfig.http_options
  - CreateTuningJobConfig.labels
  - CreateTuningJobConfig.learning_rate
  - CreateTuningJobConfig.learning_rate_multiplier
  - CreateTuningJobConfig.max_output_tokens
  - CreateTuningJobConfig.method
  - CreateTuningJobConfig.output_uri
  - CreateTuningJobConfig.pre_tuned_model_checkpoint_id
  - CreateTuningJobConfig.reward_config
  - CreateTuningJobConfig.samples_per_prompt
  - CreateTuningJobConfig.sft_loss_weight_multiplier
  - CreateTuningJobConfig.thinking_level
  - CreateTuningJobConfig.tuned_model_display_name
  - CreateTuningJobConfig.tuned_teacher_model_source
  - CreateTuningJobConfig.tuning_mode
  - CreateTuningJobConfig.validation_dataset
  - CreateTuningJobConfig.validation_dataset_uri

- CreateTuningJobConfigDict
  - CreateTuningJobConfigDict.adapter_size
  - CreateTuningJobConfigDict.base_teacher_model
  - CreateTuningJobConfigDict.batch_size
  - CreateTuningJobConfigDict.beta
  - CreateTuningJobConfigDict.checkpoint_interval
  - CreateTuningJobConfigDict.composite_reward_config
  - CreateTuningJobConfigDict.custom_base_model
  - CreateTuningJobConfigDict.description
  - CreateTuningJobConfigDict.encryption_spec
  - CreateTuningJobConfigDict.epoch_count
  - CreateTuningJobConfigDict.evaluate_interval
  - CreateTuningJobConfigDict.evaluation_config
  - CreateTuningJobConfigDict.export_last_checkpoint_only
  - CreateTuningJobConfigDict.http_options
  - CreateTuningJobConfigDict.labels
  - CreateTuningJobConfigDict.learning_rate
  - CreateTuningJobConfigDict.learning_rate_multiplier
  - CreateTuningJobConfigDict.max_output_tokens
  - CreateTuningJobConfigDict.method
  - CreateTuningJobConfigDict.output_uri
  - CreateTuningJobConfigDict.pre_tuned_model_checkpoint_id
  - CreateTuningJobConfigDict.reward_config
  - CreateTuningJobConfigDict.samples_per_prompt
  - CreateTuningJobConfigDict.sft_loss_weight_multiplier
  - CreateTuningJobConfigDict.thinking_level
  - CreateTuningJobConfigDict.tuned_model_display_name
  - CreateTuningJobConfigDict.tuned_teacher_model_source
  - CreateTuningJobConfigDict.tuning_mode
  - CreateTuningJobConfigDict.validation_dataset
  - CreateTuningJobConfigDict.validation_dataset_uri
- CreateTuningJobParameters
  - CreateTuningJobParameters.base_model
  - CreateTuningJobParameters.config
  - CreateTuningJobParameters.training_dataset
- CreateTuningJobParametersDict
  - CreateTuningJobParametersDict.base_model
  - CreateTuningJobParametersDict.config
  - CreateTuningJobParametersDict.training_dataset
- CustomCodeExecutionResult
  - CustomCodeExecutionResult.score
- CustomCodeExecutionResultDict
  - CustomCodeExecutionResultDict.score
- CustomCodeExecutionSpec
  - CustomCodeExecutionSpec.code_execution_region
  - CustomCodeExecutionSpec.evaluation_function
- CustomCodeExecutionSpecDict
  - CustomCodeExecutionSpecDict.code_execution_region
  - CustomCodeExecutionSpecDict.evaluation_function
- CustomMetadata
  - CustomMetadata.key
  - CustomMetadata.numeric_value
  - CustomMetadata.string_list_value
  - CustomMetadata.string_value
- CustomMetadataDict
  - CustomMetadataDict.key
  - CustomMetadataDict.numeric_value
  - CustomMetadataDict.string_list_value
  - CustomMetadataDict.string_value
- CustomOutput
  - CustomOutput.raw_outputs
- CustomOutputDict
  - CustomOutputDict.raw_outputs
- CustomOutputFormatConfig
  - CustomOutputFormatConfig.return_raw_output
- CustomOutputFormatConfigDict
  - CustomOutputFormatConfigDict.return_raw_output
- CustomizedAvatar
  - CustomizedAvatar.image_data
  - CustomizedAvatar.image_mime_type
- CustomizedAvatarDict
  - CustomizedAvatarDict.image_data
  - CustomizedAvatarDict.image_mime_type
- DatasetDistribution
  - DatasetDistribution.buckets
  - DatasetDistribution.max
  - DatasetDistribution.mean
  - DatasetDistribution.median
  - DatasetDistribution.min
  - DatasetDistribution.p5
  - DatasetDistribution.p95
  - DatasetDistribution.sum

- DatasetDistributionDict
  - DatasetDistributionDict.buckets
  - DatasetDistributionDict.max
  - DatasetDistributionDict.mean
  - DatasetDistributionDict.median
  - DatasetDistributionDict.min
  - DatasetDistributionDict.p5
  - DatasetDistributionDict.p95
  - DatasetDistributionDict.sum
- DatasetDistributionDistributionBucket
  - DatasetDistributionDistributionBucket.count
  - DatasetDistributionDistributionBucket.left
  - DatasetDistributionDistributionBucket.right
- DatasetDistributionDistributionBucketDict
  - DatasetDistributionDistributionBucketDict.count
  - DatasetDistributionDistributionBucketDict.left
  - DatasetDistributionDistributionBucketDict.right
- DatasetStats
  - DatasetStats.contents_per_example_distribution
  - DatasetStats.dropped_example_indices
  - DatasetStats.dropped_example_reasons
  - DatasetStats.reinforcement_tuning_user_dataset_examples
  - DatasetStats.total_billable_character_count
  - DatasetStats.total_billable_token_count
  - DatasetStats.total_tuning_character_count
  - DatasetStats.tuning_dataset_example_count
  - DatasetStats.tuning_step_count
  - DatasetStats.user_dataset_examples
  - DatasetStats.user_input_token_distribution
  - DatasetStats.user_message_per_example_distribution
  - DatasetStats.user_output_token_distribution
- DatasetStatsDict
  - DatasetStatsDict.contents_per_example_distribution
  - DatasetStatsDict.dropped_example_indices
  - DatasetStatsDict.dropped_example_reasons
  - DatasetStatsDict.reinforcement_tuning_user_dataset_examples
  - DatasetStatsDict.total_billable_character_count
  - DatasetStatsDict.total_billable_token_count
  - DatasetStatsDict.total_tuning_character_count
  - DatasetStatsDict.tuning_dataset_example_count
  - DatasetStatsDict.tuning_step_count
  - DatasetStatsDict.user_dataset_examples
  - DatasetStatsDict.user_input_token_distribution
  - DatasetStatsDict.user_message_per_example_distribution
  - DatasetStatsDict.user_output_token_distribution
- DeleteBatchJobConfig
  - DeleteBatchJobConfig.http_options
- DeleteBatchJobConfigDict
  - DeleteBatchJobConfigDict.http_options
- DeleteCachedContentConfig
  - DeleteCachedContentConfig.http_options
- DeleteCachedContentConfigDict
  - DeleteCachedContentConfigDict.http_options
- DeleteCachedContentResponse
  - DeleteCachedContentResponse.sdk_http_response
- DeleteCachedContentResponseDict
  - DeleteCachedContentResponseDict.sdk_http_response
- DeleteDocumentConfig
  - DeleteDocumentConfig.force
  - DeleteDocumentConfig.http_options
- DeleteDocumentConfigDict
  - DeleteDocumentConfigDict.force
  - DeleteDocumentConfigDict.http_options
- DeleteFileConfig
  - DeleteFileConfig.http_options
- DeleteFileConfigDict
  - DeleteFileConfigDict.http_options
- DeleteFileResponse
  - DeleteFileResponse.sdk_http_response
- DeleteFileResponseDict
  - DeleteFileResponseDict.sdk_http_response
- DeleteFileSearchStoreConfig
  - DeleteFileSearchStoreConfig.force
  - DeleteFileSearchStoreConfig.http_options
- DeleteFileSearchStoreConfigDict
  - DeleteFileSearchStoreConfigDict.force
  - DeleteFileSearchStoreConfigDict.http_options
- DeleteModelConfig
  - DeleteModelConfig.http_options
- DeleteModelConfigDict
  - DeleteModelConfigDict.http_options
- DeleteModelResponse
  - DeleteModelResponse.sdk_http_response
- DeleteModelResponseDict
  - DeleteModelResponseDict.sdk_http_response

- DeleteResourceJob
  - DeleteResourceJob.done
  - DeleteResourceJob.error
  - DeleteResourceJob.name
  - DeleteResourceJob.sdk_http_response
- DeleteResourceJobDict
  - DeleteResourceJobDict.done
  - DeleteResourceJobDict.error
  - DeleteResourceJobDict.name
  - DeleteResourceJobDict.sdk_http_response
- Delivery
  - Delivery.DELIVERY_UNSPECIFIED
  - Delivery.INLINE
  - Delivery.URI
- DistillationDataStats
  - DistillationDataStats.training_dataset_stats
- DistillationDataStatsDict
  - DistillationDataStatsDict.training_dataset_stats
- DistillationHyperParameters
  - DistillationHyperParameters.adapter_size
  - DistillationHyperParameters.batch_size
  - DistillationHyperParameters.epoch_count
  - DistillationHyperParameters.generation_config
  - DistillationHyperParameters.learning_rate
  - DistillationHyperParameters.learning_rate_multiplier
- DistillationHyperParametersDict
  - DistillationHyperParametersDict.adapter_size
  - DistillationHyperParametersDict.batch_size
  - DistillationHyperParametersDict.epoch_count
  - DistillationHyperParametersDict.generation_config
  - DistillationHyperParametersDict.learning_rate
  - DistillationHyperParametersDict.learning_rate_multiplier
- DistillationSamplingSpec
  - DistillationSamplingSpec.base_teacher_model
  - DistillationSamplingSpec.hyperparameters
  - DistillationSamplingSpec.prompt_dataset_uri
  - DistillationSamplingSpec.tuned_teacher_model_source
  - DistillationSamplingSpec.validation_dataset_uri
- DistillationSamplingSpecDict
  - DistillationSamplingSpecDict.base_teacher_model
  - DistillationSamplingSpecDict.hyperparameters
  - DistillationSamplingSpecDict.prompt_dataset_uri
  - DistillationSamplingSpecDict.tuned_teacher_model_source
  - DistillationSamplingSpecDict.validation_dataset_uri
- DistillationSpec
  - DistillationSpec.base_teacher_model
  - DistillationSpec.hyper_parameters
  - DistillationSpec.pipeline_root_directory
  - DistillationSpec.prompt_dataset_uri
  - DistillationSpec.student_model
  - DistillationSpec.training_dataset_uri
  - DistillationSpec.tuned_teacher_model_source
  - DistillationSpec.tuning_mode
  - DistillationSpec.validation_dataset_uri
- DistillationSpecDict
  - DistillationSpecDict.base_teacher_model
  - DistillationSpecDict.hyper_parameters
  - DistillationSpecDict.pipeline_root_directory
  - DistillationSpecDict.prompt_dataset_uri
  - DistillationSpecDict.student_model
  - DistillationSpecDict.training_dataset_uri
  - DistillationSpecDict.tuned_teacher_model_source
  - DistillationSpecDict.tuning_mode
  - DistillationSpecDict.validation_dataset_uri
- Document
  - Document.create_time
  - Document.custom_metadata
  - Document.display_name
  - Document.mime_type
  - Document.name
  - Document.size_bytes
  - Document.state
  - Document.update_time
- DocumentDict
  - DocumentDict.create_time
  - DocumentDict.custom_metadata
  - DocumentDict.display_name
  - DocumentDict.mime_type
  - DocumentDict.name
  - DocumentDict.size_bytes
  - DocumentDict.state
  - DocumentDict.update_time
- DocumentState
  - DocumentState.STATE_ACTIVE
  - DocumentState.STATE_FAILED
  - DocumentState.STATE_PENDING
  - DocumentState.STATE_UNSPECIFIED

- DownloadFileConfig
  - DownloadFileConfig.http_options
- DownloadFileConfigDict
  - DownloadFileConfigDict.http_options
- DownloadMediaConfig
  - DownloadMediaConfig.http_options
- DownloadMediaConfigDict
  - DownloadMediaConfigDict.http_options
- DynamicRetrievalConfig
  - DynamicRetrievalConfig.dynamic_threshold
  - DynamicRetrievalConfig.mode
- DynamicRetrievalConfigDict
  - DynamicRetrievalConfigDict.dynamic_threshold
  - DynamicRetrievalConfigDict.mode
- DynamicRetrievalConfigMode
  - DynamicRetrievalConfigMode.MODE_DYNAMIC
  - DynamicRetrievalConfigMode.MODE_UNSPECIFIED
- EditImageConfig
  - EditImageConfig.add_watermark
  - EditImageConfig.aspect_ratio
  - EditImageConfig.base_steps
  - EditImageConfig.edit_mode
  - EditImageConfig.guidance_scale
  - EditImageConfig.http_options
  - EditImageConfig.include_rai_reason
  - EditImageConfig.include_safety_attributes
  - EditImageConfig.labels
  - EditImageConfig.language
  - EditImageConfig.negative_prompt
  - EditImageConfig.number_of_images
  - EditImageConfig.output_compression_quality
  - EditImageConfig.output_gcs_uri
  - EditImageConfig.output_mime_type
  - EditImageConfig.person_generation
  - EditImageConfig.safety_filter_level
  - EditImageConfig.seed
- EditImageConfigDict
  - EditImageConfigDict.add_watermark
  - EditImageConfigDict.aspect_ratio
  - EditImageConfigDict.base_steps
  - EditImageConfigDict.edit_mode
  - EditImageConfigDict.guidance_scale
  - EditImageConfigDict.http_options
  - EditImageConfigDict.include_rai_reason
  - EditImageConfigDict.include_safety_attributes
  - EditImageConfigDict.labels
  - EditImageConfigDict.language
  - EditImageConfigDict.negative_prompt
  - EditImageConfigDict.number_of_images
  - EditImageConfigDict.output_compression_quality
  - EditImageConfigDict.output_gcs_uri
  - EditImageConfigDict.output_mime_type
  - EditImageConfigDict.person_generation
  - EditImageConfigDict.safety_filter_level
  - EditImageConfigDict.seed
- EditImageResponse
  - EditImageResponse.generated_images
  - EditImageResponse.sdk_http_response
- EditImageResponseDict
  - EditImageResponseDict.generated_images
  - EditImageResponseDict.sdk_http_response
- EditMode
  - EditMode.EDIT_MODE_BGSWAP
  - EditMode.EDIT_MODE_CONTROLLED_EDITING
  - EditMode.EDIT_MODE_DEFAULT
  - EditMode.EDIT_MODE_INPAINT_INSERTION
  - EditMode.EDIT_MODE_INPAINT_REMOVAL
  - EditMode.EDIT_MODE_OUTPAINT
  - EditMode.EDIT_MODE_PRODUCT_IMAGE
  - EditMode.EDIT_MODE_STYLE
- EmbedContentBatch
  - EmbedContentBatch.config
  - EmbedContentBatch.contents
- EmbedContentBatchDict
  - EmbedContentBatchDict.config
  - EmbedContentBatchDict.contents
- EmbedContentConfig
  - EmbedContentConfig.audio_track_extraction
  - EmbedContentConfig.auto_truncate
  - EmbedContentConfig.document_ocr
  - EmbedContentConfig.http_options
  - EmbedContentConfig.mime_type
  - EmbedContentConfig.output_dimensionality
  - EmbedContentConfig.task_type
  - EmbedContentConfig.title

- EmbedContentConfigDict
  - EmbedContentConfigDict.audio_track_extraction
  - EmbedContentConfigDict.auto_truncate
  - EmbedContentConfigDict.document_ocr
  - EmbedContentConfigDict.http_options
  - EmbedContentConfigDict.mime_type
  - EmbedContentConfigDict.output_dimensionality
  - EmbedContentConfigDict.task_type
  - EmbedContentConfigDict.title
- EmbedContentMetadata
  - EmbedContentMetadata.billable_character_count
- EmbedContentMetadataDict
  - EmbedContentMetadataDict.billable_character_count
- EmbedContentParameters
  - EmbedContentParameters.config
  - EmbedContentParameters.contents
  - EmbedContentParameters.model
- EmbedContentParametersDict
  - EmbedContentParametersDict.config
  - EmbedContentParametersDict.contents
  - EmbedContentParametersDict.model
- EmbedContentResponse
  - EmbedContentResponse.embeddings
  - EmbedContentResponse.metadata
  - EmbedContentResponse.sdk_http_response
- EmbedContentResponseDict
  - EmbedContentResponseDict.embeddings
  - EmbedContentResponseDict.metadata
  - EmbedContentResponseDict.sdk_http_response
- EmbeddingApiType
  - EmbeddingApiType.EMBED_CONTENT
  - EmbeddingApiType.PREDICT
- EmbeddingsBatchJobSource
  - EmbeddingsBatchJobSource.file_name
  - EmbeddingsBatchJobSource.inlined_requests
- EmbeddingsBatchJobSourceDict
  - EmbeddingsBatchJobSourceDict.file_name
  - EmbeddingsBatchJobSourceDict.inlined_requests
- EncryptionSpec
  - EncryptionSpec.kms_key_name
- EncryptionSpecDict
  - EncryptionSpecDict.kms_key_name
- EndSensitivity
  - EndSensitivity.END_SENSITIVITY_HIGH
  - EndSensitivity.END_SENSITIVITY_LOW
  - EndSensitivity.END_SENSITIVITY_UNSPECIFIED
- Endpoint
  - Endpoint.deployed_model_id
  - Endpoint.name
- EndpointDict
  - EndpointDict.deployed_model_id
  - EndpointDict.name
- EnterpriseWebSearch
  - EnterpriseWebSearch.blocking_confidence
  - EnterpriseWebSearch.exclude_domains
- EnterpriseWebSearchDict
  - EnterpriseWebSearchDict.blocking_confidence
  - EnterpriseWebSearchDict.exclude_domains
- EntityLabel
  - EntityLabel.label
  - EntityLabel.score
- EntityLabelDict
  - EntityLabelDict.label
  - EntityLabelDict.score
- Environment
  - Environment.ENVIRONMENT_BROWSER
  - Environment.ENVIRONMENT_DESKTOP
  - Environment.ENVIRONMENT_MOBILE
  - Environment.ENVIRONMENT_UNSPECIFIED
- EvaluateDatasetResponse
  - EvaluateDatasetResponse.aggregation_output
  - EvaluateDatasetResponse.output_info
- EvaluateDatasetResponseDict
  - EvaluateDatasetResponseDict.aggregation_output
  - EvaluateDatasetResponseDict.output_info
- EvaluateDatasetRun
  - EvaluateDatasetRun.checkpoint_id
  - EvaluateDatasetRun.error
  - EvaluateDatasetRun.evaluate_dataset_response
  - EvaluateDatasetRun.evaluation_run
  - EvaluateDatasetRun.operation_name
- EvaluateDatasetRunDict
  - EvaluateDatasetRunDict.checkpoint_id
  - EvaluateDatasetRunDict.error
  - EvaluateDatasetRunDict.evaluate_dataset_response
  - EvaluateDatasetRunDict.evaluation_run
  - EvaluateDatasetRunDict.operation_name

- EvaluationConfig
  - EvaluationConfig.autorater_config
  - EvaluationConfig.inference_generation_config
  - EvaluationConfig.metrics
  - EvaluationConfig.output_config
- EvaluationConfigDict
  - EvaluationConfigDict.autorater_config
  - EvaluationConfigDict.inference_generation_config
  - EvaluationConfigDict.metrics
  - EvaluationConfigDict.output_config
- EvaluationDataset
  - EvaluationDataset.bigquery_source
  - EvaluationDataset.gcs_source
- EvaluationDatasetDict
  - EvaluationDatasetDict.bigquery_source
  - EvaluationDatasetDict.gcs_source
- EvaluationParserConfig
  - EvaluationParserConfig.custom_code_parser_config
- EvaluationParserConfigCustomCodeParserConfig
  - EvaluationParserConfigCustomCodeParserConfig.code_execution_region
  - EvaluationParserConfigCustomCodeParserConfig.parsing_function
- EvaluationParserConfigCustomCodeParserConfigDict
  - EvaluationParserConfigCustomCodeParserConfigDict.code_execution_region
  - EvaluationParserConfigCustomCodeParserConfigDict.parsing_function
- EvaluationParserConfigDict
  - EvaluationParserConfigDict.custom_code_parser_config
- ExactMatchMetricValue
  - ExactMatchMetricValue.score
- ExactMatchMetricValueDict
  - ExactMatchMetricValueDict.score
- ExecutableCode
  - ExecutableCode.code
  - ExecutableCode.id
  - ExecutableCode.language
- ExecutableCodeDict
  - ExecutableCodeDict.code
  - ExecutableCodeDict.id
  - ExecutableCodeDict.language
- ExternalApi
  - ExternalApi.api_auth
  - ExternalApi.api_spec
  - ExternalApi.auth_config
  - ExternalApi.elastic_search_params
  - ExternalApi.endpoint
  - ExternalApi.simple_search_params
- ExternalApiDict
  - ExternalApiDict.api_auth
  - ExternalApiDict.api_spec
  - ExternalApiDict.auth_config
  - ExternalApiDict.elastic_search_params
  - ExternalApiDict.endpoint
  - ExternalApiDict.simple_search_params
- ExternalApiElasticSearchParams
  - ExternalApiElasticSearchParams.index
  - ExternalApiElasticSearchParams.num_hits
  - ExternalApiElasticSearchParams.search_template
- ExternalApiElasticSearchParamsDict
  - ExternalApiElasticSearchParamsDict.index
  - ExternalApiElasticSearchParamsDict.num_hits
  - ExternalApiElasticSearchParamsDict.search_template
- ExternalApiSimpleSearchParams
- ExternalApiSimpleSearchParamsDict
- FeatureSelectionPreference
  - FeatureSelectionPreference.BALANCED
  - FeatureSelectionPreference.FEATURE_SELECTION_PREFERENCE_UNSPECIFIED
  - FeatureSelectionPreference.PRIORITIZE_COST
  - FeatureSelectionPreference.PRIORITIZE_QUALITY
- FetchPredictOperationConfig
  - FetchPredictOperationConfig.http_options
- FetchPredictOperationConfigDict
  - FetchPredictOperationConfigDict.http_options
- File
  - File.create_time
  - File.display_name
  - File.download_uri
  - File.error
  - File.expiration_time
  - File.mime_type
  - File.name
  - File.sha256_hash
  - File.size_bytes
  - File.source
  - File.state
  - File.update_time
  - File.uri
  - File.video_metadata

- FileData
  - FileData.display_name
  - FileData.file_uri
  - FileData.mime_type
- FileDataDict
  - FileDataDict.display_name
  - FileDataDict.file_uri
  - FileDataDict.mime_type
- FileDict
  - FileDict.create_time
  - FileDict.display_name
  - FileDict.download_uri
  - FileDict.error
  - FileDict.expiration_time
  - FileDict.mime_type
  - FileDict.name
  - FileDict.sha256_hash
  - FileDict.size_bytes
  - FileDict.source
  - FileDict.state
  - FileDict.update_time
  - FileDict.uri
  - FileDict.video_metadata
- FileSearch
  - FileSearch.file_search_store_names
  - FileSearch.metadata_filter
  - FileSearch.top_k
- FileSearchDict
  - FileSearchDict.file_search_store_names
  - FileSearchDict.metadata_filter
  - FileSearchDict.top_k
- FileSearchStore
  - FileSearchStore.active_documents_count
  - FileSearchStore.create_time
  - FileSearchStore.display_name
  - FileSearchStore.embedding_model
  - FileSearchStore.failed_documents_count
  - FileSearchStore.name
  - FileSearchStore.pending_documents_count
  - FileSearchStore.size_bytes
  - FileSearchStore.update_time
- FileSearchStoreDict
  - FileSearchStoreDict.active_documents_count
  - FileSearchStoreDict.create_time
  - FileSearchStoreDict.display_name
  - FileSearchStoreDict.embedding_model
  - FileSearchStoreDict.failed_documents_count
  - FileSearchStoreDict.name
  - FileSearchStoreDict.pending_documents_count
  - FileSearchStoreDict.size_bytes
  - FileSearchStoreDict.update_time
- FileSource
  - FileSource.GENERATED
  - FileSource.REGISTERED
  - FileSource.SOURCE_UNSPECIFIED
  - FileSource.UPLOADED
- FileState
  - FileState.ACTIVE
  - FileState.FAILED
  - FileState.PROCESSING
  - FileState.STATE_UNSPECIFIED
- FileStatus
  - FileStatus.code
  - FileStatus.details
  - FileStatus.message
- FileStatusDict
  - FileStatusDict.code
  - FileStatusDict.details
  - FileStatusDict.message

- FinishReason
  - FinishReason.BLOCKLIST
  - FinishReason.CONTINUATION
  - FinishReason.FINISH_REASON_UNSPECIFIED
  - FinishReason.IMAGE_OTHER
  - FinishReason.IMAGE_PROHIBITED_CONTENT
  - FinishReason.IMAGE_RECITATION
  - FinishReason.IMAGE_SAFETY
  - FinishReason.LANGUAGE
  - FinishReason.MALFORMED_FUNCTION_CALL
  - FinishReason.MAX_TOKENS
  - FinishReason.NO_IMAGE
  - FinishReason.OTHER
  - FinishReason.PROHIBITED_CONTENT
  - FinishReason.RECITATION
  - FinishReason.SAFETY
  - FinishReason.SPII
  - FinishReason.STOP
  - FinishReason.TOO_MANY_TOOL_CALLS
  - FinishReason.UNEXPECTED_TOOL_CALL
- FullFineTuningSpec
  - FullFineTuningSpec.hyper_parameters
  - FullFineTuningSpec.training_dataset_uri
  - FullFineTuningSpec.validation_dataset_uri
- FullFineTuningSpecDict
  - FullFineTuningSpecDict.hyper_parameters
  - FullFineTuningSpecDict.training_dataset_uri
  - FullFineTuningSpecDict.validation_dataset_uri
- FunctionCall
  - FunctionCall.args
  - FunctionCall.id
  - FunctionCall.name
  - FunctionCall.partial_args
  - FunctionCall.will_continue
- FunctionCallDict
  - FunctionCallDict.args
  - FunctionCallDict.id
  - FunctionCallDict.name
  - FunctionCallDict.partial_args
  - FunctionCallDict.will_continue
- FunctionCallingConfig
  - FunctionCallingConfig.allowed_function_names
  - FunctionCallingConfig.mode
  - FunctionCallingConfig.stream_function_call_arguments
- FunctionCallingConfigDict
  - FunctionCallingConfigDict.allowed_function_names
  - FunctionCallingConfigDict.mode
  - FunctionCallingConfigDict.stream_function_call_arguments
- FunctionCallingConfigMode
  - FunctionCallingConfigMode.ANY
  - FunctionCallingConfigMode.AUTO
  - FunctionCallingConfigMode.MODE_UNSPECIFIED
  - FunctionCallingConfigMode.NONE
  - FunctionCallingConfigMode.VALIDATED
- FunctionDeclaration
  - FunctionDeclaration.behavior
  - FunctionDeclaration.description
  - FunctionDeclaration.name
  - FunctionDeclaration.parameters
  - FunctionDeclaration.parameters_json_schema
  - FunctionDeclaration.response
  - FunctionDeclaration.response_json_schema
  - FunctionDeclaration.from_callable()
  - FunctionDeclaration.from_callable_with_api_option()
- FunctionDeclarationDict
  - FunctionDeclarationDict.behavior
  - FunctionDeclarationDict.description
  - FunctionDeclarationDict.name
  - FunctionDeclarationDict.parameters
  - FunctionDeclarationDict.parameters_json_schema
  - FunctionDeclarationDict.response
  - FunctionDeclarationDict.response_json_schema
- FunctionResponse
  - FunctionResponse.id
  - FunctionResponse.name
  - FunctionResponse.parts
  - FunctionResponse.response
  - FunctionResponse.scheduling
  - FunctionResponse.will_continue
  - FunctionResponse.from_mcp_response()
- FunctionResponseBlob
  - FunctionResponseBlob.data
  - FunctionResponseBlob.display_name
  - FunctionResponseBlob.mime_type
- FunctionResponseBlobDict
  - FunctionResponseBlobDict.data
  - FunctionResponseBlobDict.display_name
  - FunctionResponseBlobDict.mime_type

- FunctionResponseDict
  - FunctionResponseDict.id
  - FunctionResponseDict.name
  - FunctionResponseDict.parts
  - FunctionResponseDict.response
  - FunctionResponseDict.scheduling
  - FunctionResponseDict.will_continue
- FunctionResponseFileData
  - FunctionResponseFileData.display_name
  - FunctionResponseFileData.file_uri
  - FunctionResponseFileData.mime_type
- FunctionResponseFileDataDict
  - FunctionResponseFileDataDict.display_name
  - FunctionResponseFileDataDict.file_uri
  - FunctionResponseFileDataDict.mime_type
- FunctionResponsePart
  - FunctionResponsePart.file_data
  - FunctionResponsePart.inline_data
  - FunctionResponsePart.media_processing
  - FunctionResponsePart.from_bytes()
  - FunctionResponsePart.from_uri()
- FunctionResponsePartDict
  - FunctionResponsePartDict.file_data
  - FunctionResponsePartDict.inline_data
  - FunctionResponsePartDict.media_processing
- FunctionResponseScheduling
  - FunctionResponseScheduling.INTERRUPT
  - FunctionResponseScheduling.SCHEDULING_UNSPECIFIED
  - FunctionResponseScheduling.SILENT
  - FunctionResponseScheduling.WHEN_IDLE
- GcsDestination
  - GcsDestination.output_uri_prefix
- GcsDestinationDict
  - GcsDestinationDict.output_uri_prefix
- GcsSource
  - GcsSource.uris
- GcsSourceDict
  - GcsSourceDict.uris
- GeminiPreferenceExample
  - GeminiPreferenceExample.completions
  - GeminiPreferenceExample.contents
- GeminiPreferenceExampleCompletion
  - GeminiPreferenceExampleCompletion.completion
  - GeminiPreferenceExampleCompletion.score
- GeminiPreferenceExampleCompletionDict
  - GeminiPreferenceExampleCompletionDict.completion
  - GeminiPreferenceExampleCompletionDict.score
- GeminiPreferenceExampleDict
  - GeminiPreferenceExampleDict.completions
  - GeminiPreferenceExampleDict.contents

- GenerateContentConfig
  - GenerateContentConfig.audio_timestamp
  - GenerateContentConfig.audio_transcription_config
  - GenerateContentConfig.automatic_continuation
  - GenerateContentConfig.automatic_function_calling
  - GenerateContentConfig.cached_content
  - GenerateContentConfig.candidate_count
  - GenerateContentConfig.continuation_token
  - GenerateContentConfig.enable_enhanced_civic_answers
  - GenerateContentConfig.frequency_penalty
  - GenerateContentConfig.generation_output_config
  - GenerateContentConfig.http_options
  - GenerateContentConfig.image_config
  - GenerateContentConfig.labels
  - GenerateContentConfig.logprobs
  - GenerateContentConfig.max_output_tokens
  - GenerateContentConfig.media_resolution
  - GenerateContentConfig.model_armor_config
  - GenerateContentConfig.model_selection_config
  - GenerateContentConfig.presence_penalty
  - GenerateContentConfig.response_json_schema
  - GenerateContentConfig.response_logprobs
  - GenerateContentConfig.response_mime_type
  - GenerateContentConfig.response_modalities
  - GenerateContentConfig.response_schema
  - GenerateContentConfig.routing_config
  - GenerateContentConfig.safety_settings
  - GenerateContentConfig.seed
  - GenerateContentConfig.service_tier
  - GenerateContentConfig.should_return_http_response
  - GenerateContentConfig.speech_config
  - GenerateContentConfig.stop_sequences
  - GenerateContentConfig.store
  - GenerateContentConfig.system_instruction
  - GenerateContentConfig.temperature
  - GenerateContentConfig.thinking_config
  - GenerateContentConfig.tool_config
  - GenerateContentConfig.tools
  - GenerateContentConfig.top_k
  - GenerateContentConfig.top_p
- GenerateContentConfigDict
  - GenerateContentConfigDict.audio_timestamp
  - GenerateContentConfigDict.audio_transcription_config
  - GenerateContentConfigDict.automatic_continuation
  - GenerateContentConfigDict.automatic_function_calling
  - GenerateContentConfigDict.cached_content
  - GenerateContentConfigDict.candidate_count
  - GenerateContentConfigDict.continuation_token
  - GenerateContentConfigDict.enable_enhanced_civic_answers
  - GenerateContentConfigDict.frequency_penalty
  - GenerateContentConfigDict.generation_output_config
  - GenerateContentConfigDict.http_options
  - GenerateContentConfigDict.image_config
  - GenerateContentConfigDict.labels
  - GenerateContentConfigDict.logprobs
  - GenerateContentConfigDict.max_output_tokens
  - GenerateContentConfigDict.media_resolution
  - GenerateContentConfigDict.model_armor_config
  - GenerateContentConfigDict.model_selection_config
  - GenerateContentConfigDict.presence_penalty
  - GenerateContentConfigDict.response_json_schema
  - GenerateContentConfigDict.response_logprobs
  - GenerateContentConfigDict.response_mime_type
  - GenerateContentConfigDict.response_modalities
  - GenerateContentConfigDict.response_schema
  - GenerateContentConfigDict.routing_config
  - GenerateContentConfigDict.safety_settings
  - GenerateContentConfigDict.seed
  - GenerateContentConfigDict.service_tier
  - GenerateContentConfigDict.should_return_http_response
  - GenerateContentConfigDict.speech_config
  - GenerateContentConfigDict.stop_sequences
  - GenerateContentConfigDict.store
  - GenerateContentConfigDict.system_instruction
  - GenerateContentConfigDict.temperature
  - GenerateContentConfigDict.thinking_config
  - GenerateContentConfigDict.tool_config
  - GenerateContentConfigDict.tools
  - GenerateContentConfigDict.top_k
  - GenerateContentConfigDict.top_p

- GenerateContentResponse
  - GenerateContentResponse.automatic_function_calling_history
  - GenerateContentResponse.candidates
  - GenerateContentResponse.create_time
  - GenerateContentResponse.model_status
  - GenerateContentResponse.model_version
  - GenerateContentResponse.parsed
  - GenerateContentResponse.prompt_feedback
  - GenerateContentResponse.response_id
  - GenerateContentResponse.sdk_http_response
  - GenerateContentResponse.usage_metadata
  - GenerateContentResponse.code_execution_result
  - GenerateContentResponse.executable_code
  - GenerateContentResponse.function_calls
  - GenerateContentResponse.initial_prompt_token_count
  - GenerateContentResponse.parts
  - GenerateContentResponse.text
- GenerateContentResponseDict
  - GenerateContentResponseDict.candidates
  - GenerateContentResponseDict.create_time
  - GenerateContentResponseDict.model_status
  - GenerateContentResponseDict.model_version
  - GenerateContentResponseDict.prompt_feedback
  - GenerateContentResponseDict.response_id
  - GenerateContentResponseDict.sdk_http_response
  - GenerateContentResponseDict.usage_metadata
- GenerateContentResponsePromptFeedback
  - GenerateContentResponsePromptFeedback.block_reason
  - GenerateContentResponsePromptFeedback.block_reason_message
  - GenerateContentResponsePromptFeedback.safety_ratings
- GenerateContentResponsePromptFeedbackDict
  - GenerateContentResponsePromptFeedbackDict.block_reason
  - GenerateContentResponsePromptFeedbackDict.block_reason_message
  - GenerateContentResponsePromptFeedbackDict.safety_ratings
- GenerateContentResponseUsageMetadata
  - GenerateContentResponseUsageMetadata.cache_tokens_details
  - GenerateContentResponseUsageMetadata.cached_content_token_count
  - GenerateContentResponseUsageMetadata.candidates_token_count
  - GenerateContentResponseUsageMetadata.candidates_tokens_details
  - GenerateContentResponseUsageMetadata.prompt_token_count
  - GenerateContentResponseUsageMetadata.prompt_tokens_details
  - GenerateContentResponseUsageMetadata.thoughts_token_count
  - GenerateContentResponseUsageMetadata.tool_use_prompt_token_count
  - GenerateContentResponseUsageMetadata.tool_use_prompt_tokens_details
  - GenerateContentResponseUsageMetadata.total_token_count
  - GenerateContentResponseUsageMetadata.traffic_type
  - GenerateContentResponseUsageMetadata.model_post_init()
  - GenerateContentResponseUsageMetadata.initial_prompt_token_count
- GenerateContentResponseUsageMetadataDict
  - GenerateContentResponseUsageMetadataDict.cache_tokens_details
  - GenerateContentResponseUsageMetadataDict.cached_content_token_count
  - GenerateContentResponseUsageMetadataDict.candidates_token_count
  - GenerateContentResponseUsageMetadataDict.candidates_tokens_details
  - GenerateContentResponseUsageMetadataDict.prompt_token_count
  - GenerateContentResponseUsageMetadataDict.prompt_tokens_details
  - GenerateContentResponseUsageMetadataDict.thoughts_token_count
  - GenerateContentResponseUsageMetadataDict.tool_use_prompt_token_count
  - GenerateContentResponseUsageMetadataDict.tool_use_prompt_tokens_details
  - GenerateContentResponseUsageMetadataDict.total_token_count
  - GenerateContentResponseUsageMetadataDict.traffic_type
- GenerateImagesConfig
  - GenerateImagesConfig.add_watermark
  - GenerateImagesConfig.aspect_ratio
  - GenerateImagesConfig.enhance_prompt
  - GenerateImagesConfig.guidance_scale
  - GenerateImagesConfig.http_options
  - GenerateImagesConfig.image_size
  - GenerateImagesConfig.include_rai_reason
  - GenerateImagesConfig.include_safety_attributes
  - GenerateImagesConfig.labels
  - GenerateImagesConfig.language
  - GenerateImagesConfig.negative_prompt
  - GenerateImagesConfig.number_of_images
  - GenerateImagesConfig.output_compression_quality
  - GenerateImagesConfig.output_gcs_uri
  - GenerateImagesConfig.output_mime_type
  - GenerateImagesConfig.person_generation
  - GenerateImagesConfig.safety_filter_level
  - GenerateImagesConfig.seed

- GenerateImagesConfigDict
  - GenerateImagesConfigDict.add_watermark
  - GenerateImagesConfigDict.aspect_ratio
  - GenerateImagesConfigDict.enhance_prompt
  - GenerateImagesConfigDict.guidance_scale
  - GenerateImagesConfigDict.http_options
  - GenerateImagesConfigDict.image_size
  - GenerateImagesConfigDict.include_rai_reason
  - GenerateImagesConfigDict.include_safety_attributes
  - GenerateImagesConfigDict.labels
  - GenerateImagesConfigDict.language
  - GenerateImagesConfigDict.negative_prompt
  - GenerateImagesConfigDict.number_of_images
  - GenerateImagesConfigDict.output_compression_quality
  - GenerateImagesConfigDict.output_gcs_uri
  - GenerateImagesConfigDict.output_mime_type
  - GenerateImagesConfigDict.person_generation
  - GenerateImagesConfigDict.safety_filter_level
  - GenerateImagesConfigDict.seed
- GenerateImagesResponse
  - GenerateImagesResponse.generated_images
  - GenerateImagesResponse.positive_prompt_safety_attributes
  - GenerateImagesResponse.sdk_http_response
  - GenerateImagesResponse.images
- GenerateImagesResponseDict
  - GenerateImagesResponseDict.generated_images
  - GenerateImagesResponseDict.positive_prompt_safety_attributes
  - GenerateImagesResponseDict.sdk_http_response
- GenerateVideosConfig
  - GenerateVideosConfig.aspect_ratio
  - GenerateVideosConfig.compression_quality
  - GenerateVideosConfig.duration_seconds
  - GenerateVideosConfig.enhance_prompt
  - GenerateVideosConfig.fps
  - GenerateVideosConfig.generate_audio
  - GenerateVideosConfig.http_options
  - GenerateVideosConfig.labels
  - GenerateVideosConfig.last_frame
  - GenerateVideosConfig.mask
  - GenerateVideosConfig.negative_prompt
  - GenerateVideosConfig.number_of_videos
  - GenerateVideosConfig.output_gcs_uri
  - GenerateVideosConfig.person_generation
  - GenerateVideosConfig.pubsub_topic
  - GenerateVideosConfig.reference_images
  - GenerateVideosConfig.resize_mode
  - GenerateVideosConfig.resolution
  - GenerateVideosConfig.seed
  - GenerateVideosConfig.webhook_config
- GenerateVideosConfigDict
  - GenerateVideosConfigDict.aspect_ratio
  - GenerateVideosConfigDict.compression_quality
  - GenerateVideosConfigDict.duration_seconds
  - GenerateVideosConfigDict.enhance_prompt
  - GenerateVideosConfigDict.fps
  - GenerateVideosConfigDict.generate_audio
  - GenerateVideosConfigDict.http_options
  - GenerateVideosConfigDict.labels
  - GenerateVideosConfigDict.last_frame
  - GenerateVideosConfigDict.mask
  - GenerateVideosConfigDict.negative_prompt
  - GenerateVideosConfigDict.number_of_videos
  - GenerateVideosConfigDict.output_gcs_uri
  - GenerateVideosConfigDict.person_generation
  - GenerateVideosConfigDict.pubsub_topic
  - GenerateVideosConfigDict.reference_images
  - GenerateVideosConfigDict.resize_mode
  - GenerateVideosConfigDict.resolution
  - GenerateVideosConfigDict.seed
  - GenerateVideosConfigDict.webhook_config
- GenerateVideosOperation
  - GenerateVideosOperation.response
  - GenerateVideosOperation.result
  - GenerateVideosOperation.from_api_response()
- GenerateVideosResponse
  - GenerateVideosResponse.generated_videos
  - GenerateVideosResponse.rai_media_filtered_count
  - GenerateVideosResponse.rai_media_filtered_reasons
- GenerateVideosResponseDict
  - GenerateVideosResponseDict.generated_videos
  - GenerateVideosResponseDict.rai_media_filtered_count
  - GenerateVideosResponseDict.rai_media_filtered_reasons
- GenerateVideosSource
  - GenerateVideosSource.image
  - GenerateVideosSource.prompt
  - GenerateVideosSource.video

- GenerateVideosSourceDict
  - GenerateVideosSourceDict.image
  - GenerateVideosSourceDict.prompt
  - GenerateVideosSourceDict.video
- GeneratedImage
  - GeneratedImage.enhanced_prompt
  - GeneratedImage.image
  - GeneratedImage.rai_filtered_reason
  - GeneratedImage.safety_attributes
- GeneratedImageDict
  - GeneratedImageDict.enhanced_prompt
  - GeneratedImageDict.image
  - GeneratedImageDict.rai_filtered_reason
  - GeneratedImageDict.safety_attributes
- GeneratedImageMask
  - GeneratedImageMask.labels
  - GeneratedImageMask.mask
- GeneratedImageMaskDict
  - GeneratedImageMaskDict.labels
  - GeneratedImageMaskDict.mask
- GeneratedVideo
  - GeneratedVideo.video
- GeneratedVideoDict
  - GeneratedVideoDict.video
- GenerationConfig
  - GenerationConfig.audio_timestamp
  - GenerationConfig.audio_transcription_config
  - GenerationConfig.candidate_count
  - GenerationConfig.enable_affective_dialog
  - GenerationConfig.enable_enhanced_civic_answers
  - GenerationConfig.frequency_penalty
  - GenerationConfig.logprobs
  - GenerationConfig.max_output_tokens
  - GenerationConfig.media_resolution
  - GenerationConfig.model_selection_config
  - GenerationConfig.presence_penalty
  - GenerationConfig.response_format
  - GenerationConfig.response_json_schema
  - GenerationConfig.response_logprobs
  - GenerationConfig.response_mime_type
  - GenerationConfig.response_modalities
  - GenerationConfig.response_schema
  - GenerationConfig.routing_config
  - GenerationConfig.seed
  - GenerationConfig.speech_config
  - GenerationConfig.stop_sequences
  - GenerationConfig.temperature
  - GenerationConfig.thinking_config
  - GenerationConfig.top_k
  - GenerationConfig.top_p
  - GenerationConfig.translation_config
- GenerationConfigDict
  - GenerationConfigDict.audio_timestamp
  - GenerationConfigDict.audio_transcription_config
  - GenerationConfigDict.candidate_count
  - GenerationConfigDict.enable_affective_dialog
  - GenerationConfigDict.enable_enhanced_civic_answers
  - GenerationConfigDict.frequency_penalty
  - GenerationConfigDict.logprobs
  - GenerationConfigDict.max_output_tokens
  - GenerationConfigDict.media_resolution
  - GenerationConfigDict.model_selection_config
  - GenerationConfigDict.presence_penalty
  - GenerationConfigDict.response_format
  - GenerationConfigDict.response_json_schema
  - GenerationConfigDict.response_logprobs
  - GenerationConfigDict.response_mime_type
  - GenerationConfigDict.response_modalities
  - GenerationConfigDict.response_schema
  - GenerationConfigDict.routing_config
  - GenerationConfigDict.seed
  - GenerationConfigDict.speech_config
  - GenerationConfigDict.stop_sequences
  - GenerationConfigDict.temperature
  - GenerationConfigDict.thinking_config
  - GenerationConfigDict.top_k
  - GenerationConfigDict.top_p
  - GenerationConfigDict.translation_config
- GenerationConfigRoutingConfig
  - GenerationConfigRoutingConfig.auto_mode
  - GenerationConfigRoutingConfig.manual_mode
- GenerationConfigRoutingConfigAutoRoutingMode
  - GenerationConfigRoutingConfigAutoRoutingMode.model_routing_preference
- GenerationConfigRoutingConfigAutoRoutingModeDict
  - GenerationConfigRoutingConfigAutoRoutingModeDict.model_routing_preference
- GenerationConfigRoutingConfigDict
  - GenerationConfigRoutingConfigDict.auto_mode
  - GenerationConfigRoutingConfigDict.manual_mode

- GenerationConfigRoutingConfigManualRoutingMode
  - GenerationConfigRoutingConfigManualRoutingMode.model_name
- GenerationConfigRoutingConfigManualRoutingModeDict
  - GenerationConfigRoutingConfigManualRoutingModeDict.model_name
- GenerationConfigThinkingConfig
- GenerationConfigThinkingConfigDict
  - GenerationConfigThinkingConfigDict.include_thoughts
  - GenerationConfigThinkingConfigDict.thinking_budget
  - GenerationConfigThinkingConfigDict.thinking_level
- GenerationOutputConfig
  - GenerationOutputConfig.output_uri_prefix
- GenerationOutputConfigDict
  - GenerationOutputConfigDict.output_uri_prefix
- GetBatchJobConfig
  - GetBatchJobConfig.http_options
- GetBatchJobConfigDict
  - GetBatchJobConfigDict.http_options
- GetCachedContentConfig
  - GetCachedContentConfig.http_options
- GetCachedContentConfigDict
  - GetCachedContentConfigDict.http_options
- GetDocumentConfig
  - GetDocumentConfig.http_options
- GetDocumentConfigDict
  - GetDocumentConfigDict.http_options
- GetFileConfig
  - GetFileConfig.http_options
- GetFileConfigDict
  - GetFileConfigDict.http_options
- GetFileSearchStoreConfig
  - GetFileSearchStoreConfig.http_options
- GetFileSearchStoreConfigDict
  - GetFileSearchStoreConfigDict.http_options
- GetModelConfig
  - GetModelConfig.http_options
- GetModelConfigDict
  - GetModelConfigDict.http_options
- GetOperationConfig
  - GetOperationConfig.http_options
- GetOperationConfigDict
  - GetOperationConfigDict.http_options
- GetTuningJobConfig
  - GetTuningJobConfig.http_options
- GetTuningJobConfigDict
  - GetTuningJobConfigDict.http_options
- GoogleMaps
  - GoogleMaps.auth_config
  - GoogleMaps.enable_widget
  - GoogleMaps.grounding_types
- GoogleMapsDict
  - GoogleMapsDict.auth_config
  - GoogleMapsDict.enable_widget
  - GoogleMapsDict.grounding_types
- GoogleMapsGroundingTypes
  - GoogleMapsGroundingTypes.places
  - GoogleMapsGroundingTypes.routing
- GoogleMapsGroundingTypesDict
  - GoogleMapsGroundingTypesDict.places
  - GoogleMapsGroundingTypesDict.routing
- GoogleMapsPlaces
- GoogleMapsPlacesDict
- GoogleMapsRouting
- GoogleMapsRoutingDict
- GoogleRpcStatus
  - GoogleRpcStatus.code
  - GoogleRpcStatus.details
  - GoogleRpcStatus.message
- GoogleRpcStatusDict
  - GoogleRpcStatusDict.code
  - GoogleRpcStatusDict.details
  - GoogleRpcStatusDict.message
- GoogleSearch
  - GoogleSearch.blocking_confidence
  - GoogleSearch.exclude_domains
  - GoogleSearch.search_types
  - GoogleSearch.time_range_filter
- GoogleSearchDict
  - GoogleSearchDict.blocking_confidence
  - GoogleSearchDict.exclude_domains
  - GoogleSearchDict.search_types
  - GoogleSearchDict.time_range_filter
- GoogleSearchRetrieval
  - GoogleSearchRetrieval.dynamic_retrieval_config
- GoogleSearchRetrievalDict
  - GoogleSearchRetrievalDict.dynamic_retrieval_config

- GoogleTypeDate
  - GoogleTypeDate.day
  - GoogleTypeDate.month
  - GoogleTypeDate.year
- GoogleTypeDateDict
  - GoogleTypeDateDict.day
  - GoogleTypeDateDict.month
  - GoogleTypeDateDict.year
- GroundingChunk
  - GroundingChunk.image
  - GroundingChunk.maps
  - GroundingChunk.retrieved_context
  - GroundingChunk.web
- GroundingChunkCustomMetadata
  - GroundingChunkCustomMetadata.key
  - GroundingChunkCustomMetadata.numeric_value
  - GroundingChunkCustomMetadata.string_list_value
  - GroundingChunkCustomMetadata.string_value
- GroundingChunkCustomMetadataDict
  - GroundingChunkCustomMetadataDict.key
  - GroundingChunkCustomMetadataDict.numeric_value
  - GroundingChunkCustomMetadataDict.string_list_value
  - GroundingChunkCustomMetadataDict.string_value
- GroundingChunkDict
  - GroundingChunkDict.image
  - GroundingChunkDict.maps
  - GroundingChunkDict.retrieved_context
  - GroundingChunkDict.web
- GroundingChunkImage
  - GroundingChunkImage.domain
  - GroundingChunkImage.image_uri
  - GroundingChunkImage.source_uri
  - GroundingChunkImage.title
- GroundingChunkImageDict
  - GroundingChunkImageDict.domain
  - GroundingChunkImageDict.image_uri
  - GroundingChunkImageDict.source_uri
  - GroundingChunkImageDict.title
- GroundingChunkMaps
  - GroundingChunkMaps.place_answer_sources
  - GroundingChunkMaps.place_id
  - GroundingChunkMaps.route
  - GroundingChunkMaps.text
  - GroundingChunkMaps.title
  - GroundingChunkMaps.uri
- GroundingChunkMapsDict
  - GroundingChunkMapsDict.place_answer_sources
  - GroundingChunkMapsDict.place_id
  - GroundingChunkMapsDict.route
  - GroundingChunkMapsDict.text
  - GroundingChunkMapsDict.title
  - GroundingChunkMapsDict.uri
- GroundingChunkMapsPlaceAnswerSources
  - GroundingChunkMapsPlaceAnswerSources.flag_content_uri
  - GroundingChunkMapsPlaceAnswerSources.review_snippet
  - GroundingChunkMapsPlaceAnswerSources.review_snippets
- GroundingChunkMapsPlaceAnswerSourcesAuthorAttribution
  - GroundingChunkMapsPlaceAnswerSourcesAuthorAttribution.display_name
  - GroundingChunkMapsPlaceAnswerSourcesAuthorAttribution.photo_uri
  - GroundingChunkMapsPlaceAnswerSourcesAuthorAttribution.uri
- GroundingChunkMapsPlaceAnswerSourcesAuthorAttributionDict
  - GroundingChunkMapsPlaceAnswerSourcesAuthorAttributionDict.display_name
  - GroundingChunkMapsPlaceAnswerSourcesAuthorAttributionDict.photo_uri
  - GroundingChunkMapsPlaceAnswerSourcesAuthorAttributionDict.uri
- GroundingChunkMapsPlaceAnswerSourcesDict
  - GroundingChunkMapsPlaceAnswerSourcesDict.flag_content_uri
  - GroundingChunkMapsPlaceAnswerSourcesDict.review_snippet
  - GroundingChunkMapsPlaceAnswerSourcesDict.review_snippets
- GroundingChunkMapsPlaceAnswerSourcesReviewSnippet
  - GroundingChunkMapsPlaceAnswerSourcesReviewSnippet.author_attribution
  - GroundingChunkMapsPlaceAnswerSourcesReviewSnippet.flag_content_uri
  - GroundingChunkMapsPlaceAnswerSourcesReviewSnippet.google_maps_uri
  - GroundingChunkMapsPlaceAnswerSourcesReviewSnippet.relative_publish_time_description
  - GroundingChunkMapsPlaceAnswerSourcesReviewSnippet.review
  - GroundingChunkMapsPlaceAnswerSourcesReviewSnippet.review_id
  - GroundingChunkMapsPlaceAnswerSourcesReviewSnippet.title
- GroundingChunkMapsPlaceAnswerSourcesReviewSnippetDict
  - GroundingChunkMapsPlaceAnswerSourcesReviewSnippetDict.author_attribution
  - GroundingChunkMapsPlaceAnswerSourcesReviewSnippetDict.flag_content_uri
  - GroundingChunkMapsPlaceAnswerSourcesReviewSnippetDict.google_maps_uri
  - GroundingChunkMapsPlaceAnswerSourcesReviewSnippetDict.relative_publish_time_description
  - GroundingChunkMapsPlaceAnswerSourcesReviewSnippetDict.review
  - GroundingChunkMapsPlaceAnswerSourcesReviewSnippetDict.review_id
  - GroundingChunkMapsPlaceAnswerSourcesReviewSnippetDict.title

- GroundingChunkMapsRoute
  - GroundingChunkMapsRoute.distance_meters
  - GroundingChunkMapsRoute.duration
  - GroundingChunkMapsRoute.encoded_polyline
- GroundingChunkMapsRouteDict
  - GroundingChunkMapsRouteDict.distance_meters
  - GroundingChunkMapsRouteDict.duration
  - GroundingChunkMapsRouteDict.encoded_polyline
- GroundingChunkRetrievedContext
  - GroundingChunkRetrievedContext.custom_metadata
  - GroundingChunkRetrievedContext.document_name
  - GroundingChunkRetrievedContext.file_search_store
  - GroundingChunkRetrievedContext.media_id
  - GroundingChunkRetrievedContext.page_number
  - GroundingChunkRetrievedContext.rag_chunk
  - GroundingChunkRetrievedContext.text
  - GroundingChunkRetrievedContext.title
  - GroundingChunkRetrievedContext.uri
- GroundingChunkRetrievedContextDict
  - GroundingChunkRetrievedContextDict.custom_metadata
  - GroundingChunkRetrievedContextDict.document_name
  - GroundingChunkRetrievedContextDict.file_search_store
  - GroundingChunkRetrievedContextDict.media_id
  - GroundingChunkRetrievedContextDict.page_number
  - GroundingChunkRetrievedContextDict.rag_chunk
  - GroundingChunkRetrievedContextDict.text
  - GroundingChunkRetrievedContextDict.title
  - GroundingChunkRetrievedContextDict.uri
- GroundingChunkStringList
  - GroundingChunkStringList.values
- GroundingChunkStringListDict
- GroundingChunkWeb
  - GroundingChunkWeb.domain
  - GroundingChunkWeb.title
  - GroundingChunkWeb.uri
- GroundingChunkWebDict
  - GroundingChunkWebDict.domain
  - GroundingChunkWebDict.title
  - GroundingChunkWebDict.uri
- GroundingMetadata
  - GroundingMetadata.google_maps_widget_context_token
  - GroundingMetadata.grounding_chunks
  - GroundingMetadata.grounding_supports
  - GroundingMetadata.image_search_queries
  - GroundingMetadata.retrieval_metadata
  - GroundingMetadata.retrieval_queries
  - GroundingMetadata.search_entry_point
  - GroundingMetadata.source_flagging_uris
  - GroundingMetadata.web_search_queries
- GroundingMetadataDict
  - GroundingMetadataDict.google_maps_widget_context_token
  - GroundingMetadataDict.grounding_chunks
  - GroundingMetadataDict.grounding_supports
  - GroundingMetadataDict.image_search_queries
  - GroundingMetadataDict.retrieval_metadata
  - GroundingMetadataDict.retrieval_queries
  - GroundingMetadataDict.search_entry_point
  - GroundingMetadataDict.source_flagging_uris
  - GroundingMetadataDict.web_search_queries
- GroundingMetadataSourceFlaggingUri
  - GroundingMetadataSourceFlaggingUri.flag_content_uri
  - GroundingMetadataSourceFlaggingUri.source_id
- GroundingMetadataSourceFlaggingUriDict
  - GroundingMetadataSourceFlaggingUriDict.flag_content_uri
  - GroundingMetadataSourceFlaggingUriDict.source_id
- GroundingSupport
  - GroundingSupport.confidence_scores
  - GroundingSupport.grounding_chunk_indices
  - GroundingSupport.rendered_parts
  - GroundingSupport.segment
- GroundingSupportDict
  - GroundingSupportDict.confidence_scores
  - GroundingSupportDict.grounding_chunk_indices
  - GroundingSupportDict.rendered_parts
  - GroundingSupportDict.segment
- HarmBlockMethod
  - HarmBlockMethod.HARM_BLOCK_METHOD_UNSPECIFIED
  - HarmBlockMethod.PROBABILITY
  - HarmBlockMethod.SEVERITY
- HarmBlockThreshold
  - HarmBlockThreshold.BLOCK_LOW_AND_ABOVE
  - HarmBlockThreshold.BLOCK_MEDIUM_AND_ABOVE
  - HarmBlockThreshold.BLOCK_NONE
  - HarmBlockThreshold.BLOCK_ONLY_HIGH
  - HarmBlockThreshold.HARM_BLOCK_THRESHOLD_UNSPECIFIED
  - HarmBlockThreshold.OFF

- HarmCategory
  - HarmCategory.HARM_CATEGORY_CIVIC_INTEGRITY
  - HarmCategory.HARM_CATEGORY_DANGEROUS_CONTENT
  - HarmCategory.HARM_CATEGORY_HARASSMENT
  - HarmCategory.HARM_CATEGORY_HATE_SPEECH
  - HarmCategory.HARM_CATEGORY_IMAGE_DANGEROUS_CONTENT
  - HarmCategory.HARM_CATEGORY_IMAGE_HARASSMENT
  - HarmCategory.HARM_CATEGORY_IMAGE_HATE
  - HarmCategory.HARM_CATEGORY_IMAGE_SEXUALLY_EXPLICIT
  - HarmCategory.HARM_CATEGORY_JAILBREAK
  - HarmCategory.HARM_CATEGORY_SEXUALLY_EXPLICIT
  - HarmCategory.HARM_CATEGORY_UNSPECIFIED
- HarmProbability
  - HarmProbability.HARM_PROBABILITY_UNSPECIFIED
  - HarmProbability.HIGH
  - HarmProbability.LOW
  - HarmProbability.MEDIUM
  - HarmProbability.NEGLIGIBLE
- HarmSeverity
  - HarmSeverity.HARM_SEVERITY_HIGH
  - HarmSeverity.HARM_SEVERITY_LOW
  - HarmSeverity.HARM_SEVERITY_MEDIUM
  - HarmSeverity.HARM_SEVERITY_NEGLIGIBLE
  - HarmSeverity.HARM_SEVERITY_UNSPECIFIED
- HistoryConfig
  - HistoryConfig.initial_history_in_client_content
- HistoryConfigDict
  - HistoryConfigDict.initial_history_in_client_content
- HttpElementLocation
  - HttpElementLocation.HTTP_IN_BODY
  - HttpElementLocation.HTTP_IN_COOKIE
  - HttpElementLocation.HTTP_IN_HEADER
  - HttpElementLocation.HTTP_IN_PATH
  - HttpElementLocation.HTTP_IN_QUERY
  - HttpElementLocation.HTTP_IN_UNSPECIFIED
- HttpOptions
  - HttpOptions.aiohttp_client
  - HttpOptions.api_version
  - HttpOptions.async_client_args
  - HttpOptions.base_url
  - HttpOptions.base_url_resource_scope
  - HttpOptions.client_args
  - HttpOptions.extra_body
  - HttpOptions.headers
  - HttpOptions.httpx_async_client
  - HttpOptions.httpx_client
  - HttpOptions.retry_options
  - HttpOptions.timeout
- HttpOptionsDict
  - HttpOptionsDict.api_version
  - HttpOptionsDict.async_client_args
  - HttpOptionsDict.base_url
  - HttpOptionsDict.base_url_resource_scope
  - HttpOptionsDict.client_args
  - HttpOptionsDict.extra_body
  - HttpOptionsDict.headers
  - HttpOptionsDict.retry_options
  - HttpOptionsDict.timeout
- HttpResponse
  - HttpResponse.body
  - HttpResponse.headers
- HttpResponseDict
  - HttpResponseDict.body
  - HttpResponseDict.headers
- HttpRetryOptions
  - HttpRetryOptions.attempts
  - HttpRetryOptions.exp_base
  - HttpRetryOptions.http_status_codes
  - HttpRetryOptions.initial_delay
  - HttpRetryOptions.jitter
  - HttpRetryOptions.max_delay
- HttpRetryOptionsDict
  - HttpRetryOptionsDict.attempts
  - HttpRetryOptionsDict.exp_base
  - HttpRetryOptionsDict.http_status_codes
  - HttpRetryOptionsDict.initial_delay
  - HttpRetryOptionsDict.jitter
  - HttpRetryOptionsDict.max_delay
- Image
  - Image.gcs_uri
  - Image.image_bytes
  - Image.mime_type
  - Image.from_file()
  - Image.model_post_init()
  - Image.save()
  - Image.show()

- ImageConfig
  - ImageConfig.aspect_ratio
  - ImageConfig.image_output_options
  - ImageConfig.image_size
  - ImageConfig.output_compression_quality
  - ImageConfig.output_mime_type
  - ImageConfig.person_generation
  - ImageConfig.prominent_people
- ImageConfigDict
  - ImageConfigDict.aspect_ratio
  - ImageConfigDict.image_output_options
  - ImageConfigDict.image_size
  - ImageConfigDict.output_compression_quality
  - ImageConfigDict.output_mime_type
  - ImageConfigDict.person_generation
  - ImageConfigDict.prominent_people
- ImageConfigImageOutputOptions
  - ImageConfigImageOutputOptions.compression_quality
  - ImageConfigImageOutputOptions.mime_type
- ImageConfigImageOutputOptionsDict
  - ImageConfigImageOutputOptionsDict.compression_quality
  - ImageConfigImageOutputOptionsDict.mime_type
- ImageDict
  - ImageDict.gcs_uri
  - ImageDict.image_bytes
  - ImageDict.mime_type
- ImagePromptLanguage
  - ImagePromptLanguage.auto
  - ImagePromptLanguage.en
  - ImagePromptLanguage.es
  - ImagePromptLanguage.hi
  - ImagePromptLanguage.ja
  - ImagePromptLanguage.ko
  - ImagePromptLanguage.pt
  - ImagePromptLanguage.zh
- ImageResizeMode
  - ImageResizeMode.CROP
  - ImageResizeMode.PAD
- ImageResponseFormat
  - ImageResponseFormat.aspect_ratio
  - ImageResponseFormat.delivery
  - ImageResponseFormat.image_size
  - ImageResponseFormat.mime_type
- ImageResponseFormatDict
  - ImageResponseFormatDict.aspect_ratio
  - ImageResponseFormatDict.delivery
  - ImageResponseFormatDict.image_size
  - ImageResponseFormatDict.mime_type
- ImageSearch
- ImageSearchDict
- ImageSize
  - ImageSize.IMAGE_SIZE_FIVE_TWELVE
  - ImageSize.IMAGE_SIZE_FOUR_K
  - ImageSize.IMAGE_SIZE_ONE_K
  - ImageSize.IMAGE_SIZE_TWO_K
  - ImageSize.IMAGE_SIZE_UNSPECIFIED
- ImportFileConfig
  - ImportFileConfig.chunking_config
  - ImportFileConfig.custom_metadata
  - ImportFileConfig.http_options
- ImportFileConfigDict
  - ImportFileConfigDict.chunking_config
  - ImportFileConfigDict.custom_metadata
  - ImportFileConfigDict.http_options
- ImportFileOperation
  - ImportFileOperation.response
  - ImportFileOperation.from_api_response()
- ImportFileResponse
  - ImportFileResponse.document_name
  - ImportFileResponse.parent
  - ImportFileResponse.sdk_http_response
- ImportFileResponseDict
  - ImportFileResponseDict.document_name
  - ImportFileResponseDict.parent
  - ImportFileResponseDict.sdk_http_response
- InlinedEmbedContentResponse
  - InlinedEmbedContentResponse.error
  - InlinedEmbedContentResponse.metadata
  - InlinedEmbedContentResponse.response
- InlinedEmbedContentResponseDict
  - InlinedEmbedContentResponseDict.error
  - InlinedEmbedContentResponseDict.metadata
  - InlinedEmbedContentResponseDict.response
- InlinedRequest
  - InlinedRequest.config
  - InlinedRequest.contents
  - InlinedRequest.metadata
  - InlinedRequest.model

- InlinedRequestDict
  - InlinedRequestDict.config
  - InlinedRequestDict.contents
  - InlinedRequestDict.metadata
  - InlinedRequestDict.model
- InlinedResponse
  - InlinedResponse.error
  - InlinedResponse.metadata
  - InlinedResponse.response
- InlinedResponseDict
  - InlinedResponseDict.error
  - InlinedResponseDict.metadata
  - InlinedResponseDict.response
- InteractionStatus
  - InteractionStatus.IDLE
  - InteractionStatus.INTERACTION_STATUS_UNSPECIFIED
  - InteractionStatus.IN_PROGRESS
  - InteractionStatus.REQUIRES_ACTION
- Interval
  - Interval.end_time
  - Interval.start_time
- IntervalDict
  - IntervalDict.end_time
  - IntervalDict.start_time
- JSONSchema
  - JSONSchema.additional_properties
  - JSONSchema.any_of
  - JSONSchema.default
  - JSONSchema.defs
  - JSONSchema.description
  - JSONSchema.enum
  - JSONSchema.format
  - JSONSchema.items
  - JSONSchema.max_items
  - JSONSchema.max_length
  - JSONSchema.max_properties
  - JSONSchema.maximum
  - JSONSchema.min_items
  - JSONSchema.min_length
  - JSONSchema.min_properties
  - JSONSchema.minimum
  - JSONSchema.one_of
  - JSONSchema.pattern
  - JSONSchema.properties
  - JSONSchema.ref
  - JSONSchema.required
  - JSONSchema.title
  - JSONSchema.type
  - JSONSchema.unique_items
- JSONSchemaType
  - JSONSchemaType.ARRAY
  - JSONSchemaType.BOOLEAN
  - JSONSchemaType.INTEGER
  - JSONSchemaType.NULL
  - JSONSchemaType.NUMBER
  - JSONSchemaType.OBJECT
  - JSONSchemaType.STRING
- JobError
  - JobError.code
  - JobError.details
  - JobError.message
- JobErrorDict
  - JobErrorDict.code
  - JobErrorDict.details
  - JobErrorDict.message
- JobState
  - JobState.JOB_STATE_CANCELLED
  - JobState.JOB_STATE_CANCELLING
  - JobState.JOB_STATE_EXPIRED
  - JobState.JOB_STATE_FAILED
  - JobState.JOB_STATE_PARTIALLY_SUCCEEDED
  - JobState.JOB_STATE_PAUSED
  - JobState.JOB_STATE_PENDING
  - JobState.JOB_STATE_QUEUED
  - JobState.JOB_STATE_RUNNING
  - JobState.JOB_STATE_SUCCEEDED
  - JobState.JOB_STATE_UNSPECIFIED
  - JobState.JOB_STATE_UPDATING
- LLMBasedMetricSpec
  - LLMBasedMetricSpec.additional_config
  - LLMBasedMetricSpec.judge_autorater_config
  - LLMBasedMetricSpec.metric_prompt_template
  - LLMBasedMetricSpec.predefined_rubric_generation_spec
  - LLMBasedMetricSpec.result_parser_config
  - LLMBasedMetricSpec.rubric_generation_spec
  - LLMBasedMetricSpec.rubric_group_key
  - LLMBasedMetricSpec.system_instruction

- LLMBasedMetricSpecDict
  - LLMBasedMetricSpecDict.additional_config
  - LLMBasedMetricSpecDict.judge_autorater_config
  - LLMBasedMetricSpecDict.metric_prompt_template
  - LLMBasedMetricSpecDict.predefined_rubric_generation_spec
  - LLMBasedMetricSpecDict.result_parser_config
  - LLMBasedMetricSpecDict.rubric_generation_spec
  - LLMBasedMetricSpecDict.rubric_group_key
  - LLMBasedMetricSpecDict.system_instruction
- Language
  - Language.LANGUAGE_UNSPECIFIED
  - Language.PYTHON
- LanguageAuto
- LanguageAutoDict
- LanguageHints
  - LanguageHints.language_codes
- LanguageHintsDict
  - LanguageHintsDict.language_codes
- LatLng
  - LatLng.latitude
  - LatLng.longitude
- LatLngDict
  - LatLngDict.latitude
  - LatLngDict.longitude
- ListBatchJobsConfig
  - ListBatchJobsConfig.filter
  - ListBatchJobsConfig.http_options
  - ListBatchJobsConfig.page_size
  - ListBatchJobsConfig.page_token
- ListBatchJobsConfigDict
  - ListBatchJobsConfigDict.filter
  - ListBatchJobsConfigDict.http_options
  - ListBatchJobsConfigDict.page_size
  - ListBatchJobsConfigDict.page_token
- ListBatchJobsResponse
  - ListBatchJobsResponse.batch_jobs
  - ListBatchJobsResponse.next_page_token
  - ListBatchJobsResponse.sdk_http_response
- ListBatchJobsResponseDict
  - ListBatchJobsResponseDict.batch_jobs
  - ListBatchJobsResponseDict.next_page_token
  - ListBatchJobsResponseDict.sdk_http_response
- ListCachedContentsConfig
  - ListCachedContentsConfig.http_options
  - ListCachedContentsConfig.page_size
  - ListCachedContentsConfig.page_token
- ListCachedContentsConfigDict
  - ListCachedContentsConfigDict.http_options
  - ListCachedContentsConfigDict.page_size
  - ListCachedContentsConfigDict.page_token
- ListCachedContentsResponse
  - ListCachedContentsResponse.cached_contents
  - ListCachedContentsResponse.next_page_token
  - ListCachedContentsResponse.sdk_http_response
- ListCachedContentsResponseDict
  - ListCachedContentsResponseDict.cached_contents
  - ListCachedContentsResponseDict.next_page_token
  - ListCachedContentsResponseDict.sdk_http_response
- ListDocumentsConfig
  - ListDocumentsConfig.http_options
  - ListDocumentsConfig.page_size
  - ListDocumentsConfig.page_token
- ListDocumentsConfigDict
  - ListDocumentsConfigDict.http_options
  - ListDocumentsConfigDict.page_size
  - ListDocumentsConfigDict.page_token
- ListDocumentsResponse
  - ListDocumentsResponse.documents
  - ListDocumentsResponse.next_page_token
  - ListDocumentsResponse.sdk_http_response
- ListDocumentsResponseDict
  - ListDocumentsResponseDict.documents
  - ListDocumentsResponseDict.next_page_token
  - ListDocumentsResponseDict.sdk_http_response
- ListFileSearchStoresConfig
  - ListFileSearchStoresConfig.http_options
  - ListFileSearchStoresConfig.page_size
  - ListFileSearchStoresConfig.page_token
- ListFileSearchStoresConfigDict
  - ListFileSearchStoresConfigDict.http_options
  - ListFileSearchStoresConfigDict.page_size
  - ListFileSearchStoresConfigDict.page_token
- ListFileSearchStoresResponse
  - ListFileSearchStoresResponse.file_search_stores
  - ListFileSearchStoresResponse.next_page_token
  - ListFileSearchStoresResponse.sdk_http_response

- ListFileSearchStoresResponseDict
  - ListFileSearchStoresResponseDict.file_search_stores
  - ListFileSearchStoresResponseDict.next_page_token
  - ListFileSearchStoresResponseDict.sdk_http_response
- ListFilesConfig
  - ListFilesConfig.http_options
  - ListFilesConfig.page_size
  - ListFilesConfig.page_token
- ListFilesConfigDict
  - ListFilesConfigDict.http_options
  - ListFilesConfigDict.page_size
  - ListFilesConfigDict.page_token
- ListFilesResponse
  - ListFilesResponse.files
  - ListFilesResponse.next_page_token
  - ListFilesResponse.sdk_http_response
- ListFilesResponseDict
  - ListFilesResponseDict.files
  - ListFilesResponseDict.next_page_token
  - ListFilesResponseDict.sdk_http_response
- ListModelsConfig
  - ListModelsConfig.filter
  - ListModelsConfig.http_options
  - ListModelsConfig.page_size
  - ListModelsConfig.page_token
  - ListModelsConfig.query_base
- ListModelsConfigDict
  - ListModelsConfigDict.filter
  - ListModelsConfigDict.http_options
  - ListModelsConfigDict.page_size
  - ListModelsConfigDict.page_token
  - ListModelsConfigDict.query_base
- ListModelsResponse
  - ListModelsResponse.models
  - ListModelsResponse.next_page_token
  - ListModelsResponse.sdk_http_response
- ListModelsResponseDict
  - ListModelsResponseDict.models
  - ListModelsResponseDict.next_page_token
  - ListModelsResponseDict.sdk_http_response
- ListTuningJobsConfig
  - ListTuningJobsConfig.filter
  - ListTuningJobsConfig.http_options
  - ListTuningJobsConfig.page_size
  - ListTuningJobsConfig.page_token
- ListTuningJobsConfigDict
  - ListTuningJobsConfigDict.filter
  - ListTuningJobsConfigDict.http_options
  - ListTuningJobsConfigDict.page_size
  - ListTuningJobsConfigDict.page_token
- ListTuningJobsResponse
  - ListTuningJobsResponse.next_page_token
  - ListTuningJobsResponse.sdk_http_response
  - ListTuningJobsResponse.tuning_jobs
- ListTuningJobsResponseDict
  - ListTuningJobsResponseDict.next_page_token
  - ListTuningJobsResponseDict.sdk_http_response
  - ListTuningJobsResponseDict.tuning_jobs
- LiveClientContent
  - LiveClientContent.turn_complete
  - LiveClientContent.turns
- LiveClientContentDict
  - LiveClientContentDict.turn_complete
  - LiveClientContentDict.turns
- LiveClientContextUpdate
  - LiveClientContextUpdate.system_instruction
  - LiveClientContextUpdate.tools
- LiveClientContextUpdateDict
  - LiveClientContextUpdateDict.system_instruction
  - LiveClientContextUpdateDict.tools
- LiveClientContextUpdateTools
  - LiveClientContextUpdateTools.tools
- LiveClientContextUpdateToolsDict
  - LiveClientContextUpdateToolsDict.tools
- LiveClientMessage
  - LiveClientMessage.client_content
  - LiveClientMessage.context_update
  - LiveClientMessage.realtime_input
  - LiveClientMessage.setup
  - LiveClientMessage.tool_response
- LiveClientMessageDict
  - LiveClientMessageDict.client_content
  - LiveClientMessageDict.context_update
  - LiveClientMessageDict.realtime_input
  - LiveClientMessageDict.setup
  - LiveClientMessageDict.tool_response

- LiveClientRealtimeInput
  - LiveClientRealtimeInput.activity_end
  - LiveClientRealtimeInput.activity_start
  - LiveClientRealtimeInput.audio
  - LiveClientRealtimeInput.audio_stream_end
  - LiveClientRealtimeInput.media_chunks
  - LiveClientRealtimeInput.text
  - LiveClientRealtimeInput.video
- LiveClientRealtimeInputDict
  - LiveClientRealtimeInputDict.activity_end
  - LiveClientRealtimeInputDict.activity_start
  - LiveClientRealtimeInputDict.audio
  - LiveClientRealtimeInputDict.audio_stream_end
  - LiveClientRealtimeInputDict.media_chunks
  - LiveClientRealtimeInputDict.text
  - LiveClientRealtimeInputDict.video
- LiveClientSetup
  - LiveClientSetup.avatar_config
  - LiveClientSetup.context_window_compression
  - LiveClientSetup.explicit_vad_signal
  - LiveClientSetup.generation_config
  - LiveClientSetup.history_config
  - LiveClientSetup.input_audio_transcription
  - LiveClientSetup.labels
  - LiveClientSetup.model
  - LiveClientSetup.output_audio_transcription
  - LiveClientSetup.proactivity
  - LiveClientSetup.safety_settings
  - LiveClientSetup.session_resumption
  - LiveClientSetup.system_instruction
  - LiveClientSetup.tools
- LiveClientSetupDict
  - LiveClientSetupDict.avatar_config
  - LiveClientSetupDict.context_window_compression
  - LiveClientSetupDict.explicit_vad_signal
  - LiveClientSetupDict.generation_config
  - LiveClientSetupDict.history_config
  - LiveClientSetupDict.input_audio_transcription
  - LiveClientSetupDict.labels
  - LiveClientSetupDict.model
  - LiveClientSetupDict.output_audio_transcription
  - LiveClientSetupDict.proactivity
  - LiveClientSetupDict.safety_settings
  - LiveClientSetupDict.session_resumption
  - LiveClientSetupDict.system_instruction
  - LiveClientSetupDict.tools
- LiveClientToolResponse
  - LiveClientToolResponse.function_responses
- LiveClientToolResponseDict
  - LiveClientToolResponseDict.function_responses
- LiveConnectConfig
  - LiveConnectConfig.avatar_config
  - LiveConnectConfig.context_window_compression
  - LiveConnectConfig.enable_affective_dialog
  - LiveConnectConfig.explicit_vad_signal
  - LiveConnectConfig.generation_config
  - LiveConnectConfig.history_config
  - LiveConnectConfig.http_options
  - LiveConnectConfig.input_audio_transcription
  - LiveConnectConfig.labels
  - LiveConnectConfig.max_output_tokens
  - LiveConnectConfig.media_resolution
  - LiveConnectConfig.output_audio_transcription
  - LiveConnectConfig.proactivity
  - LiveConnectConfig.realtime_input_config
  - LiveConnectConfig.response_modalities
  - LiveConnectConfig.safety_settings
  - LiveConnectConfig.seed
  - LiveConnectConfig.session_resumption
  - LiveConnectConfig.speech_config
  - LiveConnectConfig.system_instruction
  - LiveConnectConfig.temperature
  - LiveConnectConfig.thinking_config
  - LiveConnectConfig.tools
  - LiveConnectConfig.top_k
  - LiveConnectConfig.top_p
  - LiveConnectConfig.translation_config

- LiveConnectConfigDict
  - LiveConnectConfigDict.avatar_config
  - LiveConnectConfigDict.context_window_compression
  - LiveConnectConfigDict.enable_affective_dialog
  - LiveConnectConfigDict.explicit_vad_signal
  - LiveConnectConfigDict.generation_config
  - LiveConnectConfigDict.history_config
  - LiveConnectConfigDict.http_options
  - LiveConnectConfigDict.input_audio_transcription
  - LiveConnectConfigDict.labels
  - LiveConnectConfigDict.max_output_tokens
  - LiveConnectConfigDict.media_resolution
  - LiveConnectConfigDict.output_audio_transcription
  - LiveConnectConfigDict.proactivity
  - LiveConnectConfigDict.realtime_input_config
  - LiveConnectConfigDict.response_modalities
  - LiveConnectConfigDict.safety_settings
  - LiveConnectConfigDict.seed
  - LiveConnectConfigDict.session_resumption
  - LiveConnectConfigDict.speech_config
  - LiveConnectConfigDict.system_instruction
  - LiveConnectConfigDict.temperature
  - LiveConnectConfigDict.thinking_config
  - LiveConnectConfigDict.tools
  - LiveConnectConfigDict.top_k
  - LiveConnectConfigDict.top_p
  - LiveConnectConfigDict.translation_config
- LiveConnectConstraints
  - LiveConnectConstraints.config
  - LiveConnectConstraints.model
- LiveConnectConstraintsDict
  - LiveConnectConstraintsDict.config
  - LiveConnectConstraintsDict.model
- LiveConnectParameters
  - LiveConnectParameters.config
  - LiveConnectParameters.model
- LiveConnectParametersDict
  - LiveConnectParametersDict.config
  - LiveConnectParametersDict.model
- LiveMusicClientContent
  - LiveMusicClientContent.weighted_prompts
- LiveMusicClientContentDict
  - LiveMusicClientContentDict.weighted_prompts
- LiveMusicClientMessage
  - LiveMusicClientMessage.client_content
  - LiveMusicClientMessage.music_generation_config
  - LiveMusicClientMessage.playback_control
  - LiveMusicClientMessage.setup
- LiveMusicClientMessageDict
  - LiveMusicClientMessageDict.client_content
  - LiveMusicClientMessageDict.music_generation_config
  - LiveMusicClientMessageDict.playback_control
  - LiveMusicClientMessageDict.setup
- LiveMusicClientSetup
  - LiveMusicClientSetup.model
- LiveMusicClientSetupDict
  - LiveMusicClientSetupDict.model
- LiveMusicConnectParameters
  - LiveMusicConnectParameters.model
- LiveMusicConnectParametersDict
  - LiveMusicConnectParametersDict.model
- LiveMusicFilteredPrompt
  - LiveMusicFilteredPrompt.filtered_reason
  - LiveMusicFilteredPrompt.text
- LiveMusicFilteredPromptDict
  - LiveMusicFilteredPromptDict.filtered_reason
  - LiveMusicFilteredPromptDict.text
- LiveMusicGenerationConfig
  - LiveMusicGenerationConfig.bpm
  - LiveMusicGenerationConfig.brightness
  - LiveMusicGenerationConfig.density
  - LiveMusicGenerationConfig.guidance
  - LiveMusicGenerationConfig.music_generation_mode
  - LiveMusicGenerationConfig.mute_bass
  - LiveMusicGenerationConfig.mute_drums
  - LiveMusicGenerationConfig.only_bass_and_drums
  - LiveMusicGenerationConfig.scale
  - LiveMusicGenerationConfig.seed
  - LiveMusicGenerationConfig.temperature
  - LiveMusicGenerationConfig.top_k

- LiveMusicGenerationConfigDict
  - LiveMusicGenerationConfigDict.bpm
  - LiveMusicGenerationConfigDict.brightness
  - LiveMusicGenerationConfigDict.density
  - LiveMusicGenerationConfigDict.guidance
  - LiveMusicGenerationConfigDict.music_generation_mode
  - LiveMusicGenerationConfigDict.mute_bass
  - LiveMusicGenerationConfigDict.mute_drums
  - LiveMusicGenerationConfigDict.only_bass_and_drums
  - LiveMusicGenerationConfigDict.scale
  - LiveMusicGenerationConfigDict.seed
  - LiveMusicGenerationConfigDict.temperature
  - LiveMusicGenerationConfigDict.top_k
- LiveMusicPlaybackControl
  - LiveMusicPlaybackControl.PAUSE
  - LiveMusicPlaybackControl.PLAY
  - LiveMusicPlaybackControl.PLAYBACK_CONTROL_UNSPECIFIED
  - LiveMusicPlaybackControl.RESET_CONTEXT
  - LiveMusicPlaybackControl.STOP
- LiveMusicServerContent
  - LiveMusicServerContent.audio_chunks
- LiveMusicServerContentDict
  - LiveMusicServerContentDict.audio_chunks
- LiveMusicServerMessage
  - LiveMusicServerMessage.filtered_prompt
  - LiveMusicServerMessage.server_content
  - LiveMusicServerMessage.setup_complete
- LiveMusicServerMessageDict
  - LiveMusicServerMessageDict.filtered_prompt
  - LiveMusicServerMessageDict.server_content
  - LiveMusicServerMessageDict.setup_complete
- LiveMusicServerSetupComplete
- LiveMusicServerSetupCompleteDict
- LiveMusicSetConfigParameters
  - LiveMusicSetConfigParameters.music_generation_config
- LiveMusicSetConfigParametersDict
  - LiveMusicSetConfigParametersDict.music_generation_config
- LiveMusicSetWeightedPromptsParameters
  - LiveMusicSetWeightedPromptsParameters.weighted_prompts
- LiveMusicSetWeightedPromptsParametersDict
  - LiveMusicSetWeightedPromptsParametersDict.weighted_prompts
- LiveMusicSourceMetadata
  - LiveMusicSourceMetadata.client_content
  - LiveMusicSourceMetadata.music_generation_config
- LiveMusicSourceMetadataDict
  - LiveMusicSourceMetadataDict.client_content
  - LiveMusicSourceMetadataDict.music_generation_config
- LiveSendRealtimeInputParameters
  - LiveSendRealtimeInputParameters.activity_end
  - LiveSendRealtimeInputParameters.activity_start
  - LiveSendRealtimeInputParameters.audio
  - LiveSendRealtimeInputParameters.audio_stream_end
  - LiveSendRealtimeInputParameters.media
  - LiveSendRealtimeInputParameters.text
  - LiveSendRealtimeInputParameters.video
- LiveSendRealtimeInputParametersDict
  - LiveSendRealtimeInputParametersDict.activity_end
  - LiveSendRealtimeInputParametersDict.activity_start
  - LiveSendRealtimeInputParametersDict.audio
  - LiveSendRealtimeInputParametersDict.audio_stream_end
  - LiveSendRealtimeInputParametersDict.media
  - LiveSendRealtimeInputParametersDict.text
  - LiveSendRealtimeInputParametersDict.video
- LiveServerContent
  - LiveServerContent.generation_complete
  - LiveServerContent.grounding_metadata
  - LiveServerContent.input_transcription
  - LiveServerContent.interaction_status
  - LiveServerContent.interim_input_transcription
  - LiveServerContent.interrupted
  - LiveServerContent.model_turn
  - LiveServerContent.output_transcription
  - LiveServerContent.turn_complete
  - LiveServerContent.turn_complete_reason
  - LiveServerContent.url_context_metadata
  - LiveServerContent.waiting_for_input

- LiveServerContentDict
  - LiveServerContentDict.generation_complete
  - LiveServerContentDict.grounding_metadata
  - LiveServerContentDict.input_transcription
  - LiveServerContentDict.interaction_status
  - LiveServerContentDict.interim_input_transcription
  - LiveServerContentDict.interrupted
  - LiveServerContentDict.model_turn
  - LiveServerContentDict.output_transcription
  - LiveServerContentDict.turn_complete
  - LiveServerContentDict.turn_complete_reason
  - LiveServerContentDict.url_context_metadata
  - LiveServerContentDict.waiting_for_input
- LiveServerGoAway
  - LiveServerGoAway.time_left
- LiveServerGoAwayDict
  - LiveServerGoAwayDict.time_left
- LiveServerMessage
  - LiveServerMessage.go_away
  - LiveServerMessage.server_content
  - LiveServerMessage.session_resumption_update
  - LiveServerMessage.setup_complete
  - LiveServerMessage.tool_call
  - LiveServerMessage.tool_call_cancellation
  - LiveServerMessage.usage_metadata
  - LiveServerMessage.voice_activity
  - LiveServerMessage.voice_activity_detection_signal
  - LiveServerMessage.data
  - LiveServerMessage.text
- LiveServerMessageDict
  - LiveServerMessageDict.go_away
  - LiveServerMessageDict.server_content
  - LiveServerMessageDict.session_resumption_update
  - LiveServerMessageDict.setup_complete
  - LiveServerMessageDict.tool_call
  - LiveServerMessageDict.tool_call_cancellation
  - LiveServerMessageDict.usage_metadata
  - LiveServerMessageDict.voice_activity
  - LiveServerMessageDict.voice_activity_detection_signal
- LiveServerSessionResumptionUpdate
  - LiveServerSessionResumptionUpdate.last_consumed_client_message_index
  - LiveServerSessionResumptionUpdate.new_handle
  - LiveServerSessionResumptionUpdate.resumable
- LiveServerSessionResumptionUpdateDict
  - LiveServerSessionResumptionUpdateDict.last_consumed_client_message_index
  - LiveServerSessionResumptionUpdateDict.new_handle
  - LiveServerSessionResumptionUpdateDict.resumable
- LiveServerSetupComplete
  - LiveServerSetupComplete.session_id
  - LiveServerSetupComplete.voice_consent_signature
- LiveServerSetupCompleteDict
  - LiveServerSetupCompleteDict.session_id
  - LiveServerSetupCompleteDict.voice_consent_signature
- LiveServerToolCall
  - LiveServerToolCall.function_calls
- LiveServerToolCallCancellation
  - LiveServerToolCallCancellation.ids
- LiveServerToolCallCancellationDict
  - LiveServerToolCallCancellationDict.ids
- LiveServerToolCallDict
  - LiveServerToolCallDict.function_calls
- LogprobsResult
  - LogprobsResult.chosen_candidates
  - LogprobsResult.log_probability_sum
  - LogprobsResult.top_candidates
- LogprobsResultCandidate
  - LogprobsResultCandidate.log_probability
  - LogprobsResultCandidate.token
  - LogprobsResultCandidate.token_id
- LogprobsResultCandidateDict
  - LogprobsResultCandidateDict.log_probability
  - LogprobsResultCandidateDict.token
  - LogprobsResultCandidateDict.token_id
- LogprobsResultDict
  - LogprobsResultDict.chosen_candidates
  - LogprobsResultDict.log_probability_sum
  - LogprobsResultDict.top_candidates
- LogprobsResultTopCandidates
  - LogprobsResultTopCandidates.candidates
- LogprobsResultTopCandidatesDict
  - LogprobsResultTopCandidatesDict.candidates
- MaskReferenceConfig
  - MaskReferenceConfig.mask_dilation
  - MaskReferenceConfig.mask_mode
  - MaskReferenceConfig.segmentation_classes

- MaskReferenceConfigDict
  - MaskReferenceConfigDict.mask_dilation
  - MaskReferenceConfigDict.mask_mode
  - MaskReferenceConfigDict.segmentation_classes
- MaskReferenceImage
  - MaskReferenceImage.config
  - MaskReferenceImage.mask_image_config
  - MaskReferenceImage.reference_id
  - MaskReferenceImage.reference_image
  - MaskReferenceImage.reference_type
- MaskReferenceImageDict
  - MaskReferenceImageDict.config
  - MaskReferenceImageDict.reference_id
  - MaskReferenceImageDict.reference_image
  - MaskReferenceImageDict.reference_type
- MaskReferenceMode
  - MaskReferenceMode.MASK_MODE_BACKGROUND
  - MaskReferenceMode.MASK_MODE_DEFAULT
  - MaskReferenceMode.MASK_MODE_FOREGROUND
  - MaskReferenceMode.MASK_MODE_SEMANTIC
  - MaskReferenceMode.MASK_MODE_USER_PROVIDED
- MatchOperation
  - MatchOperation.EXACT_MATCH
  - MatchOperation.MATCH_OPERATION_UNSPECIFIED
  - MatchOperation.PARTIAL_MATCH
  - MatchOperation.REGEX_CONTAINS
- McpServer
  - McpServer.name
  - McpServer.streamable_http_transport
- McpServerDict
  - McpServerDict.name
  - McpServerDict.streamable_http_transport
- MediaModality
  - MediaModality.AUDIO
  - MediaModality.DOCUMENT
  - MediaModality.IMAGE
  - MediaModality.MODALITY_UNSPECIFIED
  - MediaModality.TEXT
  - MediaModality.VIDEO
- MediaProcessing
  - MediaProcessing.AGENTIC
  - MediaProcessing.MEDIA_PROCESSING_UNSPECIFIED
  - MediaProcessing.STATIC
- MediaResolution
  - MediaResolution.MEDIA_RESOLUTION_HIGH
  - MediaResolution.MEDIA_RESOLUTION_LOW
  - MediaResolution.MEDIA_RESOLUTION_MEDIUM
  - MediaResolution.MEDIA_RESOLUTION_UNSPECIFIED
- Metric
  - Metric.aggregate_summary_fn
  - Metric.custom_function
  - Metric.judge_model_system_instruction
  - Metric.name
  - Metric.parse_and_reduce_fn
  - Metric.prompt_template
  - Metric.return_raw_output
  - Metric.model_post_init()
  - Metric.to_yaml_file()
  - Metric.validate_name
- MetricDict
  - MetricDict.aggregate_summary_fn
  - MetricDict.custom_function
  - MetricDict.judge_model_system_instruction
  - MetricDict.name
  - MetricDict.parse_and_reduce_fn
  - MetricDict.prompt_template
  - MetricDict.return_raw_output
- Modality
  - Modality.AUDIO
  - Modality.IMAGE
  - Modality.MODALITY_UNSPECIFIED
  - Modality.TEXT
  - Modality.VIDEO
- ModalityTokenCount
  - ModalityTokenCount.modality
  - ModalityTokenCount.token_count
- ModalityTokenCountDict
  - ModalityTokenCountDict.modality
  - ModalityTokenCountDict.token_count

- Model
  - Model.checkpoints
  - Model.default_checkpoint_id
  - Model.description
  - Model.display_name
  - Model.endpoints
  - Model.input_token_limit
  - Model.labels
  - Model.max_temperature
  - Model.name
  - Model.output_token_limit
  - Model.supported_actions
  - Model.temperature
  - Model.thinking
  - Model.top_k
  - Model.top_p
  - Model.tuned_model_info
  - Model.version
- ModelArmorConfig
  - ModelArmorConfig.prompt_template_name
  - ModelArmorConfig.response_template_name
- ModelArmorConfigDict
  - ModelArmorConfigDict.prompt_template_name
  - ModelArmorConfigDict.response_template_name
- ModelContent
  - ModelContent.parts
  - ModelContent.role
- ModelDict
  - ModelDict.checkpoints
  - ModelDict.default_checkpoint_id
  - ModelDict.description
  - ModelDict.display_name
  - ModelDict.endpoints
  - ModelDict.input_token_limit
  - ModelDict.labels
  - ModelDict.max_temperature
  - ModelDict.name
  - ModelDict.output_token_limit
  - ModelDict.supported_actions
  - ModelDict.temperature
  - ModelDict.thinking
  - ModelDict.top_k
  - ModelDict.top_p
  - ModelDict.tuned_model_info
  - ModelDict.version
- ModelSelectionConfig
  - ModelSelectionConfig.feature_selection_preference
- ModelSelectionConfigDict
  - ModelSelectionConfigDict.feature_selection_preference
- ModelStage
  - ModelStage.DEPRECATED
  - ModelStage.EXPERIMENTAL
  - ModelStage.LEGACY
  - ModelStage.MODEL_STAGE_UNSPECIFIED
  - ModelStage.PREVIEW
  - ModelStage.RETIRED
  - ModelStage.STABLE
  - ModelStage.UNSTABLE_EXPERIMENTAL
- ModelStatus
  - ModelStatus.message
  - ModelStatus.model_stage
  - ModelStatus.retirement_time
- ModelStatusDict
  - ModelStatusDict.message
  - ModelStatusDict.model_stage
  - ModelStatusDict.retirement_time
- MultiSpeakerVoiceConfig
  - MultiSpeakerVoiceConfig.speaker_voice_configs
- MultiSpeakerVoiceConfigDict
  - MultiSpeakerVoiceConfigDict.speaker_voice_configs
- MusicGenerationMode
  - MusicGenerationMode.DIVERSITY
  - MusicGenerationMode.MUSIC_GENERATION_MODE_UNSPECIFIED
  - MusicGenerationMode.QUALITY
  - MusicGenerationMode.VOCALIZATION
- Operation
  - Operation.done
  - Operation.error
  - Operation.from_api_response()
  - Operation.metadata
  - Operation.name
- Outcome
  - Outcome.OUTCOME_DEADLINE_EXCEEDED
  - Outcome.OUTCOME_FAILED
  - Outcome.OUTCOME_OK
  - Outcome.OUTCOME_UNSPECIFIED
- OutputConfig
  - OutputConfig.gcs_destination

- OutputConfigDict
  - OutputConfigDict.gcs_destination
- OutputInfo
  - OutputInfo.gcs_output_directory
- OutputInfoDict
  - OutputInfoDict.gcs_output_directory
- PairwiseChoice
  - PairwiseChoice.BASELINE
  - PairwiseChoice.CANDIDATE
  - PairwiseChoice.PAIRWISE_CHOICE_UNSPECIFIED
  - PairwiseChoice.TIE
- PairwiseMetricResult
  - PairwiseMetricResult.custom_output
  - PairwiseMetricResult.explanation
  - PairwiseMetricResult.pairwise_choice
- PairwiseMetricResultDict
  - PairwiseMetricResultDict.custom_output
  - PairwiseMetricResultDict.explanation
  - PairwiseMetricResultDict.pairwise_choice
- PairwiseMetricSpec
  - PairwiseMetricSpec.baseline_response_field_name
  - PairwiseMetricSpec.candidate_response_field_name
  - PairwiseMetricSpec.custom_output_format_config
  - PairwiseMetricSpec.metric_prompt_template
  - PairwiseMetricSpec.system_instruction
- PairwiseMetricSpecDict
  - PairwiseMetricSpecDict.baseline_response_field_name
  - PairwiseMetricSpecDict.candidate_response_field_name
  - PairwiseMetricSpecDict.custom_output_format_config
  - PairwiseMetricSpecDict.metric_prompt_template
  - PairwiseMetricSpecDict.system_instruction
- Part
  - Part.audio_transcription
  - Part.code_execution_result
  - Part.executable_code
  - Part.file_data
  - Part.function_call
  - Part.function_response
  - Part.inline_data
  - Part.media_processing
  - Part.media_resolution
  - Part.part_metadata
  - Part.speech_metadata
  - Part.text
  - Part.thought
  - Part.thought_signature
  - Part.tool_call
  - Part.tool_response
  - Part.video_metadata
  - Part.from_bytes()
  - Part.from_code_execution_result()
  - Part.from_executable_code()
  - Part.from_function_call()
  - Part.from_function_response()
  - Part.from_text()
  - Part.from_uri()
  - Part.as_image()
- PartDict
  - PartDict.audio_transcription
  - PartDict.code_execution_result
  - PartDict.executable_code
  - PartDict.file_data
  - PartDict.function_call
  - PartDict.function_response
  - PartDict.inline_data
  - PartDict.media_processing
  - PartDict.media_resolution
  - PartDict.part_metadata
  - PartDict.speech_metadata
  - PartDict.text
  - PartDict.thought
  - PartDict.thought_signature
  - PartDict.tool_call
  - PartDict.tool_response
  - PartDict.video_metadata
- PartMediaResolution
  - PartMediaResolution.level
  - PartMediaResolution.num_tokens
- PartMediaResolutionDict
  - PartMediaResolutionDict.level
  - PartMediaResolutionDict.num_tokens
- PartMediaResolutionLevel
  - PartMediaResolutionLevel.MEDIA_RESOLUTION_HIGH
  - PartMediaResolutionLevel.MEDIA_RESOLUTION_LOW
  - PartMediaResolutionLevel.MEDIA_RESOLUTION_MEDIUM
  - PartMediaResolutionLevel.MEDIA_RESOLUTION_ULTRA_HIGH
  - PartMediaResolutionLevel.MEDIA_RESOLUTION_UNSPECIFIED

- PartialArg
  - PartialArg.bool_value
  - PartialArg.json_path
  - PartialArg.null_value
  - PartialArg.number_value
  - PartialArg.string_value
  - PartialArg.will_continue
- PartialArgDict
  - PartialArgDict.bool_value
  - PartialArgDict.json_path
  - PartialArgDict.null_value
  - PartialArgDict.number_value
  - PartialArgDict.string_value
  - PartialArgDict.will_continue
- PartnerModelTuningSpec
  - PartnerModelTuningSpec.hyper_parameters
  - PartnerModelTuningSpec.training_dataset_uri
  - PartnerModelTuningSpec.validation_dataset_uri
- PartnerModelTuningSpecDict
  - PartnerModelTuningSpecDict.hyper_parameters
  - PartnerModelTuningSpecDict.training_dataset_uri
  - PartnerModelTuningSpecDict.validation_dataset_uri
- PersonGeneration
  - PersonGeneration.ALLOW_ADULT
  - PersonGeneration.ALLOW_ALL
  - PersonGeneration.DONT_ALLOW
- PhishBlockThreshold
  - PhishBlockThreshold.BLOCK_HIGHER_AND_ABOVE
  - PhishBlockThreshold.BLOCK_HIGH_AND_ABOVE
  - PhishBlockThreshold.BLOCK_LOW_AND_ABOVE
  - PhishBlockThreshold.BLOCK_MEDIUM_AND_ABOVE
  - PhishBlockThreshold.BLOCK_ONLY_EXTREMELY_HIGH
  - PhishBlockThreshold.BLOCK_VERY_HIGH_AND_ABOVE
  - PhishBlockThreshold.PHISH_BLOCK_THRESHOLD_UNSPECIFIED
- PointwiseMetricResult
  - PointwiseMetricResult.custom_output
  - PointwiseMetricResult.explanation
  - PointwiseMetricResult.score
- PointwiseMetricResultDict
  - PointwiseMetricResultDict.custom_output
  - PointwiseMetricResultDict.explanation
  - PointwiseMetricResultDict.score
- PointwiseMetricSpec
  - PointwiseMetricSpec.custom_output_format_config
  - PointwiseMetricSpec.metric_prompt_template
  - PointwiseMetricSpec.system_instruction
- PointwiseMetricSpecDict
  - PointwiseMetricSpecDict.custom_output_format_config
  - PointwiseMetricSpecDict.metric_prompt_template
  - PointwiseMetricSpecDict.system_instruction
- PreTunedModel
  - PreTunedModel.base_model
  - PreTunedModel.checkpoint_id
  - PreTunedModel.tuned_model_name
- PreTunedModelDict
  - PreTunedModelDict.base_model
  - PreTunedModelDict.checkpoint_id
  - PreTunedModelDict.tuned_model_name
- PrebuiltVoiceConfig
  - PrebuiltVoiceConfig.voice_name
- PrebuiltVoiceConfigDict
  - PrebuiltVoiceConfigDict.voice_name
- PredefinedMetricSpec
  - PredefinedMetricSpec.metric_spec_name
  - PredefinedMetricSpec.metric_spec_parameters
  - PredefinedMetricSpec.step_autorater_configs
- PredefinedMetricSpecDict
  - PredefinedMetricSpecDict.metric_spec_name
  - PredefinedMetricSpecDict.metric_spec_parameters
  - PredefinedMetricSpecDict.step_autorater_configs
- PreferenceOptimizationDataStats
  - PreferenceOptimizationDataStats.dropped_example_indices
  - PreferenceOptimizationDataStats.dropped_example_reasons
  - PreferenceOptimizationDataStats.score_variance_per_example_distribution
  - PreferenceOptimizationDataStats.scores_distribution
  - PreferenceOptimizationDataStats.total_billable_token_count
  - PreferenceOptimizationDataStats.tuning_dataset_example_count
  - PreferenceOptimizationDataStats.tuning_step_count
  - PreferenceOptimizationDataStats.user_dataset_examples
  - PreferenceOptimizationDataStats.user_input_token_distribution
  - PreferenceOptimizationDataStats.user_output_token_distribution

- PreferenceOptimizationDataStatsDict
  - PreferenceOptimizationDataStatsDict.dropped_example_indices
  - PreferenceOptimizationDataStatsDict.dropped_example_reasons
  - PreferenceOptimizationDataStatsDict.score_variance_per_example_distribution
  - PreferenceOptimizationDataStatsDict.scores_distribution
  - PreferenceOptimizationDataStatsDict.total_billable_token_count
  - PreferenceOptimizationDataStatsDict.tuning_dataset_example_count
  - PreferenceOptimizationDataStatsDict.tuning_step_count
  - PreferenceOptimizationDataStatsDict.user_dataset_examples
  - PreferenceOptimizationDataStatsDict.user_input_token_distribution
  - PreferenceOptimizationDataStatsDict.user_output_token_distribution
- PreferenceOptimizationHyperParameters
  - PreferenceOptimizationHyperParameters.adapter_size
  - PreferenceOptimizationHyperParameters.beta
  - PreferenceOptimizationHyperParameters.epoch_count
  - PreferenceOptimizationHyperParameters.learning_rate_multiplier
- PreferenceOptimizationHyperParametersDict
  - PreferenceOptimizationHyperParametersDict.adapter_size
  - PreferenceOptimizationHyperParametersDict.beta
  - PreferenceOptimizationHyperParametersDict.epoch_count
  - PreferenceOptimizationHyperParametersDict.learning_rate_multiplier
- PreferenceOptimizationSpec
  - PreferenceOptimizationSpec.export_last_checkpoint_only
  - PreferenceOptimizationSpec.hyper_parameters
  - PreferenceOptimizationSpec.training_dataset_uri
  - PreferenceOptimizationSpec.validation_dataset_uri
- PreferenceOptimizationSpecDict
  - PreferenceOptimizationSpecDict.export_last_checkpoint_only
  - PreferenceOptimizationSpecDict.hyper_parameters
  - PreferenceOptimizationSpecDict.training_dataset_uri
  - PreferenceOptimizationSpecDict.validation_dataset_uri
- ProactivityConfig
  - ProactivityConfig.proactive_audio
- ProactivityConfigDict
  - ProactivityConfigDict.proactive_audio
- ProductImage
  - ProductImage.product_image
- ProductImageDict
  - ProductImageDict.product_image
- ProjectOperation
  - ProjectOperation.done
  - ProjectOperation.error
  - ProjectOperation.metadata
  - ProjectOperation.name
- ProjectOperationDict
  - ProjectOperationDict.done
  - ProjectOperationDict.error
  - ProjectOperationDict.metadata
  - ProjectOperationDict.name
- ProminentPeople
  - ProminentPeople.ALLOW_PROMINENT_PEOPLE
  - ProminentPeople.BLOCK_PROMINENT_PEOPLE
  - ProminentPeople.PROMINENT_PEOPLE_UNSPECIFIED
- RagChunk
  - RagChunk.chunk_id
  - RagChunk.file_id
  - RagChunk.page_span
  - RagChunk.text
- RagChunkDict
  - RagChunkDict.chunk_id
  - RagChunkDict.file_id
  - RagChunkDict.page_span
  - RagChunkDict.text
- RagChunkPageSpan
  - RagChunkPageSpan.first_page
  - RagChunkPageSpan.last_page
- RagChunkPageSpanDict
  - RagChunkPageSpanDict.first_page
  - RagChunkPageSpanDict.last_page
- RagRetrievalConfig
  - RagRetrievalConfig.filter
  - RagRetrievalConfig.hybrid_search
  - RagRetrievalConfig.ranking
  - RagRetrievalConfig.top_k
- RagRetrievalConfigDict
  - RagRetrievalConfigDict.filter
  - RagRetrievalConfigDict.hybrid_search
  - RagRetrievalConfigDict.ranking
  - RagRetrievalConfigDict.top_k
- RagRetrievalConfigFilter
  - RagRetrievalConfigFilter.metadata_filter
  - RagRetrievalConfigFilter.vector_distance_threshold
  - RagRetrievalConfigFilter.vector_similarity_threshold
- RagRetrievalConfigFilterDict
  - RagRetrievalConfigFilterDict.metadata_filter
  - RagRetrievalConfigFilterDict.vector_distance_threshold
  - RagRetrievalConfigFilterDict.vector_similarity_threshold

- RagRetrievalConfigHybridSearch
  - RagRetrievalConfigHybridSearch.alpha
- RagRetrievalConfigHybridSearchDict
  - RagRetrievalConfigHybridSearchDict.alpha
- RagRetrievalConfigRanking
  - RagRetrievalConfigRanking.llm_ranker
  - RagRetrievalConfigRanking.rank_service
- RagRetrievalConfigRankingDict
  - RagRetrievalConfigRankingDict.llm_ranker
  - RagRetrievalConfigRankingDict.rank_service
- RagRetrievalConfigRankingLlmRanker
  - RagRetrievalConfigRankingLlmRanker.model_name
- RagRetrievalConfigRankingLlmRankerDict
  - RagRetrievalConfigRankingLlmRankerDict.model_name
- RagRetrievalConfigRankingRankService
  - RagRetrievalConfigRankingRankService.model_name
- RagRetrievalConfigRankingRankServiceDict
  - RagRetrievalConfigRankingRankServiceDict.model_name
- RawOutput
  - RawOutput.raw_output
- RawOutputDict
  - RawOutputDict.raw_output
- RawReferenceImage
  - RawReferenceImage.reference_id
  - RawReferenceImage.reference_image
  - RawReferenceImage.reference_type
- RawReferenceImageDict
  - RawReferenceImageDict.reference_id
  - RawReferenceImageDict.reference_image
  - RawReferenceImageDict.reference_type
- RealtimeInputConfig
  - RealtimeInputConfig.activity_handling
  - RealtimeInputConfig.automatic_activity_detection
  - RealtimeInputConfig.interim_transcript_timestamp_enabled
  - RealtimeInputConfig.turn_coverage
- RealtimeInputConfigDict
  - RealtimeInputConfigDict.activity_handling
  - RealtimeInputConfigDict.automatic_activity_detection
  - RealtimeInputConfigDict.interim_transcript_timestamp_enabled
  - RealtimeInputConfigDict.turn_coverage
- RecontextImageConfig
  - RecontextImageConfig.add_watermark
  - RecontextImageConfig.base_steps
  - RecontextImageConfig.enhance_prompt
  - RecontextImageConfig.http_options
  - RecontextImageConfig.labels
  - RecontextImageConfig.number_of_images
  - RecontextImageConfig.output_compression_quality
  - RecontextImageConfig.output_gcs_uri
  - RecontextImageConfig.output_mime_type
  - RecontextImageConfig.person_generation
  - RecontextImageConfig.safety_filter_level
  - RecontextImageConfig.seed
- RecontextImageConfigDict
  - RecontextImageConfigDict.add_watermark
  - RecontextImageConfigDict.base_steps
  - RecontextImageConfigDict.enhance_prompt
  - RecontextImageConfigDict.http_options
  - RecontextImageConfigDict.labels
  - RecontextImageConfigDict.number_of_images
  - RecontextImageConfigDict.output_compression_quality
  - RecontextImageConfigDict.output_gcs_uri
  - RecontextImageConfigDict.output_mime_type
  - RecontextImageConfigDict.person_generation
  - RecontextImageConfigDict.safety_filter_level
  - RecontextImageConfigDict.seed
- RecontextImageResponse
  - RecontextImageResponse.generated_images
- RecontextImageResponseDict
  - RecontextImageResponseDict.generated_images
- RecontextImageSource
  - RecontextImageSource.person_image
  - RecontextImageSource.product_images
  - RecontextImageSource.prompt
- RecontextImageSourceDict
  - RecontextImageSourceDict.person_image
  - RecontextImageSourceDict.product_images
  - RecontextImageSourceDict.prompt
- RegisterFilesConfig
  - RegisterFilesConfig.http_options
  - RegisterFilesConfig.should_return_http_response
- RegisterFilesConfigDict
  - RegisterFilesConfigDict.http_options
  - RegisterFilesConfigDict.should_return_http_response
- RegisterFilesResponse
  - RegisterFilesResponse.files
  - RegisterFilesResponse.sdk_http_response

- RegisterFilesResponseDict
  - RegisterFilesResponseDict.files
  - RegisterFilesResponseDict.sdk_http_response
- ReinforcementTuningAutoraterScorer
  - ReinforcementTuningAutoraterScorer.autorater_config
  - ReinforcementTuningAutoraterScorer.autorater_prompt
  - ReinforcementTuningAutoraterScorer.autorater_response_parse_config
  - ReinforcementTuningAutoraterScorer.exact_match_scorer
  - ReinforcementTuningAutoraterScorer.parsed_response_conversion_scorer
- ReinforcementTuningAutoraterScorerDict
  - ReinforcementTuningAutoraterScorerDict.autorater_config
  - ReinforcementTuningAutoraterScorerDict.autorater_prompt
  - ReinforcementTuningAutoraterScorerDict.autorater_response_parse_config
  - ReinforcementTuningAutoraterScorerDict.exact_match_scorer
  - ReinforcementTuningAutoraterScorerDict.parsed_response_conversion_scorer
- ReinforcementTuningAutoraterScorerExactMatchScorer
  - ReinforcementTuningAutoraterScorerExactMatchScorer.correct_answer_reward
  - ReinforcementTuningAutoraterScorerExactMatchScorer.expression
  - ReinforcementTuningAutoraterScorerExactMatchScorer.wrong_answer_reward
- ReinforcementTuningAutoraterScorerExactMatchScorerDict
  - ReinforcementTuningAutoraterScorerExactMatchScorerDict.correct_answer_reward
  - ReinforcementTuningAutoraterScorerExactMatchScorerDict.expression
  - ReinforcementTuningAutoraterScorerExactMatchScorerDict.wrong_answer_reward
- ReinforcementTuningAutoraterScorerParsedResponseConversionScorer
- ReinforcementTuningAutoraterScorerParsedResponseConversionScorerDict
- ReinforcementTuningCloudRunRewardScorer
  - ReinforcementTuningCloudRunRewardScorer.cloud_run_uri
- ReinforcementTuningCloudRunRewardScorerDict
  - ReinforcementTuningCloudRunRewardScorerDict.cloud_run_uri
- ReinforcementTuningCodeExecutionRewardScorer
  - ReinforcementTuningCodeExecutionRewardScorer.python_code_snippet
- ReinforcementTuningCodeExecutionRewardScorerDict
  - ReinforcementTuningCodeExecutionRewardScorerDict.python_code_snippet
- ReinforcementTuningExample
  - ReinforcementTuningExample.contents
  - ReinforcementTuningExample.references
  - ReinforcementTuningExample.system_instruction
  - ReinforcementTuningExample.tools
- ReinforcementTuningExampleDict
  - ReinforcementTuningExampleDict.contents
  - ReinforcementTuningExampleDict.references
  - ReinforcementTuningExampleDict.system_instruction
  - ReinforcementTuningExampleDict.tools
- ReinforcementTuningHyperParameters
  - ReinforcementTuningHyperParameters.adapter_size
  - ReinforcementTuningHyperParameters.batch_size
  - ReinforcementTuningHyperParameters.checkpoint_interval
  - ReinforcementTuningHyperParameters.epoch_count
  - ReinforcementTuningHyperParameters.evaluate_interval
  - ReinforcementTuningHyperParameters.learning_rate_multiplier
  - ReinforcementTuningHyperParameters.max_output_tokens
  - ReinforcementTuningHyperParameters.samples_per_prompt
  - ReinforcementTuningHyperParameters.step_count
  - ReinforcementTuningHyperParameters.thinking_budget
  - ReinforcementTuningHyperParameters.thinking_level
- ReinforcementTuningHyperParametersDict
  - ReinforcementTuningHyperParametersDict.adapter_size
  - ReinforcementTuningHyperParametersDict.batch_size
  - ReinforcementTuningHyperParametersDict.checkpoint_interval
  - ReinforcementTuningHyperParametersDict.epoch_count
  - ReinforcementTuningHyperParametersDict.evaluate_interval
  - ReinforcementTuningHyperParametersDict.learning_rate_multiplier
  - ReinforcementTuningHyperParametersDict.max_output_tokens
  - ReinforcementTuningHyperParametersDict.samples_per_prompt
  - ReinforcementTuningHyperParametersDict.step_count
  - ReinforcementTuningHyperParametersDict.thinking_budget
  - ReinforcementTuningHyperParametersDict.thinking_level
- ReinforcementTuningParseResponseConfig
  - ReinforcementTuningParseResponseConfig.parse_type
  - ReinforcementTuningParseResponseConfig.regex_extract_expression
- ReinforcementTuningParseResponseConfigDict
  - ReinforcementTuningParseResponseConfigDict.parse_type
  - ReinforcementTuningParseResponseConfigDict.regex_extract_expression
- ReinforcementTuningRewardInfo
  - ReinforcementTuningRewardInfo.error_status
  - ReinforcementTuningRewardInfo.reward
  - ReinforcementTuningRewardInfo.user_requested_aux_info
- ReinforcementTuningRewardInfoDict
  - ReinforcementTuningRewardInfoDict.error_status
  - ReinforcementTuningRewardInfoDict.reward
  - ReinforcementTuningRewardInfoDict.user_requested_aux_info
- ReinforcementTuningSpec
  - ReinforcementTuningSpec.composite_reward_config
  - ReinforcementTuningSpec.hyper_parameters
  - ReinforcementTuningSpec.single_reward_config
  - ReinforcementTuningSpec.training_dataset_uri
  - ReinforcementTuningSpec.validation_dataset_uri

- ReinforcementTuningSpecDict
  - ReinforcementTuningSpecDict.composite_reward_config
  - ReinforcementTuningSpecDict.hyper_parameters
  - ReinforcementTuningSpecDict.single_reward_config
  - ReinforcementTuningSpecDict.training_dataset_uri
  - ReinforcementTuningSpecDict.validation_dataset_uri
- ReinforcementTuningStringMatchRewardScorer
  - ReinforcementTuningStringMatchRewardScorer.correct_answer_reward
  - ReinforcementTuningStringMatchRewardScorer.json_match_expression
  - ReinforcementTuningStringMatchRewardScorer.string_match_expression
  - ReinforcementTuningStringMatchRewardScorer.wrong_answer_reward
- ReinforcementTuningStringMatchRewardScorerDict
  - ReinforcementTuningStringMatchRewardScorerDict.correct_answer_reward
  - ReinforcementTuningStringMatchRewardScorerDict.json_match_expression
  - ReinforcementTuningStringMatchRewardScorerDict.string_match_expression
  - ReinforcementTuningStringMatchRewardScorerDict.wrong_answer_reward
- ReinforcementTuningStringMatchRewardScorerJsonMatchExpression
  - ReinforcementTuningStringMatchRewardScorerJsonMatchExpression.key_name
  - ReinforcementTuningStringMatchRewardScorerJsonMatchExpression.value_string_match_expression
- ReinforcementTuningStringMatchRewardScorerJsonMatchExpressionDict
  - ReinforcementTuningStringMatchRewardScorerJsonMatchExpressionDict.key_name
  - ReinforcementTuningStringMatchRewardScorerJsonMatchExpressionDict.value_string_match_expression
- ReinforcementTuningStringMatchRewardScorerStringMatchExpression
  - ReinforcementTuningStringMatchRewardScorerStringMatchExpression.expression
  - ReinforcementTuningStringMatchRewardScorerStringMatchExpression.match_operation
- ReinforcementTuningStringMatchRewardScorerStringMatchExpressionDict
  - ReinforcementTuningStringMatchRewardScorerStringMatchExpressionDict.expression
  - ReinforcementTuningStringMatchRewardScorerStringMatchExpressionDict.match_operation
- ReinforcementTuningThinkingLevel
  - ReinforcementTuningThinkingLevel.HIGH
  - ReinforcementTuningThinkingLevel.MINIMAL
  - ReinforcementTuningThinkingLevel.REINFORCEMENT_TUNING_THINKING_LEVEL_UNSPECIFIED
- ReinforcementTuningUserDatasetExamples
  - ReinforcementTuningUserDatasetExamples.user_dataset_examples
- ReinforcementTuningUserDatasetExamplesDict
  - ReinforcementTuningUserDatasetExamplesDict.user_dataset_examples
- ReplayFile
  - ReplayFile.interactions
  - ReplayFile.replay_id
- ReplayFileDict
  - ReplayFileDict.interactions
  - ReplayFileDict.replay_id
- ReplayInteraction
  - ReplayInteraction.request
  - ReplayInteraction.response
- ReplayInteractionDict
  - ReplayInteractionDict.request
  - ReplayInteractionDict.response
- ReplayRequest
  - ReplayRequest.body_segments
  - ReplayRequest.headers
  - ReplayRequest.method
  - ReplayRequest.url
- ReplayRequestDict
  - ReplayRequestDict.body_segments
  - ReplayRequestDict.headers
  - ReplayRequestDict.method
  - ReplayRequestDict.url
- ReplayResponse
  - ReplayResponse.body_segments
  - ReplayResponse.headers
  - ReplayResponse.sdk_response_segments
  - ReplayResponse.status_code
- ReplayResponseDict
  - ReplayResponseDict.body_segments
  - ReplayResponseDict.headers
  - ReplayResponseDict.sdk_response_segments
  - ReplayResponseDict.status_code
- ReplicatedVoiceConfig
  - ReplicatedVoiceConfig.consent_audio
  - ReplicatedVoiceConfig.mime_type
  - ReplicatedVoiceConfig.voice_consent_signature
  - ReplicatedVoiceConfig.voice_sample_audio
- ReplicatedVoiceConfigDict
  - ReplicatedVoiceConfigDict.consent_audio
  - ReplicatedVoiceConfigDict.mime_type
  - ReplicatedVoiceConfigDict.voice_consent_signature
  - ReplicatedVoiceConfigDict.voice_sample_audio
- ResourceScope
  - ResourceScope.COLLECTION
- ResponseFormat
  - ResponseFormat.audio
  - ResponseFormat.image
  - ResponseFormat.text
  - ResponseFormat.video

- ResponseFormatDict
  - ResponseFormatDict.audio
  - ResponseFormatDict.image
  - ResponseFormatDict.text
  - ResponseFormatDict.video
- ResponseParseType
  - ResponseParseType.IDENTITY
  - ResponseParseType.REGEX_EXTRACT
  - ResponseParseType.RESPONSE_PARSE_TYPE_UNSPECIFIED
- Retrieval
  - Retrieval.disable_attribution
  - Retrieval.external_api
  - Retrieval.vertex_ai_search
  - Retrieval.vertex_rag_store
- RetrievalConfig
  - RetrievalConfig.language_code
  - RetrievalConfig.lat_lng
- RetrievalConfigDict
  - RetrievalConfigDict.language_code
  - RetrievalConfigDict.lat_lng
- RetrievalDict
  - RetrievalDict.disable_attribution
  - RetrievalDict.external_api
  - RetrievalDict.vertex_ai_search
  - RetrievalDict.vertex_rag_store
- RetrievalMetadata
  - RetrievalMetadata.google_search_dynamic_retrieval_score
- RetrievalMetadataDict
  - RetrievalMetadataDict.google_search_dynamic_retrieval_score
- RougeMetricValue
  - RougeMetricValue.score
- RougeMetricValueDict
  - RougeMetricValueDict.score
- RougeSpec
  - RougeSpec.rouge_type
  - RougeSpec.split_summaries
  - RougeSpec.use_stemmer
- RougeSpecDict
  - RougeSpecDict.rouge_type
  - RougeSpecDict.split_summaries
  - RougeSpecDict.use_stemmer
- RubricContentType
  - RubricContentType.NL_QUESTION_ANSWER
  - RubricContentType.PROPERTY
  - RubricContentType.PYTHON_CODE_ASSERTION
  - RubricContentType.RUBRIC_CONTENT_TYPE_UNSPECIFIED
- RubricGenerationSpec
  - RubricGenerationSpec.prompt_template
  - RubricGenerationSpec.rubric_content_type
  - RubricGenerationSpec.rubric_type_ontology
- RubricGenerationSpecDict
  - RubricGenerationSpecDict.prompt_template
  - RubricGenerationSpecDict.rubric_content_type
  - RubricGenerationSpecDict.rubric_type_ontology
- SafetyAttributes
  - SafetyAttributes.categories
  - SafetyAttributes.content_type
  - SafetyAttributes.scores
- SafetyAttributesDict
  - SafetyAttributesDict.categories
  - SafetyAttributesDict.content_type
  - SafetyAttributesDict.scores
- SafetyFilterLevel
  - SafetyFilterLevel.BLOCK_LOW_AND_ABOVE
  - SafetyFilterLevel.BLOCK_MEDIUM_AND_ABOVE
  - SafetyFilterLevel.BLOCK_NONE
  - SafetyFilterLevel.BLOCK_ONLY_HIGH
- SafetyPolicy
  - SafetyPolicy.ACCOUNT_CREATION
  - SafetyPolicy.COMMUNICATION_TOOL
  - SafetyPolicy.DATA_MODIFICATION
  - SafetyPolicy.FINANCIAL_TRANSACTIONS
  - SafetyPolicy.LEGAL_TERMS_AND_AGREEMENTS
  - SafetyPolicy.SAFETY_POLICY_UNSPECIFIED
  - SafetyPolicy.SENSITIVE_DATA_MODIFICATION
  - SafetyPolicy.USER_CONSENT_MANAGEMENT
- SafetyRating
  - SafetyRating.blocked
  - SafetyRating.category
  - SafetyRating.overwritten_threshold
  - SafetyRating.probability
  - SafetyRating.probability_score
  - SafetyRating.severity
  - SafetyRating.severity_score

- SafetyRatingDict
  - SafetyRatingDict.blocked
  - SafetyRatingDict.category
  - SafetyRatingDict.overwritten_threshold
  - SafetyRatingDict.probability
  - SafetyRatingDict.probability_score
  - SafetyRatingDict.severity
  - SafetyRatingDict.severity_score
- SafetySetting
  - SafetySetting.category
  - SafetySetting.method
  - SafetySetting.threshold
- SafetySettingDict
  - SafetySettingDict.category
  - SafetySettingDict.method
  - SafetySettingDict.threshold
- Scale
  - Scale.A_FLAT_MAJOR_F_MINOR
  - Scale.A_MAJOR_G_FLAT_MINOR
  - Scale.B_FLAT_MAJOR_G_MINOR
  - Scale.B_MAJOR_A_FLAT_MINOR
  - Scale.C_MAJOR_A_MINOR
  - Scale.D_FLAT_MAJOR_B_FLAT_MINOR
  - Scale.D_MAJOR_B_MINOR
  - Scale.E_FLAT_MAJOR_C_MINOR
  - Scale.E_MAJOR_D_FLAT_MINOR
  - Scale.F_MAJOR_D_MINOR
  - Scale.G_FLAT_MAJOR_E_FLAT_MINOR
  - Scale.G_MAJOR_E_MINOR
  - Scale.SCALE_UNSPECIFIED
- Schema
  - Schema.additional_properties
  - Schema.any_of
  - Schema.default
  - Schema.defs
  - Schema.description
  - Schema.enum
  - Schema.example
  - Schema.format
  - Schema.items
  - Schema.max_items
  - Schema.max_length
  - Schema.max_properties
  - Schema.maximum
  - Schema.min_items
  - Schema.min_length
  - Schema.min_properties
  - Schema.minimum
  - Schema.nullable
  - Schema.pattern
  - Schema.properties
  - Schema.property_ordering
  - Schema.ref
  - Schema.required
  - Schema.title
  - Schema.type
  - Schema.from_json_schema()
  - Schema.json_schema
- SchemaDict
  - SchemaDict.additional_properties
  - SchemaDict.any_of
  - SchemaDict.default
  - SchemaDict.defs
  - SchemaDict.description
  - SchemaDict.enum
  - SchemaDict.example
  - SchemaDict.format
  - SchemaDict.max_items
  - SchemaDict.max_length
  - SchemaDict.max_properties
  - SchemaDict.maximum
  - SchemaDict.min_items
  - SchemaDict.min_length
  - SchemaDict.min_properties
  - SchemaDict.minimum
  - SchemaDict.nullable
  - SchemaDict.pattern
  - SchemaDict.properties
  - SchemaDict.property_ordering
  - SchemaDict.ref
  - SchemaDict.required
  - SchemaDict.title
  - SchemaDict.type
- ScribbleImage
  - ScribbleImage.image
- ScribbleImageDict
  - ScribbleImageDict.image

- SearchEntryPoint
  - SearchEntryPoint.rendered_content
  - SearchEntryPoint.sdk_blob
- SearchEntryPointDict
  - SearchEntryPointDict.rendered_content
  - SearchEntryPointDict.sdk_blob
- SearchTypes
  - SearchTypes.image_search
  - SearchTypes.web_search
- SearchTypesDict
  - SearchTypesDict.image_search
  - SearchTypesDict.web_search
- Segment
  - Segment.end_index
  - Segment.part_index
  - Segment.start_index
  - Segment.text
- SegmentDict
  - SegmentDict.end_index
  - SegmentDict.part_index
  - SegmentDict.start_index
  - SegmentDict.text
- SegmentImageConfig
  - SegmentImageConfig.binary_color_threshold
  - SegmentImageConfig.confidence_threshold
  - SegmentImageConfig.http_options
  - SegmentImageConfig.labels
  - SegmentImageConfig.mask_dilation
  - SegmentImageConfig.max_predictions
  - SegmentImageConfig.mode
- SegmentImageConfigDict
  - SegmentImageConfigDict.binary_color_threshold
  - SegmentImageConfigDict.confidence_threshold
  - SegmentImageConfigDict.http_options
  - SegmentImageConfigDict.labels
  - SegmentImageConfigDict.mask_dilation
  - SegmentImageConfigDict.max_predictions
  - SegmentImageConfigDict.mode
- SegmentImageResponse
  - SegmentImageResponse.generated_masks
- SegmentImageResponseDict
  - SegmentImageResponseDict.generated_masks
- SegmentImageSource
  - SegmentImageSource.image
  - SegmentImageSource.prompt
  - SegmentImageSource.scribble_image
- SegmentImageSourceDict
  - SegmentImageSourceDict.image
  - SegmentImageSourceDict.prompt
  - SegmentImageSourceDict.scribble_image
- SegmentMode
  - SegmentMode.BACKGROUND
  - SegmentMode.FOREGROUND
  - SegmentMode.INTERACTIVE
  - SegmentMode.PROMPT
  - SegmentMode.SEMANTIC
- ServiceTier
  - ServiceTier.FLEX
  - ServiceTier.PRIORITY
  - ServiceTier.STANDARD
  - ServiceTier.UNSPECIFIED
- SessionResumptionConfig
  - SessionResumptionConfig.handle
  - SessionResumptionConfig.transparent
- SessionResumptionConfigDict
  - SessionResumptionConfigDict.handle
  - SessionResumptionConfigDict.transparent
- SingleEmbedContentResponse
  - SingleEmbedContentResponse.embedding
  - SingleEmbedContentResponse.token_count
- SingleEmbedContentResponseDict
  - SingleEmbedContentResponseDict.embedding
  - SingleEmbedContentResponseDict.token_count
- SingleReinforcementTuningRewardConfig
  - SingleReinforcementTuningRewardConfig.autorater_scorer
  - SingleReinforcementTuningRewardConfig.cloud_run_reward_scorer
  - SingleReinforcementTuningRewardConfig.code_execution_reward_scorer
  - SingleReinforcementTuningRewardConfig.parse_response_config
  - SingleReinforcementTuningRewardConfig.reward_name
  - SingleReinforcementTuningRewardConfig.string_match_reward_scorer
- SingleReinforcementTuningRewardConfigDict
  - SingleReinforcementTuningRewardConfigDict.autorater_scorer
  - SingleReinforcementTuningRewardConfigDict.cloud_run_reward_scorer
  - SingleReinforcementTuningRewardConfigDict.code_execution_reward_scorer
  - SingleReinforcementTuningRewardConfigDict.parse_response_config
  - SingleReinforcementTuningRewardConfigDict.reward_name
  - SingleReinforcementTuningRewardConfigDict.string_match_reward_scorer

- SlidingWindow
  - SlidingWindow.target_tokens
- SlidingWindowDict
  - SlidingWindowDict.target_tokens
- SpeakerVoiceConfig
  - SpeakerVoiceConfig.speaker
  - SpeakerVoiceConfig.voice_config
- SpeakerVoiceConfigDict
  - SpeakerVoiceConfigDict.speaker
  - SpeakerVoiceConfigDict.voice_config
- SpeechConfig
  - SpeechConfig.language_code
  - SpeechConfig.multi_speaker_voice_config
  - SpeechConfig.voice_config
- SpeechConfigDict
  - SpeechConfigDict.language_code
  - SpeechConfigDict.multi_speaker_voice_config
  - SpeechConfigDict.voice_config
- SpeechMetadata
  - SpeechMetadata.speaker
  - SpeechMetadata.style
- SpeechMetadataDict
  - SpeechMetadataDict.speaker
  - SpeechMetadataDict.style
- StartSensitivity
  - StartSensitivity.START_SENSITIVITY_HIGH
  - StartSensitivity.START_SENSITIVITY_LOW
  - StartSensitivity.START_SENSITIVITY_UNSPECIFIED
- StreamableHttpTransport
  - StreamableHttpTransport.headers
  - StreamableHttpTransport.sse_read_timeout
  - StreamableHttpTransport.terminate_on_close
  - StreamableHttpTransport.timeout
  - StreamableHttpTransport.url
- StreamableHttpTransportDict
  - StreamableHttpTransportDict.headers
  - StreamableHttpTransportDict.sse_read_timeout
  - StreamableHttpTransportDict.terminate_on_close
  - StreamableHttpTransportDict.timeout
  - StreamableHttpTransportDict.url
- StringList
  - StringList.values
- StringListDict
- StyleReferenceConfig
  - StyleReferenceConfig.style_description
- StyleReferenceConfigDict
  - StyleReferenceConfigDict.style_description
- StyleReferenceImage
  - StyleReferenceImage.config
  - StyleReferenceImage.reference_id
  - StyleReferenceImage.reference_image
  - StyleReferenceImage.reference_type
  - StyleReferenceImage.style_image_config
- StyleReferenceImageDict
  - StyleReferenceImageDict.config
  - StyleReferenceImageDict.reference_id
  - StyleReferenceImageDict.reference_image
  - StyleReferenceImageDict.reference_type
- SubjectReferenceConfig
  - SubjectReferenceConfig.subject_description
  - SubjectReferenceConfig.subject_type
- SubjectReferenceConfigDict
  - SubjectReferenceConfigDict.subject_description
  - SubjectReferenceConfigDict.subject_type
- SubjectReferenceImage
  - SubjectReferenceImage.config
  - SubjectReferenceImage.reference_id
  - SubjectReferenceImage.reference_image
  - SubjectReferenceImage.reference_type
  - SubjectReferenceImage.subject_image_config
- SubjectReferenceImageDict
  - SubjectReferenceImageDict.config
  - SubjectReferenceImageDict.reference_id
  - SubjectReferenceImageDict.reference_image
  - SubjectReferenceImageDict.reference_type
- SubjectReferenceType
  - SubjectReferenceType.SUBJECT_TYPE_ANIMAL
  - SubjectReferenceType.SUBJECT_TYPE_DEFAULT
  - SubjectReferenceType.SUBJECT_TYPE_PERSON
  - SubjectReferenceType.SUBJECT_TYPE_PRODUCT
- SupervisedHyperParameters
  - SupervisedHyperParameters.adapter_size
  - SupervisedHyperParameters.batch_size
  - SupervisedHyperParameters.epoch_count
  - SupervisedHyperParameters.learning_rate
  - SupervisedHyperParameters.learning_rate_multiplier

- SupervisedHyperParametersDict
  - SupervisedHyperParametersDict.adapter_size
  - SupervisedHyperParametersDict.batch_size
  - SupervisedHyperParametersDict.epoch_count
  - SupervisedHyperParametersDict.learning_rate
  - SupervisedHyperParametersDict.learning_rate_multiplier
- SupervisedTuningDataStats
  - SupervisedTuningDataStats.dropped_example_reasons
  - SupervisedTuningDataStats.total_billable_character_count
  - SupervisedTuningDataStats.total_billable_token_count
  - SupervisedTuningDataStats.total_truncated_example_count
  - SupervisedTuningDataStats.total_tuning_character_count
  - SupervisedTuningDataStats.truncated_example_indices
  - SupervisedTuningDataStats.tuning_dataset_example_count
  - SupervisedTuningDataStats.tuning_step_count
  - SupervisedTuningDataStats.user_dataset_examples
  - SupervisedTuningDataStats.user_input_token_distribution
  - SupervisedTuningDataStats.user_message_per_example_distribution
  - SupervisedTuningDataStats.user_output_token_distribution
- SupervisedTuningDataStatsDict
  - SupervisedTuningDataStatsDict.dropped_example_reasons
  - SupervisedTuningDataStatsDict.total_billable_character_count
  - SupervisedTuningDataStatsDict.total_billable_token_count
  - SupervisedTuningDataStatsDict.total_truncated_example_count
  - SupervisedTuningDataStatsDict.total_tuning_character_count
  - SupervisedTuningDataStatsDict.truncated_example_indices
  - SupervisedTuningDataStatsDict.tuning_dataset_example_count
  - SupervisedTuningDataStatsDict.tuning_step_count
  - SupervisedTuningDataStatsDict.user_dataset_examples
  - SupervisedTuningDataStatsDict.user_input_token_distribution
  - SupervisedTuningDataStatsDict.user_message_per_example_distribution
  - SupervisedTuningDataStatsDict.user_output_token_distribution
- SupervisedTuningDatasetDistribution
  - SupervisedTuningDatasetDistribution.billable_sum
  - SupervisedTuningDatasetDistribution.buckets
  - SupervisedTuningDatasetDistribution.max
  - SupervisedTuningDatasetDistribution.mean
  - SupervisedTuningDatasetDistribution.median
  - SupervisedTuningDatasetDistribution.min
  - SupervisedTuningDatasetDistribution.p5
  - SupervisedTuningDatasetDistribution.p95
  - SupervisedTuningDatasetDistribution.sum
- SupervisedTuningDatasetDistributionDatasetBucket
  - SupervisedTuningDatasetDistributionDatasetBucket.count
  - SupervisedTuningDatasetDistributionDatasetBucket.left
  - SupervisedTuningDatasetDistributionDatasetBucket.right
- SupervisedTuningDatasetDistributionDatasetBucketDict
  - SupervisedTuningDatasetDistributionDatasetBucketDict.count
  - SupervisedTuningDatasetDistributionDatasetBucketDict.left
  - SupervisedTuningDatasetDistributionDatasetBucketDict.right
- SupervisedTuningDatasetDistributionDict
  - SupervisedTuningDatasetDistributionDict.billable_sum
  - SupervisedTuningDatasetDistributionDict.buckets
  - SupervisedTuningDatasetDistributionDict.max
  - SupervisedTuningDatasetDistributionDict.mean
  - SupervisedTuningDatasetDistributionDict.median
  - SupervisedTuningDatasetDistributionDict.min
  - SupervisedTuningDatasetDistributionDict.p5
  - SupervisedTuningDatasetDistributionDict.p95
  - SupervisedTuningDatasetDistributionDict.sum
- SupervisedTuningSpec
  - SupervisedTuningSpec.export_last_checkpoint_only
  - SupervisedTuningSpec.hyper_parameters
  - SupervisedTuningSpec.training_dataset_uri
  - SupervisedTuningSpec.tuning_mode
  - SupervisedTuningSpec.validation_dataset_uri
- SupervisedTuningSpecDict
  - SupervisedTuningSpecDict.export_last_checkpoint_only
  - SupervisedTuningSpecDict.hyper_parameters
  - SupervisedTuningSpecDict.training_dataset_uri
  - SupervisedTuningSpecDict.tuning_mode
  - SupervisedTuningSpecDict.validation_dataset_uri
- TestTableFile
  - TestTableFile.comment
  - TestTableFile.parameter_names
  - TestTableFile.test_method
  - TestTableFile.test_table
- TestTableFileDict
  - TestTableFileDict.comment
  - TestTableFileDict.parameter_names
  - TestTableFileDict.test_method
  - TestTableFileDict.test_table

- TestTableItem
  - TestTableItem.exception_if_mldev
  - TestTableItem.exception_if_vertex
  - TestTableItem.has_union
  - TestTableItem.ignore_keys
  - TestTableItem.name
  - TestTableItem.override_replay_id
  - TestTableItem.parameters
  - TestTableItem.skip_in_api_mode
- TestTableItemDict
  - TestTableItemDict.exception_if_mldev
  - TestTableItemDict.exception_if_vertex
  - TestTableItemDict.has_union
  - TestTableItemDict.ignore_keys
  - TestTableItemDict.name
  - TestTableItemDict.override_replay_id
  - TestTableItemDict.parameters
  - TestTableItemDict.skip_in_api_mode
- TextResponseFormat
  - TextResponseFormat.jsonSchema
  - TextResponseFormat.mime_type
- TextResponseFormatDict
  - TextResponseFormatDict.mime_type
  - TextResponseFormatDict.schema
- ThinkingConfig
  - ThinkingConfig.include_thoughts
  - ThinkingConfig.thinking_budget
  - ThinkingConfig.thinking_level
- ThinkingConfigDict
  - ThinkingConfigDict.include_thoughts
  - ThinkingConfigDict.thinking_budget
  - ThinkingConfigDict.thinking_level
- ThinkingLevel
  - ThinkingLevel.HIGH
  - ThinkingLevel.LOW
  - ThinkingLevel.MEDIUM
  - ThinkingLevel.MINIMAL
  - ThinkingLevel.THINKING_LEVEL_UNSPECIFIED
- TokensInfo
  - TokensInfo.role
  - TokensInfo.token_ids
  - TokensInfo.tokens
- TokensInfoDict
  - TokensInfoDict.role
  - TokensInfoDict.token_ids
  - TokensInfoDict.tokens
- Tool
  - Tool.code_execution
  - Tool.computer_use
  - Tool.enterprise_web_search
  - Tool.exa_ai_search
  - Tool.file_search
  - Tool.function_declarations
  - Tool.google_maps
  - Tool.google_search
  - Tool.google_search_retrieval
  - Tool.mcp_servers
  - Tool.parallel_ai_search
  - Tool.retrieval
  - Tool.url_context
- ToolCall
  - ToolCall.args
  - ToolCall.id
  - ToolCall.tool_type
- ToolCallDict
  - ToolCallDict.args
  - ToolCallDict.id
  - ToolCallDict.tool_type
- ToolCodeExecution
- ToolCodeExecutionDict
- ToolConfig
  - ToolConfig.function_calling_config
  - ToolConfig.include_server_side_tool_invocations
  - ToolConfig.retrieval_config
- ToolConfigDict
  - ToolConfigDict.function_calling_config
  - ToolConfigDict.include_server_side_tool_invocations
  - ToolConfigDict.retrieval_config

- ToolDict
  - ToolDict.code_execution
  - ToolDict.computer_use
  - ToolDict.enterprise_web_search
  - ToolDict.exa_ai_search
  - ToolDict.file_search
  - ToolDict.function_declarations
  - ToolDict.google_maps
  - ToolDict.google_search
  - ToolDict.google_search_retrieval
  - ToolDict.mcp_servers
  - ToolDict.parallel_ai_search
  - ToolDict.retrieval
  - ToolDict.url_context
- ToolExaAiSearch
  - ToolExaAiSearch.api_key
  - ToolExaAiSearch.custom_configs
- ToolExaAiSearchDict
  - ToolExaAiSearchDict.api_key
  - ToolExaAiSearchDict.custom_configs
- ToolParallelAiSearch
  - ToolParallelAiSearch.api_key
  - ToolParallelAiSearch.custom_configs
  - ToolParallelAiSearch.enable_data_retention
  - ToolParallelAiSearch.enable_zero_data_retention
- ToolParallelAiSearchDict
  - ToolParallelAiSearchDict.api_key
  - ToolParallelAiSearchDict.custom_configs
  - ToolParallelAiSearchDict.enable_data_retention
  - ToolParallelAiSearchDict.enable_zero_data_retention
- ToolResponse
  - ToolResponse.id
  - ToolResponse.response
  - ToolResponse.tool_type
- ToolResponseDict
  - ToolResponseDict.id
  - ToolResponseDict.response
  - ToolResponseDict.tool_type
- ToolType
  - ToolType.FILE_SEARCH
  - ToolType.GOOGLE_MAPS
  - ToolType.GOOGLE_SEARCH_IMAGE
  - ToolType.GOOGLE_SEARCH_WEB
  - ToolType.MEDIA_PROCESSING
  - ToolType.TOOL_TYPE_UNSPECIFIED
  - ToolType.URL_CONTEXT
- TrafficType
  - TrafficType.ON_DEMAND
  - TrafficType.ON_DEMAND_FLEX
  - TrafficType.ON_DEMAND_OFFPEAK
  - TrafficType.ON_DEMAND_PRIORITY
  - TrafficType.PROVISIONED_THROUGHPUT
  - TrafficType.TRAFFIC_TYPE_UNSPECIFIED
- Transcription
  - Transcription.end_offset
  - Transcription.finished
  - Transcription.language_code
  - Transcription.speaker_label
  - Transcription.start_offset
  - Transcription.text
  - Transcription.words
- TranscriptionDict
  - TranscriptionDict.end_offset
  - TranscriptionDict.finished
  - TranscriptionDict.language_code
  - TranscriptionDict.speaker_label
  - TranscriptionDict.start_offset
  - TranscriptionDict.text
  - TranscriptionDict.words
- TranslationConfig
  - TranslationConfig.echo_target_language
  - TranslationConfig.target_language_code
- TranslationConfigDict
  - TranslationConfigDict.echo_target_language
  - TranslationConfigDict.target_language_code
- TunedModel
  - TunedModel.checkpoints
  - TunedModel.endpoint
  - TunedModel.model
- TunedModelCheckpoint
  - TunedModelCheckpoint.checkpoint_id
  - TunedModelCheckpoint.endpoint
  - TunedModelCheckpoint.epoch
  - TunedModelCheckpoint.step

- TunedModelCheckpointDict
  - TunedModelCheckpointDict.checkpoint_id
  - TunedModelCheckpointDict.endpoint
  - TunedModelCheckpointDict.epoch
  - TunedModelCheckpointDict.step
- TunedModelDict
  - TunedModelDict.checkpoints
  - TunedModelDict.endpoint
  - TunedModelDict.model
- TunedModelInfo
  - TunedModelInfo.base_model
  - TunedModelInfo.create_time
  - TunedModelInfo.update_time
- TunedModelInfoDict
  - TunedModelInfoDict.base_model
  - TunedModelInfoDict.create_time
  - TunedModelInfoDict.update_time
- TuningDataStats
  - TuningDataStats.distillation_data_stats
  - TuningDataStats.preference_optimization_data_stats
  - TuningDataStats.reinforcement_tuning_data_stats
  - TuningDataStats.supervised_tuning_data_stats
- TuningDataStatsDict
  - TuningDataStatsDict.distillation_data_stats
  - TuningDataStatsDict.preference_optimization_data_stats
  - TuningDataStatsDict.reinforcement_tuning_data_stats
  - TuningDataStatsDict.supervised_tuning_data_stats
- TuningDataset
  - TuningDataset.examples
  - TuningDataset.gcs_uri
  - TuningDataset.vertex_dataset_resource
- TuningDatasetDict
  - TuningDatasetDict.examples
  - TuningDatasetDict.gcs_uri
  - TuningDatasetDict.vertex_dataset_resource
- TuningExample
  - TuningExample.output
  - TuningExample.text_input
- TuningExampleDict
  - TuningExampleDict.output
  - TuningExampleDict.text_input
- TuningJob
  - TuningJob.base_model
  - TuningJob.create_time
  - TuningJob.custom_base_model
  - TuningJob.description
  - TuningJob.distillation_sampling_spec
  - TuningJob.distillation_spec
  - TuningJob.encryption_spec
  - TuningJob.end_time
  - TuningJob.error
  - TuningJob.evaluate_dataset_runs
  - TuningJob.evaluation_config
  - TuningJob.experiment
  - TuningJob.full_fine_tuning_spec
  - TuningJob.gcs_metrics_uri
  - TuningJob.labels
  - TuningJob.name
  - TuningJob.output_uri
  - TuningJob.partner_model_tuning_spec
  - TuningJob.pipeline_job
  - TuningJob.pre_tuned_model
  - TuningJob.preference_optimization_spec
  - TuningJob.reinforcement_tuning_spec
  - TuningJob.sdk_http_response
  - TuningJob.service_account
  - TuningJob.start_time
  - TuningJob.state
  - TuningJob.supervised_tuning_spec
  - TuningJob.tuned_model
  - TuningJob.tuned_model_display_name
  - TuningJob.tuning_data_stats
  - TuningJob.tuning_job_metadata
  - TuningJob.tuning_job_state
  - TuningJob.update_time
  - TuningJob.veo_lora_tuning_spec
  - TuningJob.veo_tuning_spec
  - TuningJob.has_ended
  - TuningJob.has_succeeded

- TuningJobDict
  - TuningJobDict.base_model
  - TuningJobDict.create_time
  - TuningJobDict.custom_base_model
  - TuningJobDict.description
  - TuningJobDict.distillation_sampling_spec
  - TuningJobDict.distillation_spec
  - TuningJobDict.encryption_spec
  - TuningJobDict.end_time
  - TuningJobDict.error
  - TuningJobDict.evaluate_dataset_runs
  - TuningJobDict.evaluation_config
  - TuningJobDict.experiment
  - TuningJobDict.full_fine_tuning_spec
  - TuningJobDict.gcs_metrics_uri
  - TuningJobDict.labels
  - TuningJobDict.name
  - TuningJobDict.output_uri
  - TuningJobDict.partner_model_tuning_spec
  - TuningJobDict.pipeline_job
  - TuningJobDict.pre_tuned_model
  - TuningJobDict.preference_optimization_spec
  - TuningJobDict.reinforcement_tuning_spec
  - TuningJobDict.sdk_http_response
  - TuningJobDict.service_account
  - TuningJobDict.start_time
  - TuningJobDict.state
  - TuningJobDict.supervised_tuning_spec
  - TuningJobDict.tuned_model
  - TuningJobDict.tuned_model_display_name
  - TuningJobDict.tuning_data_stats
  - TuningJobDict.tuning_job_metadata
  - TuningJobDict.tuning_job_state
  - TuningJobDict.update_time
  - TuningJobDict.veo_lora_tuning_spec
  - TuningJobDict.veo_tuning_spec
- TuningJobMetadata
  - TuningJobMetadata.completed_epoch_count
  - TuningJobMetadata.completed_step_count
- TuningJobMetadataDict
  - TuningJobMetadataDict.completed_epoch_count
  - TuningJobMetadataDict.completed_step_count
- TuningJobState
  - TuningJobState.TUNING_JOB_STATE_POST_PROCESSING
  - TuningJobState.TUNING_JOB_STATE_PROCESSING_DATASET
  - TuningJobState.TUNING_JOB_STATE_TUNING
  - TuningJobState.TUNING_JOB_STATE_UNSPECIFIED
  - TuningJobState.TUNING_JOB_STATE_WAITING_FOR_CAPACITY
  - TuningJobState.TUNING_JOB_STATE_WAITING_FOR_QUOTA
- TuningMethod
  - TuningMethod.DISTILLATION
  - TuningMethod.PREFERENCE_TUNING
  - TuningMethod.REINFORCEMENT_TUNING
  - TuningMethod.SUPERVISED_FINE_TUNING
- TuningMode
  - TuningMode.TUNING_MODE_FULL
  - TuningMode.TUNING_MODE_PEFT_ADAPTER
  - TuningMode.TUNING_MODE_UNSPECIFIED
- TuningOperation
  - TuningOperation.done
  - TuningOperation.error
  - TuningOperation.metadata
  - TuningOperation.name
  - TuningOperation.sdk_http_response
- TuningOperationDict
  - TuningOperationDict.done
  - TuningOperationDict.error
  - TuningOperationDict.metadata
  - TuningOperationDict.name
  - TuningOperationDict.sdk_http_response
- TuningSpeed
  - TuningSpeed.FAST
  - TuningSpeed.REGULAR
  - TuningSpeed.TUNING_SPEED_UNSPECIFIED
- TuningTask
  - TuningTask.TUNING_TASK_I2V
  - TuningTask.TUNING_TASK_R2V
  - TuningTask.TUNING_TASK_T2V
  - TuningTask.TUNING_TASK_UNSPECIFIED
- TuningValidationDataset
  - TuningValidationDataset.gcs_uri
  - TuningValidationDataset.vertex_dataset_resource
- TuningValidationDatasetDict
  - TuningValidationDatasetDict.gcs_uri
  - TuningValidationDatasetDict.vertex_dataset_resource

- TurnCompleteReason
  - TurnCompleteReason.BLOCKLIST
  - TurnCompleteReason.GENERATED_AUDIO_SAFETY
  - TurnCompleteReason.GENERATED_CONTENT_BLOCKLIST
  - TurnCompleteReason.GENERATED_CONTENT_PROHIBITED
  - TurnCompleteReason.GENERATED_CONTENT_SAFETY
  - TurnCompleteReason.GENERATED_IMAGE_CELEBRITY
  - TurnCompleteReason.GENERATED_IMAGE_IDENTIFIABLE_PEOPLE
  - TurnCompleteReason.GENERATED_IMAGE_MINORS
  - TurnCompleteReason.GENERATED_IMAGE_PROHIBITED
  - TurnCompleteReason.GENERATED_IMAGE_PROMINENT_PEOPLE_DETECTED_BY_REWRITER
  - TurnCompleteReason.GENERATED_IMAGE_SAFETY
  - TurnCompleteReason.GENERATED_OTHER
  - TurnCompleteReason.GENERATED_VIDEO_SAFETY
  - TurnCompleteReason.IMAGE_PROHIBITED_INPUT_CONTENT
  - TurnCompleteReason.INPUT_IMAGE_CELEBRITY
  - TurnCompleteReason.INPUT_IMAGE_PHOTO_REALISTIC_CHILD_PROHIBITED
  - TurnCompleteReason.INPUT_IP_PROHIBITED
  - TurnCompleteReason.INPUT_OTHER
  - TurnCompleteReason.INPUT_TEXT_CONTAIN_PROMINENT_PERSON_PROHIBITED
  - TurnCompleteReason.INPUT_TEXT_NCII_PROHIBITED
  - TurnCompleteReason.MALFORMED_FUNCTION_CALL
  - TurnCompleteReason.MAX_REGENERATION_REACHED
  - TurnCompleteReason.NEED_MORE_INPUT
  - TurnCompleteReason.OUTPUT_IMAGE_IP_PROHIBITED
  - TurnCompleteReason.PROHIBITED_INPUT_CONTENT
  - TurnCompleteReason.RESPONSE_REJECTED
  - TurnCompleteReason.TURN_COMPLETE_REASON_UNSPECIFIED
  - TurnCompleteReason.UNSAFE_PROMPT_FOR_IMAGE_GENERATION
- TurnCoverage
  - TurnCoverage.TURN_COVERAGE_UNSPECIFIED
  - TurnCoverage.TURN_INCLUDES_ALL_INPUT
  - TurnCoverage.TURN_INCLUDES_AUDIO_ACTIVITY_AND_ALL_VIDEO
  - TurnCoverage.TURN_INCLUDES_ONLY_ACTIVITY
- Type
  - Type.ARRAY
  - Type.BOOLEAN
  - Type.INTEGER
  - Type.NULL
  - Type.NUMBER
  - Type.OBJECT
  - Type.STRING
  - Type.TYPE_UNSPECIFIED
- UnifiedMetric
  - UnifiedMetric.bleu_spec
  - UnifiedMetric.computation_based_metric_spec
  - UnifiedMetric.custom_code_execution_spec
  - UnifiedMetric.llm_based_metric_spec
  - UnifiedMetric.pointwise_metric_spec
  - UnifiedMetric.predefined_metric_spec
  - UnifiedMetric.rouge_spec
- UnifiedMetricDict
  - UnifiedMetricDict.bleu_spec
  - UnifiedMetricDict.computation_based_metric_spec
  - UnifiedMetricDict.custom_code_execution_spec
  - UnifiedMetricDict.llm_based_metric_spec
  - UnifiedMetricDict.pointwise_metric_spec
  - UnifiedMetricDict.predefined_metric_spec
  - UnifiedMetricDict.rouge_spec
- UpdateCachedContentConfig
  - UpdateCachedContentConfig.expire_time
  - UpdateCachedContentConfig.http_options
  - UpdateCachedContentConfig.ttl
- UpdateCachedContentConfigDict
  - UpdateCachedContentConfigDict.expire_time
  - UpdateCachedContentConfigDict.http_options
  - UpdateCachedContentConfigDict.ttl
- UpdateModelConfig
  - UpdateModelConfig.default_checkpoint_id
  - UpdateModelConfig.description
  - UpdateModelConfig.display_name
  - UpdateModelConfig.http_options
- UpdateModelConfigDict
  - UpdateModelConfigDict.default_checkpoint_id
  - UpdateModelConfigDict.description
  - UpdateModelConfigDict.display_name
  - UpdateModelConfigDict.http_options
- UploadFileConfig
  - UploadFileConfig.display_name
  - UploadFileConfig.http_options
  - UploadFileConfig.mime_type
  - UploadFileConfig.name
- UploadFileConfigDict
  - UploadFileConfigDict.display_name
  - UploadFileConfigDict.http_options
  - UploadFileConfigDict.mime_type
  - UploadFileConfigDict.name

- UploadToFileSearchStoreConfig
  - UploadToFileSearchStoreConfig.chunking_config
  - UploadToFileSearchStoreConfig.custom_metadata
  - UploadToFileSearchStoreConfig.display_name
  - UploadToFileSearchStoreConfig.http_options
  - UploadToFileSearchStoreConfig.mime_type
  - UploadToFileSearchStoreConfig.should_return_http_response
- UploadToFileSearchStoreConfigDict
  - UploadToFileSearchStoreConfigDict.chunking_config
  - UploadToFileSearchStoreConfigDict.custom_metadata
  - UploadToFileSearchStoreConfigDict.display_name
  - UploadToFileSearchStoreConfigDict.http_options
  - UploadToFileSearchStoreConfigDict.mime_type
  - UploadToFileSearchStoreConfigDict.should_return_http_response
- UploadToFileSearchStoreOperation
  - UploadToFileSearchStoreOperation.response
  - UploadToFileSearchStoreOperation.from_api_response()
- UploadToFileSearchStoreResponse
  - UploadToFileSearchStoreResponse.document_name
  - UploadToFileSearchStoreResponse.parent
  - UploadToFileSearchStoreResponse.sdk_http_response
- UploadToFileSearchStoreResponseDict
  - UploadToFileSearchStoreResponseDict.document_name
  - UploadToFileSearchStoreResponseDict.parent
  - UploadToFileSearchStoreResponseDict.sdk_http_response
- UploadToFileSearchStoreResumableResponse
  - UploadToFileSearchStoreResumableResponse.sdk_http_response
- UploadToFileSearchStoreResumableResponseDict
  - UploadToFileSearchStoreResumableResponseDict.sdk_http_response
- UpscaleImageConfig
  - UpscaleImageConfig.enhance_input_image
  - UpscaleImageConfig.http_options
  - UpscaleImageConfig.image_preservation_factor
  - UpscaleImageConfig.include_rai_reason
  - UpscaleImageConfig.labels
  - UpscaleImageConfig.output_compression_quality
  - UpscaleImageConfig.output_gcs_uri
  - UpscaleImageConfig.output_mime_type
  - UpscaleImageConfig.person_generation
  - UpscaleImageConfig.safety_filter_level
- UpscaleImageConfigDict
  - UpscaleImageConfigDict.enhance_input_image
  - UpscaleImageConfigDict.http_options
  - UpscaleImageConfigDict.image_preservation_factor
  - UpscaleImageConfigDict.include_rai_reason
  - UpscaleImageConfigDict.labels
  - UpscaleImageConfigDict.output_compression_quality
  - UpscaleImageConfigDict.output_gcs_uri
  - UpscaleImageConfigDict.output_mime_type
  - UpscaleImageConfigDict.person_generation
  - UpscaleImageConfigDict.safety_filter_level
- UpscaleImageParameters
  - UpscaleImageParameters.config
  - UpscaleImageParameters.image
  - UpscaleImageParameters.model
  - UpscaleImageParameters.upscale_factor
- UpscaleImageParametersDict
  - UpscaleImageParametersDict.config
  - UpscaleImageParametersDict.image
  - UpscaleImageParametersDict.model
  - UpscaleImageParametersDict.upscale_factor
- UpscaleImageResponse
  - UpscaleImageResponse.generated_images
  - UpscaleImageResponse.sdk_http_response
- UpscaleImageResponseDict
  - UpscaleImageResponseDict.generated_images
  - UpscaleImageResponseDict.sdk_http_response
- UrlContext
- UrlContextDict
- UrlContextMetadata
  - UrlContextMetadata.url_metadata
- UrlContextMetadataDict
  - UrlContextMetadataDict.url_metadata
- UrlMetadata
  - UrlMetadata.retrieved_url
  - UrlMetadata.url_retrieval_status
- UrlMetadataDict
  - UrlMetadataDict.retrieved_url
  - UrlMetadataDict.url_retrieval_status
- UrlRetrievalStatus
  - UrlRetrievalStatus.URL_RETRIEVAL_STATUS_ERROR
  - UrlRetrievalStatus.URL_RETRIEVAL_STATUS_PAYWALL
  - UrlRetrievalStatus.URL_RETRIEVAL_STATUS_SUCCESS
  - UrlRetrievalStatus.URL_RETRIEVAL_STATUS_UNSAFE
  - UrlRetrievalStatus.URL_RETRIEVAL_STATUS_UNSPECIFIED

- UsageMetadata
  - UsageMetadata.cache_tokens_details
  - UsageMetadata.cached_content_token_count
  - UsageMetadata.prompt_token_count
  - UsageMetadata.prompt_tokens_details
  - UsageMetadata.response_token_count
  - UsageMetadata.response_tokens_details
  - UsageMetadata.service_tier
  - UsageMetadata.thoughts_token_count
  - UsageMetadata.tool_use_prompt_token_count
  - UsageMetadata.tool_use_prompt_tokens_details
  - UsageMetadata.total_token_count
  - UsageMetadata.traffic_type
- UsageMetadataDict
  - UsageMetadataDict.cache_tokens_details
  - UsageMetadataDict.cached_content_token_count
  - UsageMetadataDict.prompt_token_count
  - UsageMetadataDict.prompt_tokens_details
  - UsageMetadataDict.response_token_count
  - UsageMetadataDict.response_tokens_details
  - UsageMetadataDict.service_tier
  - UsageMetadataDict.thoughts_token_count
  - UsageMetadataDict.tool_use_prompt_token_count
  - UsageMetadataDict.tool_use_prompt_tokens_details
  - UsageMetadataDict.total_token_count
  - UsageMetadataDict.traffic_type
- UserContent
  - UserContent.parts
  - UserContent.role
- VadSignalType
  - VadSignalType.VAD_SIGNAL_TYPE_EOS
  - VadSignalType.VAD_SIGNAL_TYPE_SOS
  - VadSignalType.VAD_SIGNAL_TYPE_UNSPECIFIED
- ValidateRewardConfig
  - ValidateRewardConfig.http_options
- ValidateRewardConfigDict
  - ValidateRewardConfigDict.http_options
- ValidateRewardResponse
  - ValidateRewardResponse.error
  - ValidateRewardResponse.overall_reward
  - ValidateRewardResponse.reward_info_details
  - ValidateRewardResponse.sdk_http_response
- ValidateRewardResponseDict
  - ValidateRewardResponseDict.error
  - ValidateRewardResponseDict.overall_reward
  - ValidateRewardResponseDict.reward_info_details
  - ValidateRewardResponseDict.sdk_http_response
- VeoHyperParameters
  - VeoHyperParameters.adapter_size
  - VeoHyperParameters.epoch_count
  - VeoHyperParameters.learning_rate_multiplier
  - VeoHyperParameters.tuning_speed
  - VeoHyperParameters.tuning_task
  - VeoHyperParameters.veo_data_mixture_ratio
- VeoHyperParametersDict
  - VeoHyperParametersDict.adapter_size
  - VeoHyperParametersDict.epoch_count
  - VeoHyperParametersDict.learning_rate_multiplier
  - VeoHyperParametersDict.tuning_speed
  - VeoHyperParametersDict.tuning_task
  - VeoHyperParametersDict.veo_data_mixture_ratio
- VeoLoraTuningSpec
  - VeoLoraTuningSpec.hyper_parameters
  - VeoLoraTuningSpec.training_dataset_uri
  - VeoLoraTuningSpec.validation_dataset_uri
  - VeoLoraTuningSpec.video_orientation
- VeoLoraTuningSpecDict
  - VeoLoraTuningSpecDict.hyper_parameters
  - VeoLoraTuningSpecDict.training_dataset_uri
  - VeoLoraTuningSpecDict.validation_dataset_uri
  - VeoLoraTuningSpecDict.video_orientation
- VeoTuningSpec
  - VeoTuningSpec.hyper_parameters
  - VeoTuningSpec.training_dataset_uri
  - VeoTuningSpec.validation_dataset_uri
- VeoTuningSpecDict
  - VeoTuningSpecDict.hyper_parameters
  - VeoTuningSpecDict.training_dataset_uri
  - VeoTuningSpecDict.validation_dataset_uri
- VertexAISearch
  - VertexAISearch.data_store_specs
  - VertexAISearch.datastore
  - VertexAISearch.engine
  - VertexAISearch.filter
  - VertexAISearch.max_results
- VertexAISearchDataStoreSpec
  - VertexAISearchDataStoreSpec.data_store
  - VertexAISearchDataStoreSpec.filter

- VertexAISearchDataStoreSpecDict
  - VertexAISearchDataStoreSpecDict.data_store
  - VertexAISearchDataStoreSpecDict.filter
- VertexAISearchDict
  - VertexAISearchDict.data_store_specs
  - VertexAISearchDict.datastore
  - VertexAISearchDict.engine
  - VertexAISearchDict.filter
  - VertexAISearchDict.max_results
- VertexMultimodalDatasetDestination
  - VertexMultimodalDatasetDestination.bigquery_destination
  - VertexMultimodalDatasetDestination.display_name
- VertexMultimodalDatasetDestinationDict
  - VertexMultimodalDatasetDestinationDict.bigquery_destination
  - VertexMultimodalDatasetDestinationDict.display_name
- VertexRagStore
  - VertexRagStore.rag_corpora
  - VertexRagStore.rag_resources
  - VertexRagStore.rag_retrieval_config
  - VertexRagStore.similarity_top_k
  - VertexRagStore.store_context
  - VertexRagStore.vector_distance_threshold
- VertexRagStoreDict
  - VertexRagStoreDict.rag_corpora
  - VertexRagStoreDict.rag_resources
  - VertexRagStoreDict.rag_retrieval_config
  - VertexRagStoreDict.similarity_top_k
  - VertexRagStoreDict.store_context
  - VertexRagStoreDict.vector_distance_threshold
- VertexRagStoreRagResource
  - VertexRagStoreRagResource.rag_corpus
  - VertexRagStoreRagResource.rag_file_ids
- VertexRagStoreRagResourceDict
  - VertexRagStoreRagResourceDict.rag_corpus
  - VertexRagStoreRagResourceDict.rag_file_ids
- Video
  - Video.mime_type
  - Video.uri
  - Video.video_bytes
  - Video.from_file()
  - Video.save()
  - Video.show()
- VideoCompressionQuality
  - VideoCompressionQuality.LOSSLESS
  - VideoCompressionQuality.OPTIMIZED
- VideoDict
  - VideoDict.mime_type
  - VideoDict.uri
  - VideoDict.video_bytes
- VideoGenerationMask
  - VideoGenerationMask.image
  - VideoGenerationMask.mask_mode
- VideoGenerationMaskDict
  - VideoGenerationMaskDict.image
  - VideoGenerationMaskDict.mask_mode
- VideoGenerationMaskMode
  - VideoGenerationMaskMode.INSERT
  - VideoGenerationMaskMode.OUTPAINT
  - VideoGenerationMaskMode.REMOVE
  - VideoGenerationMaskMode.REMOVE_STATIC
- VideoGenerationReferenceImage
  - VideoGenerationReferenceImage.image
  - VideoGenerationReferenceImage.reference_type
- VideoGenerationReferenceImageDict
  - VideoGenerationReferenceImageDict.image
  - VideoGenerationReferenceImageDict.reference_type
- VideoGenerationReferenceType
  - VideoGenerationReferenceType.ASSET
  - VideoGenerationReferenceType.STYLE
- VideoMetadata
  - VideoMetadata.end_offset
  - VideoMetadata.fps
  - VideoMetadata.start_offset
- VideoMetadataDict
  - VideoMetadataDict.end_offset
  - VideoMetadataDict.fps
  - VideoMetadataDict.start_offset
- VideoOrientation
  - VideoOrientation.LANDSCAPE
  - VideoOrientation.PORTRAIT
  - VideoOrientation.VIDEO_ORIENTATION_UNSPECIFIED
- VideoResponseFormat
  - VideoResponseFormat.aspect_ratio
  - VideoResponseFormat.delivery
  - VideoResponseFormat.duration
  - VideoResponseFormat.gcs_uri
  - VideoResponseFormat.resolution

- VideoResponseFormatDict
  - VideoResponseFormatDict.aspect_ratio
  - VideoResponseFormatDict.delivery
  - VideoResponseFormatDict.duration
  - VideoResponseFormatDict.gcs_uri
  - VideoResponseFormatDict.resolution
- VoiceActivity
  - VoiceActivity.audio_offset
  - VoiceActivity.voice_activity_type
- VoiceActivityDetectionSignal
  - VoiceActivityDetectionSignal.vad_signal_type
- VoiceActivityDetectionSignalDict
  - VoiceActivityDetectionSignalDict.vad_signal_type
- VoiceActivityDict
  - VoiceActivityDict.audio_offset
  - VoiceActivityDict.voice_activity_type
- VoiceActivityType
  - VoiceActivityType.ACTIVITY_END
  - VoiceActivityType.ACTIVITY_START
  - VoiceActivityType.TYPE_UNSPECIFIED
- VoiceConfig
  - VoiceConfig.prebuilt_voice_config
  - VoiceConfig.replicated_voice_config
  - VoiceConfig.voice
- VoiceConfigDict
  - VoiceConfigDict.prebuilt_voice_config
  - VoiceConfigDict.replicated_voice_config
  - VoiceConfigDict.voice
- VoiceConsentSignature
  - VoiceConsentSignature.signature
- VoiceConsentSignatureDict
  - VoiceConsentSignatureDict.signature
- WebSearch
- WebSearchDict
- WebhookConfig
  - WebhookConfig.uris
  - WebhookConfig.user_metadata
- WebhookConfigDict
  - WebhookConfigDict.uris
  - WebhookConfigDict.user_metadata
- WeightedPrompt
  - WeightedPrompt.text
  - WeightedPrompt.weight
- WeightedPromptDict
  - WeightedPromptDict.text
  - WeightedPromptDict.weight
- WhiteSpaceConfig
  - WhiteSpaceConfig.max_overlap_tokens
  - WhiteSpaceConfig.max_tokens_per_chunk
- WhiteSpaceConfigDict
  - WhiteSpaceConfigDict.max_overlap_tokens
  - WhiteSpaceConfigDict.max_tokens_per_chunk
- WordInfo
  - WordInfo.end_offset
  - WordInfo.start_offset
  - WordInfo.word
- WordInfoDict
  - WordInfoDict.end_offset
  - WordInfoDict.start_offset
  - WordInfoDict.word

Copyright © 2024, Google
Made with Sphinx and @pradyunsg's Furo