

Unofficial Windows Binaries for Python Extension Packages

by **Christoph Gohlke**, **Laboratory for Fluorescence Dynamics**, **University of California, Irvine**.

This page provides 32- and 64-bit Windows binaries of many scientific open-source extension packages for the official [CPython distribution](#) of the [Python](#) programming language.

The files are unofficial (meaning: informal, unrecognized, personal, unsupported, no warranty, no liability, provided "as is") and made available for testing and evaluation purposes.

If downloads fail reload this page, enable JavaScript, disable download managers, disable proxies, clear cache, and use Firefox. Please only download files as needed.

Most binaries are built from source code found on [PyPI](#) or in the projects public revision control systems. Source code changes, if any, have been submitted to the project maintainers or are included in the packages.

Refer to the documentation of the individual packages for license restrictions and dependencies.

Use [pip](#) version 6 to [install the downloaded .whl files](#).

Many binaries depend on [NumPy-1.9+MKL](#) and the Microsoft Visual C++ 2008 ([x64](#), [x86](#), and [SP1](#) for CPython 2.6 and 2.7) or Visual C++ 2010 ([x64](#), [x86](#), for CPython 3.3 and 3.4) redistributable packages.

The binaries are compatible with the official CPython distribution on Windows ≥ 6.0 . Chances are they don't work with custom Python distributions included with Blender, Maya, ArcGIS, OSGeo4W, ABAQUS, Cygwin, Pythonxy, Canopy, EPD, Anaconda, WinPython etc. Many binaries are not compatible with Windows XP or Wine.

The packages are ZIP or 7z files, which allows for manual or scripted installation or repackaging of the content.

The files are provided "as is" without warranty or support of any kind. The entire risk as to the quality and performance is with you.

Index by date: rasterio cvxpy requests numexpr pyparser udunits pyceres pymol pillow openbabel pymongo pytables veusz pulp scs scikits.odes jpye pycuda astropy sqlalchemy lxml setuptools blosc pygame scikit-learn ets twisted gensim persistent h5py slycot numba virtualenv pip btrees mod_wsgi pybluez nose ipython zodbpickle kivy mercurial fastcluster django scikit-image freeimagedll python-dateutil pyeda llvmlite fann2 noise triangle bokeh pytz milk pandas dulwich spyder vlfd fiona javabridge dipy regex netcdf4 scipy numpy pgmagick shapely gr cffi msgpack nltk blaze pyemd mistune pyglet python-igraph cytoolz fixx qutip pycifrw bcolz pyzmq pypmc opencv sfepy pythonnet debug-information-files libpython scikit-fmm mysqlclient apsw cvxopt pyqt4 pyamf gdal ffnnet matplotlib pyamg pyopengl pyopencl openimageio friture cython psychopy ecos rpy2 pycopg pymetis pyvisa tornado bottleneck setproctitle pygtk hddm kwant openpiv pims trackpy wfasteqi jinja2 pigments psutil cgal-bindings simpleitk bio_formats jcc pysfml pyxiv2 mpi4py pylibdeconv iocbio liblas bazaar iris mako yappi lmfit libtfr glumpy pymix pymssql umysql lazyflow pymunk pyparse pymvpa iminuit ode python-levenshtein python-cjson pyfltk pyrxp mmlib pybox2d autopsy vtk openglcontext pyvrml97 cheetah pycogent blz pygraphviz reportlab cyassimp statsmodels cellcognition backports.lzma scikits.timeseries yt casuarius boost.python gmpy

wxpython libsbml python-ldap ilastik zodb scandir pyfmi re2 quickfix blender-mathutils libxml-python pywcs pyqwt python-sundials pycurl scientificpython vpython nmoldyn mmtk fonttools pyalembic python-snappy python-lzo pyx polymode orange curses scikits.delaunay certifi six cld py-fcm oursql pywavelets zfec lsqfit intbitset holopy jsonlib py2exe python-lz4 pymutt vigra genshi cararray cartopy pyviennacl lp_solve llist line_profiler llvmpy cgkit epydoc pyproj zs conda console la libsvm liblinear pymedia pymca cellprofiler marisa-trie nipy nipy natgrid bioformats quantlib entropy ujson sparsesvd scons scitools scipy-cluster scikits.umfpack scikits.scattpy scikits.samplerate scikits.ann scikits.audiolab cremod zope.interface pythonmagick visvis vispy qimage2ndarray pyxml pytst enaml delny cx_freeze ta-lib trfit rtree rtmidi-python pmw mysql-python htseq ceodbc aspell-python assimulo pyusb-ftdi thrift py-lmdb silvercity steps pycluster pylibtiff polygon nlopt nitime nibabel mxbase pyhook pyfits pydde pyephem fipy vitables guiqt pyspharm pyminuit pyropes pylzma planar pysqlite pyside pystemmer scikits.hydroclimpy scikits.vectorplot tinyarray babel pymc pyhdf sendkeys cdecimal coverage pyfftw meshpy dynd pywin32 pyserial bigfloat bitarray blist crc16 imread mlp minepy twainmodule pyodbc pyaudio pyicu pydbg gevent greenlet mahotas videocapture kiwisolver atom basemap docutils bsdiff4 markupsafe networkx pycosat simplejson pyyaml pytools biopython patsy faulthandler sympy pygit2 pycairo pyparsing pyisapie

APSW, another Python SQLite wrapper.

[apsw-3.8.8.2.post1-cp26-none-win32.whl](#)

[apsw-3.8.8.2.post1-cp26-none-win_amd64.whl](#)

[apsw-3.8.8.2.post1-cp27-none-win32.whl](#)

[apsw-3.8.8.2.post1-cp27-none-win_amd64.whl](#)

[apsw-3.8.8.2.post1-cp33-none-win32.whl](#)

[apsw-3.8.8.2.post1-cp33-none-win_amd64.whl](#)

[apsw-3.8.8.2.post1-cp34-none-win32.whl](#)

[apsw-3.8.8.2.post1-cp34-none-win_amd64.whl](#)

Aspell-python bindings for GNU Aspell.

Using the LyX fork.

[aspell_python-1.13-cp26-none-win32.whl](#)

[aspell_python-1.13-cp26-none-win_amd64.whl](#)

[aspell_python-1.13-cp27-none-win32.whl](#)

[aspell_python-1.13-cp27-none-win_amd64.whl](#)

[aspell_python-1.13-cp33-none-win32.whl](#)

[aspell_python-1.13-cp33-none-win_amd64.whl](#)

[aspell_python-1.13-cp34-none-win32.whl](#)

[aspell_python-1.13-cp34-none-win_amd64.whl](#)

Assimulo, a package for solving ordinary differential equations.

Requires numpy+mkl.

[Assimulo-2.6-cp26-none-win32.whl](#)

[Assimulo-2.6-cp26-none-win_amd64.whl](#)

[Assimulo-2.6-cp27-none-win32.whl](#)

[Assimulo-2.6-cp27-none-win_amd64.whl](#)

Astropy, a core package for astronomy.

[astropy-1.0.2-cp26-none-win32.whl](#)

[astropy-1.0.2-cp26-none-win_amd64.whl](#)

[astropy-1.0.2-cp27-none-win32.whl](#)

[astropy-1.0.2-cp27-none-win_amd64.whl](#)

[astropy-1.0.2-cp33-none-win32.whl](#)

[astropy-1.0.2-cp33-none-win_amd64.whl](#)

[astropy-1.0.2-cp34-none-win32.whl](#)

[astropy-1.0.2-cp34-none-win_amd64.whl](#)

Atom, memory efficient Python objects.

This package conflicts with Google's gdata.

[atom-0.3.10-cp26-none-win32.whl](#)

[atom-0.3.10-cp26-none-win_amd64.whl](#)

[atom-0.3.10-cp27-none-win32.whl](#)

[atom-0.3.10-cp27-none-win_amd64.whl](#)

AutoPy, a GUI automation toolkit.

[autopy-0.51-cp26-none-win32.whl](#)

[autopy-0.51-cp26-none-win_amd64.whl](#)

[autopy-0.51-cp27-none-win32.whl](#)

[autopy-0.51-cp27-none-win_amd64.whl](#)

[autopy3-0.51-cp33-none-win32.whl](#)

[autopy3-0.51-cp33-none-win_amd64.whl](#)

[autopy3-0.51-cp34-none-win32.whl](#)

[autopy3-0.51-cp34-none-win_amd64.whl](#)

Babel, tools for internationalizing Python applications.

[Babel-1.3-py2.py3-none-any.whl](#)

Backports.lzma, a backport of Python 3.3's lzma module.

[backports.lzma-0.0.3-cp26-none-win32.whl](#)

[backports.lzma-0.0.3-cp26-none-win_amd64.whl](#)

[backports.lzma-0.0.3-cp27-none-win32.whl](#)

[backports.lzma-0.0.3-cp27-none-win_amd64.whl](#)

[backports.lzma-0.0.3-cp33-none-win32.whl](#)

[backports.lzma-0.0.3-cp33-none-win_amd64.whl](#)

[backports.lzma-0.0.3-cp34-none-win32.whl](#)

[backports.lzma-0.0.3-cp34-none-win_amd64.whl](#)

Basemap, a matplotlib toolkit for plotting 2D data on maps based on GEOS.

[basemap-1.0.8-cp26-none-win32.whl](#)

[basemap-1.0.8-cp26-none-win_amd64.whl](#)

[basemap-1.0.8-cp27-none-win32.whl](#)

[basemap-1.0.8-cp27-none-win_amd64.whl](#)

[basemap-1.0.8-cp33-none-win32.whl](#)

[basemap-1.0.8-cp33-none-win_amd64.whl](#)

[basemap-1.0.8-cp34-none-win32.whl](#)

[basemap-1.0.8-cp34-none-win_amd64.whl](#)

Bazaar, a version control system.

[bzr-2.6.0-cp26-none-win32.whl](#)

[bzr-2.6.0-cp26-none-win_amd64.whl](#)

[bzr-2.6.0-cp27-none-win32.whl](#)

[bzr-2.6.0-cp27-none-win_amd64.whl](#)

Bcolz provides columnar and compressed data containers.

[bcolz-0.8.1-cp26-none-win32.whl](#)

[bcolz-0.8.1-cp26-none-win_amd64.whl](#)

[bcolz-0.8.1-cp27-none-win32.whl](#)

[bcolz-0.8.1-cp27-none-win_amd64.whl](#)

[bcolz-0.8.1-cp33-none-win32.whl](#)

[bcolz-0.8.1-cp33-none-win_amd64.whl](#)

[bcolz-0.8.1-cp34-none-win32.whl](#)

[bcolz-0.8.1-cp34-none-win_amd64.whl](#)

Bigfloat, arbitrary precision correctly-rounded floating point arithmetic, via MPFR.

Superseded by gmpy2.

[bigfloat-0.3.0-cp26-none-win32.whl](#)

[bigfloat-0.3.0-cp26-none-win_amd64.whl](#)

[bigfloat-0.3.0-cp27-none-win32.whl](#)

[bigfloat-0.3.0-cp27-none-win_amd64.whl](#)

[bigfloat-0.3.0-cp33-none-win32.whl](#)

[bigfloat-0.3.0-cp33-none-win_amd64.whl](#)

[bigfloat-0.3.0-cp34-none-win32.whl](#)

[bigfloat-0.3.0-cp34-none-win_amd64.whl](#)

Bio_formats (experimental), a JCC generated wrapper for the Bio-Formats and SCIFIO Java libraries.

Requires Java SE 8 and JVM.DLL in the PATH.

[bio_formats-4.4.12+jdk8-cp26-none-win32.whl](#)

[bio_formats-4.4.12+jdk8-cp26-none-win_amd64.whl](#)

[bio_formats-4.4.12+jdk8-cp27-none-win32.whl](#)

[bio_formats-4.4.12+jdk8-cp27-none-win_amd64.whl](#)

Bioformats read and write life sciences file formats using Bio-Formats.

Requires javabridge.

[python_bioformats-1.0.4-py2-none-any.whl](#)

Biopython, a set of tools for biological computation.

[biopython-1.65-cp26-none-win32.whl](#)

[biopython-1.65-cp26-none-win_amd64.whl](#)

[biopython-1.65-cp27-none-win32.whl](#)

[biopython-1.65-cp27-none-win_amd64.whl](#)

[biopython-1.65-cp33-none-win32.whl](#)

[biopython-1.65-cp33-none-win_amd64.whl](#)

[biopython-1.65-cp34-none-win32.whl](#)

[biopython-1.65-cp34-none-win_amd64.whl](#)

Bitarray provides an object type which efficiently represents an array of booleans.

[bitarray-0.8.1-cp26-none-win32.whl](#)

[bitarray-0.8.1-cp26-none-win_amd64.whl](#)

[bitarray-0.8.1-cp27-none-win32.whl](#)

[bitarray-0.8.1-cp27-none-win_amd64.whl](#)

[bitarray-0.8.1-cp33-none-win32.whl](#)

[bitarray-0.8.1-cp33-none-win_amd64.whl](#)

[bitarray-0.8.1-cp34-none-win32.whl](#)

[bitarray-0.8.1-cp34-none-win_amd64.whl](#)

Blaze is the next generation of NumPy.

[blaze-0.7.3-py27-none-any.whl](#)

[blaze-0.7.3-py3-none-any.whl](#)

[DataShape-0.4.4-py2.py3-none-any.whl](#)

Blender-mathutils provide access to matrices, Eulers, quaternions and vectors.

[blender_mathutils-2.73-cp33-none-win32.whl](#)

[blender_mathutils-2.73-cp33-none-win_amd64.whl](#)

[blender_mathutils-2.73-cp34-none-win32.whl](#)

[blender_mathutils-2.73-cp34-none-win_amd64.whl](#)

Blist, a list-like type with better performance for large lists.

[blist-1.3.6-cp26-none-win32.whl](#)

[blist-1.3.6-cp26-none-win_amd64.whl](#)

[blist-1.3.6-cp27-none-win32.whl](#)

[blist-1.3.6-cp27-none-win_amd64.whl](#)

[blist-1.3.6-cp33-none-win32.whl](#)

[blist-1.3.6-cp33-none-win_amd64.whl](#)

[blist-1.3.6-cp34-none-win32.whl](#)

[blist-1.3.6-cp34-none-win_amd64.whl](#)

Blosc, a high performance compressor optimized for binary data.

[blosc-1.2.5-cp26-none-win32.whl](#)

[blosc-1.2.5-cp26-none-win_amd64.whl](#)

[blosc-1.2.5-cp27-none-win32.whl](#)

[blosc-1.2.5-cp27-none-win_amd64.whl](#)

[blosc-1.2.5-cp33-none-win32.whl](#)

[blosc-1.2.5-cp33-none-win_amd64.whl](#)

[blosc-1.2.5-cp34-none-win32.whl](#)

[blosc-1.2.5-cp34-none-win_amd64.whl](#)

Blz, a chunked, compressed, data container (for memory and disk).

[blz-0.6.2-cp26-none-win32.whl](#)

[blz-0.6.2-cp26-none-win_amd64.whl](#)

[blz-0.6.2-cp27-none-win32.whl](#)

[blz-0.6.2-cp27-none-win_amd64.whl](#)

[blz-0.6.2-cp33-none-win32.whl](#)

[blz-0.6.2-cp33-none-win_amd64.whl](#)

[blz-0.6.2-cp34-none-win32.whl](#)

[blz-0.6.2-cp34-none-win_amd64.whl](#)

Bokeh, an implementation of the Grammar of Graphics for output to the HTML5 Canvas.
Requires many dependencies.

[bokeh-0.8.2-py27-none-any.whl](#)

[bokeh-0.8.2-py3-none-any.whl](#)

Boost.Python enables seamless interoperability between C++ and Python.

[boost_python-1.55-cp26-none-win32.whl](#)

[boost_python-1.55-cp26-none-win_amd64.whl](#)

[boost_python-1.55-cp27-none-win32.whl](#)

[boost_python-1.55-cp27-none-win_amd64.whl](#)

[boost_python-1.55-cp33-none-win32.whl](#)

[boost_python-1.55-cp33-none-win_amd64.whl](#)

[boost_python-1.55-cp34-none-win32.whl](#)

[boost_python-1.55-cp34-none-win_amd64.whl](#)

Bottleneck provides fast NumPy array functions written in Cython.

[Bottleneck-1.0.0-cp26-none-win32.whl](#)

[Bottleneck-1.0.0-cp26-none-win_amd64.whl](#)

[Bottleneck-1.0.0-cp27-none-win32.whl](#)

[Bottleneck-1.0.0-cp27-none-win_amd64.whl](#)

[Bottleneck-1.0.0-cp33-none-win32.whl](#)

[Bottleneck-1.0.0-cp33-none-win_amd64.whl](#)

[Bottleneck-1.0.0-cp34-none-win32.whl](#)

[Bottleneck-1.0.0-cp34-none-win_amd64.whl](#)

Bsdiff4, binary diff and patch using the BSDIFF4-format.

[bsdiff4-1.1.4-cp26-none-win32.whl](#)

[bsdiff4-1.1.4-cp26-none-win_amd64.whl](#)

[bsdiff4-1.1.4-cp27-none-win32.whl](#)

[bsdiff4-1.1.4-cp27-none-win_amd64.whl](#)

[bsdiff4-1.1.4-cp33-none-win32.whl](#)

[bsdiff4-1.1.4-cp33-none-win_amd64.whl](#)

[bsdiff4-1.1.4-cp34-none-win32.whl](#)

[bsdiff4-1.1.4-cp34-none-win_amd64.whl](#)

BTrees, scalable persistent object containers.

[BTrees-4.1.2-cp26-none-win32.whl](#)

[BTrees-4.1.2-cp26-none-win_amd64.whl](#)

[BTrees-4.1.2-cp27-none-win32.whl](#)

[BTrees-4.1.2-cp27-none-win_amd64.whl](#)

[BTrees-4.1.2-cp33-none-win32.whl](#)

[BTrees-4.1.2-cp33-none-win_amd64.whl](#)

[BTrees-4.1.2-cp34-none-win32.whl](#)

[BTrees-4.1.2-cp34-none-win_amd64.whl](#)

Carray, a chunked data container that can be compressed in-memory.

[carray-0.5.1-cp26-none-win32.whl](#)

[carray-0.5.1-cp26-none-win_amd64.whl](#)

[carray-0.5.1-cp27-none-win32.whl](#)

[carray-0.5.1-cp27-none-win_amd64.whl](#)

Cartopy, a library providing cartographic tools.

[Cartopy-0.11.2-cp26-none-win32.whl](#)

[Cartopy-0.11.2-cp26-none-win_amd64.whl](#)

[Cartopy-0.11.2-cp27-none-win32.whl](#)

[Cartopy-0.11.2-cp27-none-win_amd64.whl](#)

[Cartopy-0.11.2-cp33-none-win32.whl](#)

[Cartopy-0.11.2-cp33-none-win_amd64.whl](#)

[Cartopy-0.11.2-cp34-none-win32.whl](#)

[Cartopy-0.11.2-cp34-none-win_amd64.whl](#)

Casuarious, bindings for the Cassowary constraint solving toolkit.

[casuarious-1.1-cp26-none-win32.whl](#)

[casuarious-1.1-cp26-none-win_amd64.whl](#)

[casuarious-1.1-cp27-none-win32.whl](#)

[casuarious-1.1-cp27-none-win_amd64.whl](#)

Cdecimal, a package for correctly-rounded arbitrary precision decimal floating point arithmetic.

[cdecimal-2.3-cp26-none-win32.whl](#)

[cdecimal-2.3-cp26-none-win_amd64.whl](#)

[cdecimal-2.3-cp27-none-win32.whl](#)

[cdecimal-2.3-cp27-none-win_amd64.whl](#)

[cdecimal-2.3-cp33-none-win32.whl](#)

[cdecimal-2.3-cp33-none-win_amd64.whl](#)

[cdecimal-2.3-cp34-none-win32.whl](#)

[cdecimal-2.3-cp34-none-win_amd64.whl](#)

CellCognition, an image analysis framework for fluorescence time-lapse microscopy.

Requires numpy+mkl, scipy, matplotlib, pyqt4, libsvm, vigra, qimage2ndarray, h5py, pandas and scikit-learn.

[CellCognition-1.5.2-cp27-none-win32.whl](#)

[CellCognition-1.5.2-cp27-none-win_amd64.whl](#)

[cellh5-1.2.0-py2-none-any.whl](#)

CellProfiler is software for quantitative analysis of biological images.

Requires numpy+mkl, scipy, matplotlib, wxpython, h5py, vigra, mysqldb, pillow and the JavaDK.

Run CellProfiler.py from the Python scripts directory.

[CellProfiler-2.0.r11710.win-amd64-py2.6.exe](#)

[CellProfiler-2.0.r11710.win-amd64-py2.7.exe](#)

[CellProfiler-2.0.r11710.win32-py2.6.exe](#)

[CellProfiler-2.0.r11710.win32-py2.7.exe](#)

[CellProfiler-2.1.1.win-amd64-py2.7.exe](#)

ceODBC enables access to databases using the ODBC API.

[ceODBC-2.0.1-cp26-none-win32.whl](#)

[ceODBC-2.0.1-cp26-none-win_amd64.whl](#)

[ceODBC-2.0.1-cp27-none-win32.whl](#)

[ceODBC-2.0.1-cp27-none-win_amd64.whl](#)

[ceODBC-2.0.1-cp33-none-win32.whl](#)

[ceODBC-2.0.1-cp33-none-win_amd64.whl](#)

[ceODBC-2.0.1-cp34-none-win32.whl](#)

[ceODBC-2.0.1-cp34-none-win_amd64.whl](#)

Certifi provides Mozilla's CA Bundle.

[certifi-14.5.14-py2.py3-none-any.whl](#)

Cffi, a Foreign Function Interface for calling C code.

Requires `pyparser`.

[cffi-0.9.2-cp26-none-win32.whl](#)

[cffi-0.9.2-cp26-none-win_amd64.whl](#)

[cffi-0.9.2-cp27-none-win32.whl](#)

[cffi-0.9.2-cp27-none-win_amd64.whl](#)

[cffi-0.9.2-cp33-none-win32.whl](#)

[cffi-0.9.2-cp33-none-win_amd64.whl](#)

[cffi-0.9.2-cp34-none-win32.whl](#)

[cffi-0.9.2-cp34-none-win_amd64.whl](#)

CGAL-bindings, bindings for the Computational Geometry Algorithms Library.

[cgal_bindings-4.4-cp26-none-win32.whl](#)

[cgal_bindings-4.4-cp26-none-win_amd64.whl](#)

[cgal_bindings-4.4-cp27-none-win32.whl](#)

[cgal_bindings-4.4-cp27-none-win_amd64.whl](#)

[cgal_bindings-4.4-cp33-none-win32.whl](#)

[cgal_bindings-4.4-cp33-none-win_amd64.whl](#)

[cgal_bindings-4.4-cp34-none-win32.whl](#)

[cgal_bindings-4.4-cp34-none-win_amd64.whl](#)

Cgkit, the Computer Graphics Kit, is useful for dealing with 3D data of any kind.

[cgkit-2.0.0-cp26-none-win32.whl](#)

[cgkit-2.0.0-cp26-none-win_amd64.whl](#)

[cgkit-2.0.0-cp27-none-win32.whl](#)

[cgkit-2.0.0-cp27-none-win_amd64.whl](#)

[cgkit-2.0.0-cp33-none-win32.whl](#)

[cgkit-2.0.0-cp33-none-win_amd64.whl](#)

[cgkit-2.0.0-cp34-none-win32.whl](#)

[cgkit-2.0.0-cp34-none-win_amd64.whl](#)

Cheetah, a template engine and code generation tool.

[Cheetah-2.4.4-cp26-none-win32.whl](#)

[Cheetah-2.4.4-cp26-none-win_amd64.whl](#)

[Cheetah-2.4.4-cp27-none-win32.whl](#)

[Cheetah-2.4.4-cp27-none-win_amd64.whl](#)

CLD wraps Chromium's Compact Language Detector library.

[cld-0.31415-cp26-none-win32.whl](#)

[cld-0.31415-cp26-none-win_amd64.whl](#)

[cld-0.31415-cp27-none-win32.whl](#)

[cld-0.31415-cp27-none-win_amd64.whl](#)

Conda, a cross-platform, Python-agnostic binary package manager.

Requires `pyyaml`, `pycosat`, and `requests`.

[conda-3.7.4-py2.py3-none-any.whl](#)

[conda_build-1.9.1-py2.py3-none-any.whl](#)

Console provides a simple console interface.

[console-1.1a2-cp26-none-win32.whl](#)

[console-1.1a2-cp26-none-win_amd64.whl](#)

[console-1.1a2-cp27-none-win32.whl](#)

[console-1.1a2-cp27-none-win_amd64.whl](#)

Coverage measures code coverage of programs during test execution.

[coverage-3.7.1-cp26-none-win32.whl](#)

[coverage-3.7.1-cp26-none-win_amd64.whl](#)

[coverage-3.7.1-cp27-none-win32.whl](#)

[coverage-3.7.1-cp27-none-win_amd64.whl](#)

[coverage-3.7.1-cp33-none-win32.whl](#)

[coverage-3.7.1-cp33-none-win_amd64.whl](#)

[coverage-3.7.1-cp34-none-win32.whl](#)

[coverage-3.7.1-cp34-none-win_amd64.whl](#)

Crc16 calculates CRC16 (Cyclic Redundancy Check).

[crc16-0.1.1-cp26-none-win32.whl](#)

[crc16-0.1.1-cp26-none-win_amd64.whl](#)

[crc16-0.1.1-cp27-none-win32.whl](#)

[crc16-0.1.1-cp27-none-win_amd64.whl](#)

[crc16-0.1.1-cp33-none-win32.whl](#)

[crc16-0.1.1-cp33-none-win_amd64.whl](#)

[crc16-0.1.1-cp34-none-win32.whl](#)

[crc16-0.1.1-cp34-none-win_amd64.whl](#)

Crcmod computes Cyclic Redundancy Checks (CRC).

[crcmod-1.7-cp26-none-win32.whl](#)
[crcmod-1.7-cp26-none-win_amd64.whl](#)
[crcmod-1.7-cp27-none-win32.whl](#)
[crcmod-1.7-cp27-none-win_amd64.whl](#)
[crcmod-1.7-cp33-none-win32.whl](#)
[crcmod-1.7-cp33-none-win_amd64.whl](#)
[crcmod-1.7-cp34-none-win32.whl](#)
[crcmod-1.7-cp34-none-win_amd64.whl](#)

Curses, an extension based on the PDCurses library.
Unicode characters are not supported.

[curses-2.2-cp26-none-win32.whl](#)
[curses-2.2-cp26-none-win_amd64.whl](#)
[curses-2.2-cp27-none-win32.whl](#)
[curses-2.2-cp27-none-win_amd64.whl](#)
[curses-2.2-cp33-none-win32.whl](#)
[curses-2.2-cp33-none-win_amd64.whl](#)
[curses-2.2-cp34-none-win32.whl](#)
[curses-2.2-cp34-none-win_amd64.whl](#)
[curses-2.2-source.zip](#)

CVXOPT (experimental non-MKL icl build), a package for convex optimization.
Includes GSL, FFTW, and GLPK w/ MPIR modules.
Requires numpy+mkl.

[cvxopt-1.1.7+openblas-cp26-none-win32.whl](#)
[cvxopt-1.1.7+openblas-cp26-none-win_amd64.whl](#)
[cvxopt-1.1.7+openblas-cp27-none-win32.whl](#)
[cvxopt-1.1.7+openblas-cp27-none-win_amd64.whl](#)
[cvxopt-1.1.7+openblas-cp33-none-win32.whl](#)
[cvxopt-1.1.7+openblas-cp33-none-win_amd64.whl](#)
[cvxopt-1.1.7+openblas-cp34-none-win32.whl](#)
[cvxopt-1.1.7+openblas-cp34-none-win_amd64.whl](#)
[cvxopt-1.1.7-cp26-none-win32.whl](#)
[cvxopt-1.1.7-cp26-none-win_amd64.whl](#)
[cvxopt-1.1.7-cp27-none-win32.whl](#)
[cvxopt-1.1.7-cp27-none-win_amd64.whl](#)

[cvxopt-1.1.7-cp33-none-win32.whl](#)

[cvxopt-1.1.7-cp33-none-win_amd64.whl](#)

[cvxopt-1.1.7-cp34-none-win32.whl](#)

[cvxopt-1.1.7-cp34-none-win_amd64.whl](#)

CVXPY, a modeling language for convex optimization problems.

Requires numpy+mkl, scipy, cvxopt, scs, and ecos.

[cvxpy-0.2.19-py2-none-any.whl](#)

[cvxpy-0.2.19-py3-none-any.whl](#)

cx_Freeze, a set of scripts and modules for freezing Python scripts into executable.

[cx_Freeze-4.3.4-cp26-none-win32.whl](#)

[cx_Freeze-4.3.4-cp26-none-win_amd64.whl](#)

[cx_Freeze-4.3.4-cp27-none-win32.whl](#)

[cx_Freeze-4.3.4-cp27-none-win_amd64.whl](#)

[cx_Freeze-4.3.4-cp33-none-win32.whl](#)

[cx_Freeze-4.3.4-cp33-none-win_amd64.whl](#)

[cx_Freeze-4.3.4-cp34-none-win32.whl](#)

[cx_Freeze-4.3.4-cp34-none-win_amd64.whl](#)

Cyassimp, bindings for the Open Assimp Import Library.

[cyassimp-0.1.4-cp26-none-win32.whl](#)

[cyassimp-0.1.4-cp26-none-win_amd64.whl](#)

[cyassimp-0.1.4-cp27-none-win32.whl](#)

[cyassimp-0.1.4-cp27-none-win_amd64.whl](#)

[cyassimp-0.1.4-cp33-none-win32.whl](#)

[cyassimp-0.1.4-cp33-none-win_amd64.whl](#)

[cyassimp-0.1.4-cp34-none-win32.whl](#)

[cyassimp-0.1.4-cp34-none-win_amd64.whl](#)

Cython, a language for writing Python C extensions.

[Cython-0.22-cp26-none-win32.whl](#)

[Cython-0.22-cp26-none-win_amd64.whl](#)

[Cython-0.22-cp27-none-win32.whl](#)

[Cython-0.22-cp27-none-win_amd64.whl](#)

[Cython-0.22-cp33-none-win32.whl](#)

[Cython-0.22-cp33-none-win_amd64.whl](#)

[Cython-0.22-cp34-none-win32.whl](#)

[Cython-0.22-cp34-none-win_amd64.whl](#)

Cytoolz, high performance functional utilities.

[cytoolz-0.7.2-cp26-none-win32.whl](#)

[cytoolz-0.7.2-cp26-none-win_amd64.whl](#)

[cytoolz-0.7.2-cp27-none-win32.whl](#)

[cytoolz-0.7.2-cp27-none-win_amd64.whl](#)

[cytoolz-0.7.2-cp33-none-win32.whl](#)

[cytoolz-0.7.2-cp33-none-win_amd64.whl](#)

[cytoolz-0.7.2-cp34-none-win32.whl](#)

[cytoolz-0.7.2-cp34-none-win_amd64.whl](#)

Debug-information-files installs the Windows debug information files (*.PDB).

[debug_information_files-2.7.9-cp27-none-win32.whl](#)

[debug_information_files-2.7.9-cp27-none-win_amd64.whl](#)

[debug_information_files-3.3.5-cp33-none-win32.whl](#)

[debug_information_files-3.3.5-cp33-none-win_amd64.whl](#)

[debug_information_files-3.4.3-cp34-none-win32.whl](#)

[debug_information_files-3.4.3-cp34-none-win_amd64.whl](#)

Delny creates N-dimensional Delaunay triangulations using libqhull.

[Delny-0.4.1-cp26-none-win32.whl](#)

[Delny-0.4.1-cp26-none-win_amd64.whl](#)

[Delny-0.4.1-cp27-none-win32.whl](#)

[Delny-0.4.1-cp27-none-win_amd64.whl](#)

Dipy, a toolbox for analysis of MR diffusion imaging.

[dipy-0.9.2-cp26-none-win32.whl](#)

[dipy-0.9.2-cp26-none-win_amd64.whl](#)

[dipy-0.9.2-cp27-none-win32.whl](#)

[dipy-0.9.2-cp27-none-win_amd64.whl](#)

[dipy-0.9.2-cp33-none-win32.whl](#)

[dipy-0.9.2-cp33-none-win_amd64.whl](#)

[dipy-0.9.2-cp34-none-win32.whl](#)

[dipy-0.9.2-cp34-none-win_amd64.whl](#)

Django, a high-level Web framework.

[Django-1.8-py2.py3-none-any.whl](#)

Docutils processes plaintext documentation into HTML, LaTeX, man-pages, open-document or XML.

[docutils-0.12-py2-none-any.whl](#)

[docutils-0.12-py3-none-any.whl](#)

Dulwich, a Git library.

[dulwich-0.10.0-cp26-none-win32.whl](#)

[dulwich-0.10.0-cp26-none-win_amd64.whl](#)

[dulwich-0.10.0-cp27-none-win32.whl](#)

[dulwich-0.10.0-cp27-none-win_amd64.whl](#)

DyND (experimental), bindings to the `libdynd` C++ dynamic ndarray library.

[dynd-0.6.6-cp33-none-win32.whl](#)

[dynd-0.6.6-cp33-none-win_amd64.whl](#)

[dynd-0.6.6-cp34-none-win32.whl](#)

[dynd-0.6.6-cp34-none-win_amd64.whl](#)

ECOS, Embedded Conic Solver.

[ecos-1.1.1-cp26-none-win32.whl](#)

[ecos-1.1.1-cp26-none-win_amd64.whl](#)

[ecos-1.1.1-cp27-none-win32.whl](#)

[ecos-1.1.1-cp27-none-win_amd64.whl](#)

[ecos-1.1.1-cp33-none-win32.whl](#)

[ecos-1.1.1-cp33-none-win_amd64.whl](#)

[ecos-1.1.1-cp34-none-win32.whl](#)

[ecos-1.1.1-cp34-none-win_amd64.whl](#)

Enaml, a programming language and framework for creating user interfaces with minimal effort. Requires `atom`, `kiwisolver`, `pyqt4`, and `PLY`.

[enaml-0.9.8-cp26-none-win32.whl](#)

[enaml-0.9.8-cp26-none-win_amd64.whl](#)

[enaml-0.9.8-cp27-none-win32.whl](#)

[enaml-0.9.8-cp27-none-win_amd64.whl](#)

Entropy, fast entropy calculation.

[entropy-0.9-cp26-none-win32.whl](#)

[entropy-0.9-cp26-none-win_amd64.whl](#)

[entropy-0.9-cp27-none-win32.whl](#)

[entropy-0.9-cp27-none-win_amd64.whl](#)

[entropy-0.9-cp33-none-win32.whl](#)

[entropy-0.9-cp33-none-win_amd64.whl](#)

[entropy-0.9-cp34-none-win32.whl](#)

[entropy-0.9-cp34-none-win_amd64.whl](#)

Epydoc, a tool for generating module API documentation.

[epydoc-3.0.1-py2-none-any.whl](#)

ETS (Enthought Tool Suite), a collection of components for building scientific applications.
Mayavi requires VTK.

[apptools-4.2.1-py2-none-any.whl](#)

[apptools-4.3.0-py2-none-any.whl](#)

[blockcanvas-4.0.3-cp26-none-win32.whl](#)

[blockcanvas-4.0.3-cp26-none-win_amd64.whl](#)

[blockcanvas-4.0.3-cp27-none-win32.whl](#)

[blockcanvas-4.0.3-cp27-none-win_amd64.whl](#)

[chaco-4.5.0-cp26-none-win32.whl](#)

[chaco-4.5.0-cp26-none-win_amd64.whl](#)

[chaco-4.5.0-cp27-none-win32.whl](#)

[chaco-4.5.0-cp27-none-win_amd64.whl](#)

[codetools-4.2.0-py2-none-any.whl](#)

[enable-4.5.1-cp26-none-win32.whl](#)

[enable-4.5.1-cp26-none-win_amd64.whl](#)

[enable-4.5.1-cp27-none-win32.whl](#)

[enable-4.5.1-cp27-none-win_amd64.whl](#)

[encore-0.6.0-py2-none-any.whl](#)

[envisage-4.4.0-py2-none-any.whl](#)

[ets-4.4.4-py2-none-any.whl](#)

[etsdevtools-4.0.2-py2-none-any.whl](#)

[etsproxy-0.1.2-py2-none-any.whl](#)

[graphcanvas-4.0.2-py2-none-any.whl](#)

[mayavi-4.3.1+vtk510-cp26-none-win32.whl](#)

[mayavi-4.3.1+vtk510-cp26-none-win_amd64.whl](#)

[mayavi-4.3.1+vtk510-cp27-none-win32.whl](#)

[mayavi-4.3.1+vtk510-cp27-none-win_amd64.whl](#)

[mayavi-4.4.0+vtk610-cp27-none-win32.whl](#)

[mayavi-4.4.0+vtk610-cp27-none-win_amd64.whl](#)

[pyface-4.4.0-py2-none-any.whl](#)

[pyface-4.5.0-py2-none-any.whl](#)

[scimath-4.1.2-cp26-none-win32.whl](#)

[scimath-4.1.2-cp26-none-win_amd64.whl](#)

[scimath-4.1.2-cp27-none-win32.whl](#)

[scimath-4.1.2-cp27-none-win_amd64.whl](#)

[traits-4.5.0-cp26-none-win32.whl](#)

[traits-4.5.0-cp26-none-win_amd64.whl](#)

[traits-4.5.0-cp27-none-win32.whl](#)

[traits-4.5.0-cp27-none-win_amd64.whl](#)

[traitsui-4.4.0-py2-none-any.whl](#)

Fann2 bindings for Fast Artificial Neural Networks Library.

[fann2-1.0.6-cp26-none-win32.whl](#)

[fann2-1.0.6-cp26-none-win_amd64.whl](#)

[fann2-1.0.6-cp27-none-win32.whl](#)

[fann2-1.0.6-cp27-none-win_amd64.whl](#)

[fann2-1.0.6-cp33-none-win32.whl](#)

[fann2-1.0.6-cp33-none-win_amd64.whl](#)

[fann2-1.0.6-cp34-none-win32.whl](#)

[fann2-1.0.6-cp34-none-win_amd64.whl](#)

Fastcluster provides fast hierarchical clustering routines.

[fastcluster-1.1.16-cp26-none-win32.whl](#)

[fastcluster-1.1.16-cp26-none-win_amd64.whl](#)

[fastcluster-1.1.16-cp27-none-win32.whl](#)

[fastcluster-1.1.16-cp27-none-win_amd64.whl](#)

[fastcluster-1.1.16-cp33-none-win32.whl](#)

[fastcluster-1.1.16-cp33-none-win_amd64.whl](#)

[fastcluster-1.1.16-cp34-none-win32.whl](#)

[fastcluster-1.1.16-cp34-none-win_amd64.whl](#)

Faulthandler displays the Python traceback on a crash.

[faulthandler-2.4-cp26-none-win32.whl](#)

[faulthandler-2.4-cp26-none-win_amd64.whl](#)

[faulthandler-2.4-cp27-none-win32.whl](#)

[faulthandler-2.4-cp27-none-win_amd64.whl](#)

Ffnet, a feed-forward neural network.

[ffnet-0.8.0-cp26-none-win32.whl](#)

[ffnet-0.8.0-cp26-none-win_amd64.whl](#)

[ffnet-0.8.0-cp27-none-win32.whl](#)

[ffnet-0.8.0-cp27-none-win_amd64.whl](#)

[ffnet-0.8.0-cp33-none-win32.whl](#)

[ffnet-0.8.0-cp33-none-win_amd64.whl](#)

[ffnet-0.8.0-cp34-none-win32.whl](#)

[ffnet-0.8.0-cp34-none-win_amd64.whl](#)

Fiona, OGR's neater API.

Requires gdal.

[Fiona-1.5.1-cp26-none-win32.whl](#)

[Fiona-1.5.1-cp26-none-win_amd64.whl](#)

[Fiona-1.5.1-cp27-none-win32.whl](#)

[Fiona-1.5.1-cp27-none-win_amd64.whl](#)

[Fiona-1.5.1-cp33-none-win32.whl](#)

[Fiona-1.5.1-cp33-none-win_amd64.whl](#)

[Fiona-1.5.1-cp34-none-win32.whl](#)

[Fiona-1.5.1-cp34-none-win_amd64.whl](#)

FiPy, a finite volume PDE solver.

Requires pyparse.

[FiPy-3.1-py2-none-any.whl](#)

Fisx, an enhanced C++ port of the Physics routines used by PyMca.

[fisx-1.0.1-cp26-none-win32.whl](#)

[fisx-1.0.1-cp26-none-win_amd64.whl](#)

[fisx-1.0.1-cp27-none-win32.whl](#)

[fisx-1.0.1-cp27-none-win_amd64.whl](#)

FontTools, a library for manipulating fonts ([Python 3 source](#)).

[fonttools-2.4-cp26-none-win32.whl](#)

[fonttools-2.4-cp26-none-win_amd64.whl](#)

[fonttools-2.4-cp27-none-win32.whl](#)

[fonttools-2.4-cp27-none-win_amd64.whl](#)

[fonttools-2.5-py3-none-any.whl](#)

FreeImageDLL, installs the FreeImage DLL to sys.prefix.

[freeimagedll-3.17.0-cp26-none-win32.whl](#)

[freeimagedll-3.17.0-cp26-none-win_amd64.whl](#)

[freeimagedll-3.17.0-cp27-none-win32.whl](#)

[freeimagedll-3.17.0-cp27-none-win_amd64.whl](#)

[freeimagedll-3.17.0-cp33-none-win32.whl](#)

[freeimagedll-3.17.0-cp33-none-win_amd64.whl](#)

[freeimagedll-3.17.0-cp34-none-win32.whl](#)

[freeimagedll-3.17.0-cp34-none-win_amd64.whl](#)

Friture, a program designed to analyze audio input in real-time.

Requires numpy, pyaudio, pyqt4, pyqwt, and pyopengl.

[friture-0.14-cp27-none-win32.whl](#)

[friture-0.14-cp27-none-win_amd64.whl](#)

GDAL (Geospatial Data Abstraction Library), a translator library for raster geospatial data formats. This distribution includes a complete GDAL installation. Do not use together with OSGeo4W or gdalwin32.

The FileGDB plugin requires Esri's [File Geodatabase API v1.3](#).

Requires VCredist SP1 on Python <=3.2.

[GDAL-1.11.2-cp26-none-win32.whl](#)

[GDAL-1.11.2-cp26-none-win_amd64.whl](#)

[GDAL-1.11.2-cp27-none-win32.whl](#)

[GDAL-1.11.2-cp27-none-win_amd64.whl](#)

[GDAL-1.11.2-cp33-none-win32.whl](#)

[GDAL-1.11.2-cp33-none-win_amd64.whl](#)

[GDAL-1.11.2-cp34-none-win32.whl](#)

[GDAL-1.11.2-cp34-none-win_amd64.whl](#)

Genshi, a toolkit for generation of output for the web.

[Genshi-0.7-cp26-none-win32.whl](#)

[Genshi-0.7-cp26-none-win_amd64.whl](#)

[Genshi-0.7-cp27-none-win32.whl](#)

[Genshi-0.7-cp27-none-win_amd64.whl](#)

[Genshi-0.7-cp33-none-win32.whl](#)

[Genshi-0.7-cp33-none-win_amd64.whl](#)

[Genshi-0.7-cp34-none-win32.whl](#)

[Genshi-0.7-cp34-none-win_amd64.whl](#)

Gensim, a framework for fast Vector Space Modelling.

[gensim-0.11.1.post1-cp26-none-win32.whl](#)

[gensim-0.11.1.post1-cp26-none-win_amd64.whl](#)

[gensim-0.11.1.post1-cp27-none-win32.whl](#)

[gensim-0.11.1.post1-cp27-none-win_amd64.whl](#)

[gensim-0.11.1.post1-cp33-none-win32.whl](#)

[gensim-0.11.1.post1-cp33-none-win_amd64.whl](#)

[gensim-0.11.1.post1-cp34-none-win32.whl](#)

[gensim-0.11.1.post1-cp34-none-win_amd64.whl](#)

Gevent, a coroutine-based networking library based on greenlet and libevent.

Requires greenlet.

[gevent-1.0.1-cp26-none-win32.whl](#)

[gevent-1.0.1-cp26-none-win_amd64.whl](#)

[gevent-1.0.1-cp27-none-win32.whl](#)

[gevent-1.0.1-cp27-none-win_amd64.whl](#)

Glumpy, a natural interface between numpy and modern OpenGL.

Requires numpy, triangle and pyopengl.

[glumpy-1.0.3-cp26-none-win32.whl](#)

[glumpy-1.0.3-cp26-none-win_amd64.whl](#)

[glumpy-1.0.3-cp27-none-win32.whl](#)

[glumpy-1.0.3-cp27-none-win_amd64.whl](#)

GMPY supports fast multiple-precision arithmetic.

Wraps the MPIR, MPFR, and MPC libraries.

[gmpy-1.17-cp26-none-win32.whl](#)

[gmpy-1.17-cp26-none-win_amd64.whl](#)

[gmpy-1.17-cp27-none-win32.whl](#)
[gmpy-1.17-cp27-none-win_amd64.whl](#)
[gmpy-1.17-cp33-none-win32.whl](#)
[gmpy-1.17-cp33-none-win_amd64.whl](#)
[gmpy-1.17-cp34-none-win32.whl](#)
[gmpy-1.17-cp34-none-win_amd64.whl](#)
[gmpy2-2.0.5-cp26-none-win32.whl](#)
[gmpy2-2.0.5-cp26-none-win_amd64.whl](#)
[gmpy2-2.0.5-cp27-none-win32.whl](#)
[gmpy2-2.0.5-cp27-none-win_amd64.whl](#)
[gmpy2-2.0.5-cp33-none-win32.whl](#)
[gmpy2-2.0.5-cp33-none-win_amd64.whl](#)
[gmpy2-2.0.5-cp34-none-win32.whl](#)
[gmpy2-2.0.5-cp34-none-win_amd64.whl](#)

GR, a universal framework for cross-platform visualization applications.

[gr-0.11.0-cp26-none-win32.whl](#)
[gr-0.11.0-cp26-none-win_amd64.whl](#)
[gr-0.11.0-cp27-none-win32.whl](#)
[gr-0.11.0-cp27-none-win_amd64.whl](#)
[gr-0.11.0-cp33-none-win32.whl](#)
[gr-0.11.0-cp33-none-win_amd64.whl](#)
[gr-0.11.0-cp34-none-win32.whl](#)
[gr-0.11.0-cp34-none-win_amd64.whl](#)

Greenlet allows lightweight in-process concurrent programming.

[greenlet-0.4.5-cp26-none-win32.whl](#)
[greenlet-0.4.5-cp26-none-win_amd64.whl](#)
[greenlet-0.4.5-cp27-none-win32.whl](#)
[greenlet-0.4.5-cp27-none-win_amd64.whl](#)
[greenlet-0.4.5-cp33-none-win32.whl](#)
[greenlet-0.4.5-cp33-none-win_amd64.whl](#)
[greenlet-0.4.5-cp34-none-win32.whl](#)
[greenlet-0.4.5-cp34-none-win_amd64.whl](#)

GuiQwt, an efficient 2D plotting library.

Requires pyqwt.

[formlayout-1.0.15-py2.py3-none-any.whl](#)

[guidata-1.6.2-py2.py3-none-any.whl](#)

[guiqwt-2.3.2-cp26-none-win32.whl](#)

[guiqwt-2.3.2-cp26-none-win_amd64.whl](#)

[guiqwt-2.3.2-cp27-none-win32.whl](#)

[guiqwt-2.3.2-cp27-none-win_amd64.whl](#)

[guiqwt-2.3.2-cp33-none-win32.whl](#)

[guiqwt-2.3.2-cp33-none-win_amd64.whl](#)

[guiqwt-2.3.2-cp34-none-win32.whl](#)

[guiqwt-2.3.2-cp34-none-win_amd64.whl](#)

H5py, a general-purpose interface to the HDF5 library.

[h5py-2.5.0-cp26-none-win32.whl](#)

[h5py-2.5.0-cp26-none-win_amd64.whl](#)

[h5py-2.5.0-cp27-none-win32.whl](#)

[h5py-2.5.0-cp27-none-win_amd64.whl](#)

[h5py-2.5.0-cp33-none-win32.whl](#)

[h5py-2.5.0-cp33-none-win_amd64.whl](#)

[h5py-2.5.0-cp34-none-win32.whl](#)

[h5py-2.5.0-cp34-none-win_amd64.whl](#)

HDDM implements Hierarchical Bayesian estimation of Drift Diffusion Models.

[HDDM-0.5.5-cp26-none-win32.whl](#)

[HDDM-0.5.5-cp26-none-win_amd64.whl](#)

[HDDM-0.5.5-cp27-none-win32.whl](#)

[HDDM-0.5.5-cp27-none-win_amd64.whl](#)

[HDDM-0.5.5-cp33-none-win32.whl](#)

[HDDM-0.5.5-cp33-none-win_amd64.whl](#)

[HDDM-0.5.5-cp34-none-win32.whl](#)

[HDDM-0.5.5-cp34-none-win_amd64.whl](#)

HoloPy, a tool for working with digital holograms and light scattering.

[HoloPy-2.0.0-cp26-none-win32.whl](#)

[HoloPy-2.0.0-cp26-none-win_amd64.whl](#)

[HoloPy-2.0.0-cp27-none-win32.whl](#)

[HoloPy-2.0.0-cp27-none-win_amd64.whl](#)

HTSeq provides infrastructure to process data from high-throughput sequencing assays.

[HTSeq-0.6.1-cp26-none-win32.whl](#)

[HTSeq-0.6.1-cp26-none-win_amd64.whl](#)

[HTSeq-0.6.1-cp27-none-win32.whl](#)

[HTSeq-0.6.1-cp27-none-win_amd64.whl](#)

Ilastik, an interactive learning and segmentation toolkit.

[ilastik-0.5.12-py2-none-any.whl](#)

Iminuit, an interactive minimizer based on MINUIT.

[iminuit-1.1.1-cp26-none-win32.whl](#)

[iminuit-1.1.1-cp26-none-win_amd64.whl](#)

[iminuit-1.1.1-cp27-none-win32.whl](#)

[iminuit-1.1.1-cp27-none-win_amd64.whl](#)

Imread reads images into numpy arrays.

[imread-0.5.1-cp26-none-win32.whl](#)

[imread-0.5.1-cp26-none-win_amd64.whl](#)

[imread-0.5.1-cp27-none-win32.whl](#)

[imread-0.5.1-cp27-none-win_amd64.whl](#)

[imread-0.5.1-cp33-none-win32.whl](#)

[imread-0.5.1-cp33-none-win_amd64.whl](#)

[imread-0.5.1-cp34-none-win32.whl](#)

[imread-0.5.1-cp34-none-win_amd64.whl](#)

Intbitset provides an intbitset data object.

[intbitset-2.1.1-cp26-none-win32.whl](#)

[intbitset-2.1.1-cp26-none-win_amd64.whl](#)

[intbitset-2.1.1-cp27-none-win32.whl](#)

[intbitset-2.1.1-cp27-none-win_amd64.whl](#)

[intbitset-2.1.1-cp33-none-win32.whl](#)

[intbitset-2.1.1-cp33-none-win_amd64.whl](#)

[intbitset-2.1.1-cp34-none-win32.whl](#)

[intbitset-2.1.1-cp34-none-win_amd64.whl](#)

IOCBio, open-source software from the Laboratory of Systems Biology.

Requires [numpy+mkl](#).

[iocbio-1.3.0.dev359-cp26-none-win32.whl](#)

[iocbio-1.3.0.dev359-cp26-none-win_amd64.whl](#)

[iocbio-1.3.0.dev359-cp27-none-win32.whl](#)

[iocbio-1.3.0.dev359-cp27-none-win_amd64.whl](#)

IPython, an interactive computing environment.

Some functions require [setuptools](#), [pyzmq](#), [tornado](#), [pyreadline](#), [pygments](#), [markupsafe](#), [jinja2](#), [mistune](#), [rpy2](#), [pycairo](#), [matplotlib](#), [pyqt4](#) or [pyside](#), [pandoc](#), and [whatnot](#).

[ipython-1.2.1-py26-none-any.whl](#)

[ipython-2.4.1-py27-none-any.whl](#)

[ipython-2.4.1-py3-none-any.whl](#)

[ipython-3.1.0-py27-none-any.whl](#)

[ipython-3.1.0-py3-none-any.whl](#)

Iris, a library for analysing and visualising meteorological and oceanographic data sets

Requires [scipy](#), [netcdf4-python](#), [cartopy](#), [shapely](#), [udunits2](#) and other dependencies.

[Iris-1.7.3-py2-none-any.whl](#)

Javabridge, a wrapper for the Java Native Interface.

[javabridge-1.0.11-cp26-none-win32.whl](#)

[javabridge-1.0.11-cp26-none-win_amd64.whl](#)

[javabridge-1.0.11-cp27-none-win32.whl](#)

[javabridge-1.0.11-cp27-none-win_amd64.whl](#)

JCC, a C++ code generator that produces a C++ object interface wrapping a Java library via Java's Native Interface (JNI).

Users must adjust "[jcc\config.py](#)" for the target system.

[JCC-2.21+jdk8-cp26-none-win32.whl](#)

[JCC-2.21+jdk8-cp26-none-win_amd64.whl](#)

[JCC-2.21+jdk8-cp27-none-win32.whl](#)

[JCC-2.21+jdk8-cp27-none-win_amd64.whl](#)

Jinja2, a text templating engine.

Requires [markupsafe](#).

[Jinja-1.2-cp26-none-win32.whl](#)

[Jinja-1.2-cp26-none-win_amd64.whl](#)

[Jinja-1.2-cp27-none-win32.whl](#)

[Jinja-1.2-cp27-none-win_amd64.whl](#)

[Jinja2-2.6-cp26-none-win32.whl](#)

[Jinja2-2.6-cp26-none-win_amd64.whl](#)

[Jinja2-2.7.3-py27-none-any.whl](#)

[Jinja2-2.7.3-py3-none-any.whl](#)

JPyype allows full access to Java class libraries.

[JPyype1-0.6.0-cp26-none-win32.whl](#)

[JPyype1-0.6.0-cp26-none-win_amd64.whl](#)

[JPyype1-0.6.0-cp27-none-win32.whl](#)

[JPyype1-0.6.0-cp27-none-win_amd64.whl](#)

[JPyype1-0.6.0-cp33-none-win32.whl](#)

[JPyype1-0.6.0-cp33-none-win_amd64.whl](#)

[JPyype1-0.6.0-cp34-none-win32.whl](#)

[JPyype1-0.6.0-cp34-none-win_amd64.whl](#)

Jsonlib, a JSON serializer/deserializer.

[jsonlib-1.6.1-cp26-none-win32.whl](#)

[jsonlib-1.6.1-cp26-none-win_amd64.whl](#)

[jsonlib-1.6.1-cp27-none-win32.whl](#)

[jsonlib-1.6.1-cp27-none-win_amd64.whl](#)

[jsonlib_python3-1.6.1-cp33-none-win32.whl](#)

[jsonlib_python3-1.6.1-cp33-none-win_amd64.whl](#)

[jsonlib_python3-1.6.1-cp34-none-win32.whl](#)

[jsonlib_python3-1.6.1-cp34-none-win_amd64.whl](#)

Kivy, a library for developing multi-touch applications.

Requires pygame.

[Kivy-1.7.2-cp26-none-win32.whl](#)

[Kivy-1.7.2-cp26-none-win_amd64.whl](#)

[Kivy-1.9.0-cp27-none-win32.whl](#)

[Kivy-1.9.0-cp27-none-win_amd64.whl](#)

[Kivy-1.9.0-cp33-none-win32.whl](#)

[Kivy-1.9.0-cp33-none-win_amd64.whl](#)

[Kivy-1.9.0-cp34-none-win32.whl](#)

[Kivy-1.9.0-cp34-none-win_amd64.whl](#)

Kiwisolver, an efficient implementation of the Cassowary constraint solving algorithm.

[kiwisolver-0.1.3-cp26-none-win32.whl](#)

[kiwisolver-0.1.3-cp26-none-win_amd64.whl](#)

[kiwisolver-0.1.3-cp27-none-win32.whl](#)

[kiwisolver-0.1.3-cp27-none-win_amd64.whl](#)

Kwant, quantum transport simulations made easy.

Requires `numpy+mkl` and `tinyarray`.

[kwant-1.0.3+mkl-cp27-none-win32.whl](#)

[kwant-1.0.3+mkl-cp27-none-win_amd64.whl](#)

La aka larry, the labeled numpy array.

[la-0.7.0.dev0-cp26-none-win32.whl](#)

[la-0.7.0.dev0-cp26-none-win_amd64.whl](#)

[la-0.7.0.dev0-cp27-none-win32.whl](#)

[la-0.7.0.dev0-cp27-none-win_amd64.whl](#)

[la-0.7.0.dev0-cp33-none-win32.whl](#)

[la-0.7.0.dev0-cp33-none-win_amd64.whl](#)

[la-0.7.0.dev0-cp34-none-win32.whl](#)

[la-0.7.0.dev0-cp34-none-win_amd64.whl](#)

Lazyflow, graph based lazy numpy data flows.

[lazyflow-0.1-cp26-none-win32.whl](#)

[lazyflow-0.1-cp26-none-win_amd64.whl](#)

[lazyflow-0.1-cp27-none-win32.whl](#)

[lazyflow-0.1-cp27-none-win_amd64.whl](#)

LibLAS reads and writes the LiDAR (Light Detection And Ranging) format.

[libLAS-1.8.0-cp26-none-win32.whl](#)

[libLAS-1.8.0-cp26-none-win_amd64.whl](#)

[libLAS-1.8.0-cp27-none-win32.whl](#)

[libLAS-1.8.0-cp27-none-win_amd64.whl](#)

[libLAS-1.8.0-cp33-none-win32.whl](#)

[libLAS-1.8.0-cp33-none-win_amd64.whl](#)

[libLAS-1.8.0-cp34-none-win32.whl](#)

[libLAS-1.8.0-cp34-none-win_amd64.whl](#)

LIBLINEAR, a library for large linear classification.

Requires `numpy+mkl`.

[liblinear-1.96-cp26-none-win32.whl](#)

[liblinear-1.96-cp26-none-win_amd64.whl](#)

[liblinear-1.96-cp27-none-win32.whl](#)

[liblinear-1.96-cp27-none-win_amd64.whl](#)

[liblinear-1.96-cp33-none-win32.whl](#)

[liblinear-1.96-cp33-none-win_amd64.whl](#)

[liblinear-1.96-cp34-none-win32.whl](#)

[liblinear-1.96-cp34-none-win_amd64.whl](#)

Libpython installs the libpython??a libraries to sys.prefix\libs.
For use with MinGW64 and Rtools.

[libpython-2.6.6-cp26-none-win_amd64.whl](#)

[libpython-2.7.9-cp27-none-win_amd64.whl](#)

[libpython-3.3.5-cp33-none-win_amd64.whl](#)

[libpython-3.4.3-cp34-none-win_amd64.whl](#)

libSBML reads, writes, manipulates, translates, and validates SBML (Systems Biology Markup Language) files and data streams.

[python_libsbml-5.10.2-cp26-none-win32.whl](#)

[python_libsbml-5.10.2-cp26-none-win_amd64.whl](#)

[python_libsbml-5.10.2-cp27-none-win32.whl](#)

[python_libsbml-5.10.2-cp27-none-win_amd64.whl](#)

[python_libsbml-5.10.2-cp33-none-win32.whl](#)

[python_libsbml-5.10.2-cp33-none-win_amd64.whl](#)

[python_libsbml-5.10.2-cp34-none-win32.whl](#)

[python_libsbml-5.10.2-cp34-none-win_amd64.whl](#)

LIBSVM, a library for Support Vector Machines.

[libsvm-3.20-cp26-none-win32.whl](#)

[libsvm-3.20-cp26-none-win_amd64.whl](#)

[libsvm-3.20-cp27-none-win32.whl](#)

[libsvm-3.20-cp27-none-win_amd64.whl](#)

[libsvm-3.20-cp33-none-win32.whl](#)

[libsvm-3.20-cp33-none-win_amd64.whl](#)

[libsvm-3.20-cp34-none-win32.whl](#)

[libsvm-3.20-cp34-none-win_amd64.whl](#)

Libtfr (experimental non-MKL icl build) calculates multi-taper windowed and time-frequency reassignment spectrograms.

Requires [numpy+mkl](#).

[libtfr-1.0.4-cp26-none-win32.whl](#)

[libtfr-1.0.4-cp26-none-win_amd64.whl](#)

[libtfr-1.0.4-cp27-none-win32.whl](#)

[libtfr-1.0.4-cp27-none-win_amd64.whl](#)

Libxml-python are bindings for the libxml2 and libxslt libraries.

[libxml2_python-2.9.2-cp26-none-win32.whl](#)

[libxml2_python-2.9.2-cp26-none-win_amd64.whl](#)

[libxml2_python-2.9.2-cp27-none-win32.whl](#)

[libxml2_python-2.9.2-cp27-none-win_amd64.whl](#)

Line_profiler, a line-by-line profiler.

[line_profiler-1.0-cp27-none-win32.whl](#)

[line_profiler-1.0-cp27-none-win_amd64.whl](#)

[line_profiler-1.0-cp33-none-win32.whl](#)

[line_profiler-1.0-cp33-none-win_amd64.whl](#)

[line_profiler-1.0-cp34-none-win32.whl](#)

[line_profiler-1.0-cp34-none-win_amd64.whl](#)

[line_profiler-1.0b3-cp26-none-win32.whl](#)

[line_profiler-1.0b3-cp26-none-win_amd64.whl](#)

Llist provides linked list data structures.

[llist-0.4-cp26-none-win32.whl](#)

[llist-0.4-cp26-none-win_amd64.whl](#)

[llist-0.4-cp27-none-win32.whl](#)

[llist-0.4-cp27-none-win_amd64.whl](#)

[llist-0.4-cp33-none-win32.whl](#)

[llist-0.4-cp33-none-win_amd64.whl](#)

[llist-0.4-cp34-none-win32.whl](#)

[llist-0.4-cp34-none-win_amd64.whl](#)

Llvm-lite, a lightweight LLVM binding for writing JIT compilers.

Requires [Visual C++ Redistributable Packages for Visual Studio 2013](#).

[llvmlite-0.4.0-cp26-none-win32.whl](#)

[llvmlite-0.4.0-cp26-none-win_amd64.whl](#)

[llvmlite-0.4.0-cp27-none-win32.whl](#)

[llvmlite-0.4.0-cp27-none-win_amd64.whl](#)

[llvmlite-0.4.0-cp33-none-win32.whl](#)

[llvmlite-0.4.0-cp33-none-win_amd64.whl](#)

[llvmlite-0.4.0-cp34-none-win32.whl](#)

[llvmlite-0.4.0-cp34-none-win_amd64.whl](#)

LLVMPy, a wrapper around the LLVM compiler library.

[llvmpy-0.12.7-cp26-none-win32.whl](#)

[llvmpy-0.12.7-cp26-none-win_amd64.whl](#)

[llvmpy-0.12.7-cp27-none-win32.whl](#)

[llvmpy-0.12.7-cp27-none-win_amd64.whl](#)

[llvmpy-0.12.7-cp33-none-win32.whl](#)

[llvmpy-0.12.7-cp33-none-win_amd64.whl](#)

[llvmpy-0.12.7-cp34-none-win32.whl](#)

[llvmpy-0.12.7-cp34-none-win_amd64.whl](#)

Lmfit, a least-squares minimization with constraints.

[lmfit-0.8.3-py2.py3-none-any.whl](#)

lp_solve, a Mixed Integer Linear Programming (MILP) solver.

[lpsolve55-5.5.0.9-cp26-none-win32.whl](#)

[lpsolve55-5.5.0.9-cp26-none-win_amd64.whl](#)

[lpsolve55-5.5.0.9-cp27-none-win32.whl](#)

[lpsolve55-5.5.0.9-cp27-none-win_amd64.whl](#)

[lpsolve55-5.5.2.0-cp33-none-win32.whl](#)

[lpsolve55-5.5.2.0-cp33-none-win_amd64.whl](#)

[lpsolve55-5.5.2.0-cp34-none-win32.whl](#)

[lpsolve55-5.5.2.0-cp34-none-win_amd64.whl](#)

Lsqfit, utilities for nonlinear least-squares fits.

[lsqfit-6.0-cp26-none-win32.whl](#)

[lsqfit-6.0-cp26-none-win_amd64.whl](#)

[lsqfit-6.0-cp27-none-win32.whl](#)

[lsqfit-6.0-cp27-none-win_amd64.whl](#)

[lsqfit-6.0-cp33-none-win32.whl](#)

[lsqfit-6.0-cp33-none-win_amd64.whl](#)

[lsqfit-6.0-cp34-none-win32.whl](#)

[lsqfit-6.0-cp34-none-win_amd64.whl](#)

Lxml, a binding for the libxml2 and libxslt libraries.

[lxml-3.4.3-cp26-none-win32.whl](#)

[lxml-3.4.3-cp26-none-win_amd64.whl](#)

[lxml-3.4.3-cp27-none-win32.whl](#)

[lxml-3.4.3-cp27-none-win_amd64.whl](#)

[lxml-3.4.3-cp33-none-win32.whl](#)

[lxml-3.4.3-cp33-none-win_amd64.whl](#)

[lxml-3.4.3-cp34-none-win32.whl](#)

[lxml-3.4.3-cp34-none-win_amd64.whl](#)

Mahotas, a set of functions for image processing.

[mahotas-1.2.4-cp26-none-win32.whl](#)

[mahotas-1.2.4-cp26-none-win_amd64.whl](#)

[mahotas-1.2.4-cp27-none-win32.whl](#)

[mahotas-1.2.4-cp27-none-win_amd64.whl](#)

[mahotas-1.2.4-cp33-none-win32.whl](#)

[mahotas-1.2.4-cp33-none-win_amd64.whl](#)

[mahotas-1.2.4-cp34-none-win32.whl](#)

[mahotas-1.2.4-cp34-none-win_amd64.whl](#)

Mako, a fast templating language.

[Mako-1.0.1-py2.py3-none-any.whl](#)

Marisa-trie provides static memory-efficient Trie-like structures.

[marisa_ trie-0.7-cp26-none-win32.whl](#)

[marisa_ trie-0.7-cp26-none-win_amd64.whl](#)

[marisa_ trie-0.7-cp27-none-win32.whl](#)

[marisa_ trie-0.7-cp27-none-win_amd64.whl](#)

[marisa_ trie-0.7-cp33-none-win32.whl](#)

[marisa_ trie-0.7-cp33-none-win_amd64.whl](#)

[marisa_ trie-0.7-cp34-none-win32.whl](#)

[marisa_ trie-0.7-cp34-none-win_amd64.whl](#)

MarkupSafe implements a XML/HTML/XHTML Markup safe string.

[MarkupSafe-0.23-cp26-none-win32.whl](#)

[MarkupSafe-0.23-cp26-none-win_amd64.whl](#)

[MarkupSafe-0.23-cp27-none-win32.whl](#)

[MarkupSafe-0.23-cp27-none-win_amd64.whl](#)

[MarkupSafe-0.23-cp33-none-win32.whl](#)

[MarkupSafe-0.23-cp33-none-win_amd64.whl](#)

[MarkupSafe-0.23-cp34-none-win32.whl](#)

[MarkupSafe-0.23-cp34-none-win_amd64.whl](#)

Matplotlib, a 2D plotting library.

Requires `numpy`, `dateutil`, `pytz`, `pyparsing`, `six`, `setuptools`, and optionally `pillow`, `pycairo`, `tornado`, `wxpython`, `pyside`, `pyqt4`, `ghostscript`, `miktex`, `ffmpeg`, `mencoder`, `avconv`, or `imagemagick`.

[matplotlib-1.4.3-cp26-none-win32.whl](#)

[matplotlib-1.4.3-cp26-none-win_amd64.whl](#)

[matplotlib-1.4.3-cp27-none-win32.whl](#)

[matplotlib-1.4.3-cp27-none-win_amd64.whl](#)