

TechKodomo

Playing with Technologies is just another hobby of mine.

[Home](#) | [Page of Code](#)

SUNDAY, 23 NOVEMBER 2014

Publish to RPubS from RStudio in Windows

Publishing an analysis would surely be the final goal of an analysis; to get your findings to as many people as possible and to allow them to understand your [point of view](#) after you went through such a long painful process of dealing with the data.

RStudio has made it [convenient](#) to do so where you could easily create a Rmd (R Markdown document) which allows you to interweave analysis text and the code to [analyze data](#), create [HTML code](#) out of that (click Knit HTML at the top of the window) and then, after the new window appear, click on "Publish"

Unfortunately, as usual, Windows doesn't make it any easier.

When you attempt to publish a Rmd file for the first time on a Windows machine, high chance, it will give this error:

```
Error in function (type, msg, asError = TRUE) :  
  SSL certificate problem, verify that the CA cert is OK. Details:  
error:14090086:SSL routines:SSL3_GET_SERVER_CERTIFICATE:certificate verify  
Calls: rpubsUpload ... <Anonymous> -> .postForm -> .Call -> <Anonymous> ->  
Execution halted
```

This can be solved by modifying the Rprofile file inside the following folder

C:\Program Files\R\R-3.1.1\library\base\R

Substitute the R-3.1.1 to whatever [version](#) of R you are using. In there, you should find the Rprofile file that you need to edit. [Make a copy](#) of it somewhere before editing it because, without that file, you will run into serious issues when you start up RStudio again

The code you need to place inside RStudio would be:

```
options(rpubs.upload.method = "internal")
```

This would allow the above problem to go away but another problem would arise:

```
Error in readBin(conn, what = "raw", n = contentLength) :  
invalid 'n' argument  
Calls: rpubsUpload ... uploadFunction -> readResponse -> rawToChar -> readB  
Execution halted
```

This problem can be solved by adding another line into the Rprofile file:

LABELS

[Android](#) [ARA](#) [Big Data](#) [Bluemix](#) [Business Intelligence](#) [Data Analytics](#) [Data Management](#) [Excel](#) [Game](#) [Geekcamp](#) [Google Analytics](#) [Ionic](#) [Linux](#) [Myo](#) [Oculus Rift](#) [PHP](#) [Project Tango](#) [Python](#) [R](#) [Tableau](#) [Unity](#) [Virtuix](#) [Omni](#) [Web Design](#) [Wolfram](#)

SEARCH THIS BLOG

BLOG ARCHIVE

- ▶ 2016 (2)
- ▶ 2015 (15)
- ▼ 2014 (45)
 - ▶ December (5)
 - ▼ November (8)
 - [Publish to RPubS from RStudio in Windows](#)
 - [Quick Tip: Hiding the extra measures names in the ...](#)
 - [Tableau: Calculated Fields](#)
 - [Tableau: Grand Totals/Subtotals](#)
 - [Trying out Android Studio](#)
 - [Getting R markdown files to pdf format](#)
 - [My first attempt at web scraping with R](#)
 - [Problems with rJava... again](#)
 - ▶ October (10)
 - ▶ September (1)
 - ▶ April (2)
 - ▶ March (8)
 - ▶ February (7)
 - ▶ January (4)

You might also like



Create a facebook profile
Sign up for free and connect to the w

```
options(RCurlOptions = list(verbose = FALSE, capath = system.file("CurlSSL",  
"cacert.pem", package = "RCurl"), ssl.verifypeer = FALSE))
```

Therefore, what you need to the Rprofile file would be this:

```
options(rpubs.upload.method = "internal")  
options(RCurlOptions = list(verbose = FALSE, capath = system.file("CurlSSL",  
"cacert.pem", package = "RCurl"), ssl.verifypeer = FALSE))
```

Posted by **Hairizuan Noorazman** at 08:39

 +1 Recommend this on Google

Labels: **R**

[Download Pdf](#) [Make a copy](#) [Picture Frame](#) [Html Code](#) [Finales](#)
[Linux operating system](#) [Routine](#) [Serious](#) [The Finals](#) [infolinks](#)

No comments:

Post a Comment

Enter your comment...

Comment as: sandipan (Go ▾)

Sign out

Publish

Preview

☐ Notify me

[Newer Post](#)

[Home](#)

[Older Post](#)

Subscribe to: [Post Comments \(Atom\)](#)

Picture Window template. Powered by Blogger.
