

11/23/23, 12:53 AM

CodioProjectFileEditFindViewToolsEducationHelpConfigure...Project Index (static)Configure...

edits.pyx

```
1 import os
2 import openai
3 import secret
4 openai.api_key=secret.api_key
5
6 # WRITE YOUR CODE HERE
7 ● edi= openai.Edit.create(
8     model="text-davinci-edit-001",
9     input="What day was it? Wesdnesday?",
10    instruction="Fix the spelling mistakes"
11 )
12 print(edi['choices'][0]['text'].strip())
13
14 edi= openai.Edit.create(
15     model="text-davinci-edit-001",
16     input="What day was it? Wesdnesday?",
17     instruction="change wednesday to saturday."
18 )
19 print(edi['choices'][0]['text'].strip())
20
```

Codio - Endpoints

Guide x

Collapse

<>⚙️☰

Edits

Edits

Given a prompt and an instruction, the model will return an edited version of the prompt.

POST <https://api.openai.com/v1/edits>

```
edi= openai.Edit.create(
    model="text-davinci-edit-001",
    input="What day was it? Wesdnesday?",
    instruction="Fix the spelling mistakes"
)
print(edi['choices'][0]['text'].strip())
```

TRY IT!

What day was it? Wednesday?

The Edit body

Similarly to our create call our edit calls can take a couple of arguments to help the user better control what is generated.

The must-have arguments are `model` and `instruction`.

```
edi= openai.Edit.create(
    model="text-davinci-edit-001",
    instruction="Captitalize the first letter of all the words in the
)
print(edi['choices'][0]['text'].strip())
```

TRY IT!

For our purposes we are also going to make input as a default because it keeps it clean about what is the input we are interacting with.

`input` : is optional but defaults to an empty string when no argument is specified. It is used as a starting point for the edit.

`instruction` : is required and tell the AI how to edit the prompt

```
edi= openai.Edit.create(
    model="text-davinci-edit-001",
    input="What day was it? Wesdnesday?",
    instruction="change wednesday to saturday."
)
print(edi['choices'][0]['text'].strip())
```

TRY IT!

What day was it?
Tuesday
What day was it? Saturday?

Feel free to try it more than once, there might be a chance the AI misinterprets the directions.

Similarly, to create a call there are a couple of other optional arguments. In this case, we could have added `n`, `temperature` and `top_p`.

`n` : defaults to 1 and tells how many edits to create from input and instruction

`temperature` : defaults to 1 , higher values mean the model will take more risks.

`top_p` : 0.1 means only the tokens comprising the top 10% probability mass are considered.

A Try It button is provided in case you wanted to try adding some of those variables.

TRY IT!

What is the purpose of the `instruction` argument in the `Edit` API call?

☐ It specifies the input text to be edited.

☐ It specifies the name of the model to use for editing.

☐ It provides additional options for controlling the editing process

☒ It tells the AI how to edit the prompt.

The `Edit` API call would take the instruction argument to serve a similar purpose: providing guidance to the model about what kind of response is expected. In other words, it tells the AI how to edit the prompt.

Check It!

Next

95% (19:41)

<https://codio.com/sandipan-dey/endpoints/tree/edits.py>

1/1