## RELU

CLASS torch.nn.ReLU(inplace=False) [SOURCE]

Applies the rectified linear unit function element-wise:

$$\mathrm{ReLU}(x) = (x)^+ = \max(0,x)$$

Parameters

inplace – can optionally do the operation in-place. Default: False

## Shape:

- Input: (\*), where \* means any number of dimensions.
- Output: (\*), same shape as the input.

## ReLU activation function 6 4 2 -4 -4 -6 -6 -4 -2 0 2 4 6

## Examples:

```
>>> m = nn.ReLU()
>>> input = torch.randn(2)
>>> output = m(input)

An implementation of CReLU - https://arxiv.org/abs/1603.05201

>>> m = nn.ReLU()
>>> input = torch.randn(2).unsqueeze(0)
>>> output = torch.cat((m(input), m(-input)))
```

⟨ Previous Next >

Built with Sphinx using a theme provided by Read the Docs.

Docs

Access comprehensive developer documentation for  $\label{eq:pyTorch} \mbox{PyTorch}$ 

View Docs

**Tutorials** 

Get in-depth tutorials for beginners and advanced developers

View Tutorials

Resources

Find development resources and get your questions answered

View Resources

PyTorch Resources Stay Connected

Get Started Tutorials
Features Docs
Ecosystem Discuss

Blog Github Issues

Contributing Brand Guidelines