

R-bloggers

R news and tutorials contributed by (552) R bloggers


- [Home](#)
- [About](#)
- [add your blog!](#)
- [Contact us](#)
- [RSS](#)
- [R jobs](#) ♦ ♦ ♦

Welcome!

Here you will find daily **news and tutorials about R**, contributed by over 450 bloggers. You can [subscribe for e-mail updates](#):

18077 readers
BY FEEDBURNER

And get updates to your Facebook:



If you are an **R blogger yourself** you are invited to [add your own R content feed to this site](#) (**Non-English** R bloggers should add themselves-[here](#))

Jobs for R-users

- [SAS Analyst role who has experience with "R" Language](#)
- [Data Scientist](#)
- [Senior programmer / business analyst for customized solutions](#)
- [ATM Data Scientist](#)
- [Part-time R Instructor for Data Science Retreat](#)

Popular Searches

- [heatmap](#)
- [hadoop](#)
- [web scraping](#)
- [twitter](#)

- [maps](#)
- [ggplot](#)
- [finance](#)
- [shiny](#)
- [pca](#)
- [excel](#)
- [ggplot2](#)
- [googlevis](#)
- [RStudio](#)
- [trading](#)
- [animation](#)
- [boxplot](#)
- [eclipse](#)
- [LaTeX](#)
- [quantmod](#)
- [knitr](#)
- [time_series](#)
- [tutorial](#)
- [sweave](#)
- [alt=](#)
- [market research](#)
- [how to import image file to R](#)
- [rattle](#)
- [GIS](#)
- [ecdf](#)
- [remdr](#)

Recent Posts

- [An infographic comparing R, SAS and SPSS](#)
- [Shiny 0.10](#)
- [Paper: The OpenCPU system – towards a universal interface for scientific computing through separation of concerns](#)
- [New R package hazus: Damage functions from FEMA's HAZUS software for use in modeling financial losses from natural disasters](#)
- [Rcpp11 conference marathon](#)
- [Quickly export multiple R objects to an Excel Workbook](#)
- [Multilevel modeling of community composition with imperfect detection](#)
- [Interactive documents: An incredibly easy way to use Shiny](#)
- [Contest: Prizes for Best R User Groups Plotting Code](#)
- [Keep calm and #include <Rcpp11>](#)
- [Conditional Distributions from some Elliptical](#)

[Vectors](#)

- [Free Geometric Mophometrics – a Summary](#)
- [Where World Cup players actually come from](#)
- [Upcoming R Training Course in Boston](#)
- [sugar in parallel](#)

Other sites

- [Jobs for R-users](#)
- [SAS blogs](#)
- [Statistics of Israel](#)

Map biodiversity records with rgbif and ggmap packages in R

July 23, 2012

By [vijaybarve](#)

Like Share  3 Tweet  1  0

(This article was first published on [Yijay Barve](#), and kindly contributed to [R-bloggers](#))

When I attended usrR! 2012 last month, there was an interesting presentation by [Dr. David Kahle](#) about the package [ggmap](#). It is a package built over ggmap2 and helps us map spatial data over online maps like Google maps or Open Street Maps. I decided to give ggmap package a try with biodiversity data.

So first let us create a map for the Plain Tiger or the African Monarch Butterfly (*Danaus chrysippus*). We use **occurrencelist** from [rgbif](#) package again like [previous post](#).

We use qmap function from ggmap package to quickly pull up the base map from Google Maps. So in essence the **qmap** function eliminates two step process of getting map data using **map_data** function and then setting up map display using **ggplot** function into one step. We use **geom_jitter** function to plot the occurrence points in the specified size(**size = 4**) and color(**color = "red"**).


```
1 library(rgbif)
2 Dan_chr=occurrencelist(sciname = 'Danaus chr
3                        coordinatestatus = TR
4                        maxresults = 1000,
5                        latlongdf = TRUE, rem
6 library(ggmap)
7 library(ggplot2)
8 wmap1 = qmap('India', zoom=2)
9 wmap1 +
10     geom_jitter(data = Dan_chr,
11                aes(decimalLongitude, deci
12                    alpha=0.6, size = 4, color
13                    opts(title = "Danaus chr
```

Here is the opuput map of the code snippet:



Though in earlier code we have used `geom_jitter`, high density of the points in some regions are not clearly seen. If we want to get better idea about the number of points we can try two dimensional density maps using the `stat_density2d` function. It just adds density lines on the map showing higher density with darker circles.

```
1 library(rgbif)
2 Dan_chr=occurrencelist(sciname = 'Danaus chr
3                       coordinatestatus = TR
4                       maxresults = 1000,
5                       latlongdf = TRUE, rem
6
7 library(ggmap)
8 library(ggplot2)
9 wmap1 = qmap('India', zoom=2)
10 wmap1 +
11   stat_density2d(aes(x = decimalLongitude, y
12                     fill = ..level.., alpha
13                     size = 4, bins = 6,
14                     data = Dan_chr, geom = 'lin
15   geom_jitter(data = Dan_chr,
16               aes(decimalLongitude, deci
17                 alpha=0.6, size = 4, color
18               opts(title = "Danaus chr
```



[Add a Comment](#)




Share

To leave a comment for the author, please follow the link and comment on his blog:

[Vijay Barve](#).

R-bloggers.com offers [daily e-mail updates](#) about R news and [tutorials](#) on topics such as: visualization ([ggplot2](#), [Boxplots](#), [maps](#), [animation](#)), programming ([RStudio](#), [Sweave](#), [LaTeX](#), [SQL](#), [Eclipse](#), [git](#), [hadoop](#), [Web Scraping](#)) statistics ([regression](#), [PCA](#), [time series](#), [trading](#)) and more...

Related aRticles



Stamen maps with spplot

Several R packages provide an interface to query map services (Google Maps , Stamen Maps or OpenStreetMap) to obtain raster images from ...



The OpenStreetMap Package Opens Up

A new version of the OpenStreetMap package is now up on CRAN, and should propagate to all the mirrors in the next few days. The primary ...



ggmap : Interesting toolbox for spatial analysis

But, don't forget that ggmap is just a ggplot and we can get this, for example using OpenStreetMap So we can now plot our ...

If you got this far, why not [subscribe for updates](#) from the site?
Choose your flavor: [e-mail](#), [twitter](#), [RSS](#), or [facebook](#)...

Like Share { 3 } Tweet { 1 } g+1 { 0 }

Comments are closed.

Top 3 Posts from the past 2 days

- [Quickly export multiple R objects to an Excel Workbook](#)
- [Prediction model for the FIFA World Cup 2014](#)
- [Interactive documents: An incredibly easy way to use Shiny](#)

Search & Hit Enter


Top 9 articles of the week

1. [Prediction model for the FIFA World Cup 2014](#)
2. [Who will win the World Cup and which prediction model?](#)
3. [Using apply, sapply, lapply in R](#)
4. [Installing R packages](#)
5. [The Most Comprehensive Review of Comic Books Teaching Statistics](#)
6. [New Version of RStudio: R Markdown v2 and More](#)
7. [A suggestion to Windows-based users of R: It may be time to relocate](#)
8. [R Markdown v2](#)
9. [Basics of Histograms](#)


Sponsors



mango-solutions.com



Quantide: statistical consulting and training



[RStudio: a free and open source IDE for R.](#)





An **R** based reporting and data analysis platform in the cloud

"Data Scientists making \$300,000 a year!"
Wall Street Journal

Come, learn **DATA SCIENCE** with us...
And become an Expert in Data Analysis!

- ✓ Instructor-Led Online Classes
- ✓ 24x7 Training Support
- ✓ Skill Certification

edureka! [LEARN MORE!](#)



DATA SCIENCE BY R -- COURSE

NYC, Feb-Aug, 2014
5 weekends/round

Data Analysis Modeling **dotplot**
Cloud Solution

Free Sign Up!

Power & Flexibility of **R**
with World's Best
Decision Trees

Angoss
Predict. Act. Perform.

Write R programs directly in KnowledgeSEEKER

Search & Hit Enter

[Full list of contributing R-bloggers](#)

[R-bloggers](#) was founded by [Tal Galili](#), with gratitude to the [R](#) community.

Is powered by [WordPress](#) using a [bavotasan.com](#) design.

Copyright © 2014 **R-bloggers**. All Rights Reserved. [Terms and Conditions](#) for this website