A potpourri of titillating applications Central tendency: stock portfolio selection and the curious case of Sir Cyril Burt, psychologist

A potpourri of titillating applications Central tendency: stock portfolio selection and the curious case of Sir Cyril Burt, psychologist

Random sample (repeated independent trials): $X, X_1, X_2, \dots, X_n, \dots$ $E(X) = \mu$, $Var(X) = \sigma^2$

A potpourri of titillating applications
Central tendency: stock portfolio selection and the curious case of Sir Cyril Burt, psychologist

Random sample (repeated independent trials): $X, X_1, X_2, \dots, X_n, \dots$ $E(X) = \mu$, $Var(X) = \sigma^2$ $S_n = X_1 + X_2 + \dots + X_n$

A potpourri of titillating applications Central tendency: stock portfolio selection and the curious case of Sir Cyril Burt, psychologist

Random sample (repeated independent trials): $X, X_1, X_2, \ldots, X_n, \ldots$ $E(X) = \mu, \quad Var(X) = \sigma^2$ $S_n = X_1 + X_2 + \cdots + X_n \qquad S_n^* = \frac{S_n - n\mu}{\sqrt{n} \, \sigma}$

A potpourri of titillating applications
Central tendency: stock portfolio selection and the curious case of Sir Cyril Burt, psychologist

Random sample (repeated independent trials): $X, X_1, X_2, ..., X_n, ...$ E(X) =

$$E(X) = \mu$$
, $Var(X) = \sigma^2$

$$S_n = X_1 + X_2 + \cdots + X_n$$

$$S_n^* = \frac{S_n - n\mu}{\sqrt{n} \, \sigma}$$

infinitely often

The law of large numbers

$$\mathbf{P}\left\{\left|\frac{S_n}{n} - \mu\right| > \epsilon\right\} \to 0$$

 $\frac{S_n}{n}$ is asymptotically concentrated at μ

or, even, stronger (Lecture 11.2: n)

$$\mathbf{P}\left\{\left|\frac{S_n}{n} - \mu\right| > \epsilon \text{ i.o.}\right\} = 0$$

A potpourri of titillating applications
Central tendency: stock portfolio selection and the curious case of Sir Cyril Burt, psychologist

Random sample (repeated independent trials): $X, X_1, X_2, \ldots, X_n, \ldots$

$$E(X) = \mu$$
, $Var(X) = \sigma^2$

$$S_n = X_1 + X_2 + \cdots + X_n$$

$$S_n^* = \frac{S_n - n\mu}{\sqrt{n} \, \sigma}$$

infinitely often

The law of large numbers

$$\mathbf{P}\left\{\left|\frac{S_n}{n} - \mu\right| > \epsilon\right\} \to 0$$

 $\frac{S_n}{n}$ is asymptotically concentrated at μ

or, even, stronger (Lecture 11.2: n)

$$\mathbf{P}\left\{\left|\frac{S_n}{n} - \mu\right| > \epsilon \text{ i.o.}\right\} = 0$$

The central limit theorem

 S_n^* is asymptotically normally distributed

$$\mathbf{P}\{a < S_n^* \le b\} \to \int_a^b \phi(x) \, dx \qquad (n \to \infty)$$

