
Dot plot with several variables



Python source code: [download source: pairgrid_dotplot.py]

(../_downloads/pairgrid_dotplot.py)

```
import seaborn as sns
sns.set(style="whitegrid")
# Load the dataset
crashes = sns.load_dataset("car_crashes")
# Make the PairGrid
g = sns.PairGrid(crashes.sort_values("total", ascending=False),
                 x_vars=crashes.columns[:-3], y_vars=["abbrev"],
                 size=10, aspect=.25)
# Draw a dot plot using the stripplot function
g.map(sns.stripplot, size=10, orient="h",
      palette="Reds_r", edgecolor="gray")
# Use the same x axis limits on all columns and add better labels
g.set(xlim=(0, 25), xlabel="Crashes", ylabel="")
# Use semantically meaningful titles for the columns
titles = ["Total crashes", "Speeding crashes", "Alcohol crashes",
          "Not distracted crashes", "No previous crashes"]
for ax, title in zip(g.axes.flat, titles):
    # Set a different title for each axes
    ax.set(title=title)
    # Make the grid horizontal instead of vertical
    ax.xaxis.grid(False)
    ax.yaxis.grid(True)
sns.despine(left=True, bottom=True)
```

Source (../_sources/examples/pairgrid_dotplot.txt)

Back to top

© Copyright 2012-2015, Michael Waskom. Created using Sphinx (http://sphinx-doc.org/) 1.3.3.