



The art of the random sample



$$X_1, X_2, \dots, X_n \sim \text{Bernoulli}(p)$$



A question of independence

A question of independence

A random sample X_1, X_2, \dots, X_n is obtained by repeated **independent** trials from an underlying chance experiment.

A question of independence

A random sample X_1, X_2, \dots, X_n is obtained by repeated **independent** trials from an underlying chance experiment.

- ❖ This means: a product measure is induced on the sample.

A question of independence

A random sample X_1, X_2, \dots, X_n is obtained by repeated **independent** trials from an underlying chance experiment.

- ❖ This means: a product measure is induced on the sample.
- ❖ For polls, this implies:

A question of independence

A random sample X_1, X_2, \dots, X_n is obtained by repeated **independent** trials from an underlying chance experiment.

- ❖ This means: a product measure is induced on the sample.
- ❖ For polls, this implies:
 - ❖ At each sampling epoch, a member of the population at large is chosen *uniformly at random*.

A question of independence

A random sample X_1, X_2, \dots, X_n is obtained by repeated **independent** trials from an underlying chance experiment.

- ❖ This means: a product measure is induced on the sample.
- ❖ For polls, this implies:
 - ❖ At each sampling epoch, a member of the population at large is chosen *uniformly at random*.
 - ❖ Sampling from epoch to epoch is *with replacement*.

The subtlety of bias

The subtlety of bias

A random sample X_1, X_2, \dots, X_n is obtained by repeated independent trials from an **underlying chance experiment**.

The subtlety of bias

A random sample X_1, X_2, \dots, X_n is obtained by repeated independent trials from an **underlying chance experiment**.

- ❖ Selection bias.

The subtlety of bias

A random sample X_1, X_2, \dots, X_n is obtained by repeated independent trials from an **underlying chance experiment**.

- ❖ Selection bias.
- ❖ Non-response (refusal) bias.

The subtlety of bias

A random sample X_1, X_2, \dots, X_n is obtained by repeated independent trials from an **underlying chance experiment**.

- ❖ Selection bias.
- ❖ Non-response (refusal) bias.
- ❖ A question of phrasing.