



- \* Sample space  $\Omega$ : each sequence of ball colours drawn leads to a distinct outcome  $\omega = (x_1, x_2, x_3, ...)$  where  $x_1, x_2, x_3, ... \in \{\text{red}, \text{black}\}$ .
- \* The events of interest:  $R_k := kth draw shows red = \{(x_1, x_2, ..., x_k, ...) : x_k = red \}; B_k := (R_k)^c = \{(x_1, x_2, ..., x_k, ...) : x_k = black \}.$
- \* The implicit *probability measure* **P**, from initial selection through conditional evolution:




- \* Sample space  $\Omega$ : each sequence of ball colours drawn leads to a distinct outcome  $\omega = (x_1, x_2, x_3, ...)$  where  $x_1, x_2, x_3, ... \in \{\text{red}, \text{black}\}$ .
- \* The events of interest:  $R_k := kth draw shows red = \{(x_1, x_2, ..., x_k, ...) : x_k = red \}; B_k := (R_k)^c = \{(x_1, x_2, ..., x_k, ...) : x_k = black \}.$
- \* The implicit probability measure P, from initial selection through conditional evolution:

$$\mathbf{P}(\mathbf{R}_1) = \frac{\mathbf{r}}{\mathbf{r} + \mathbf{s}};$$




- \* Sample space  $\Omega$ : each sequence of ball colours drawn leads to a distinct outcome  $\omega = (x_1, x_2, x_3, ...)$  where  $x_1, x_2, x_3, ... \in \{\text{red}, \text{black}\}$ .
- \* The events of interest:  $R_k := kth draw shows red = \{(x_1, x_2, ..., x_k, ...) : x_k = red \}; B_k := (R_k)^c = \{(x_1, x_2, ..., x_k, ...) : x_k = black \}.$
- \* The implicit probability measure P, from initial selection through conditional evolution:

$$P(R_1) = \frac{r}{r+s};$$
  $P(R_2 | R_1) = \frac{r+a}{r+s+a};$ 




- \* Sample space  $\Omega$ : each sequence of ball colours drawn leads to a distinct outcome  $\omega = (x_1, x_2, x_3, ...)$  where  $x_1, x_2, x_3, ... \in \{\text{red}, \text{black}\}$ .
- \* The events of interest:  $R_k := kth draw shows red = \{(x_1, x_2, ..., x_k, ...) : x_k = red \}; B_k := (R_k)^c = \{(x_1, x_2, ..., x_k, ...) : x_k = black \}.$
- \* The implicit probability measure P, from initial selection through conditional evolution:

$$\mathbf{P}(R_1) = \frac{r}{r+s}; \qquad \mathbf{P}(R_2 \mid R_1) = \frac{r+a}{r+s+a}; \qquad \mathbf{P}(R_3 \mid R_2 \cap R_1) = \frac{r+2a}{r+s+2a}.$$




- \* Sample space  $\Omega$ : each sequence of ball colours drawn leads to a distinct outcome  $\omega = (x_1, x_2, x_3, ...)$  where  $x_1, x_2, x_3, ... \in \{\text{red}, \text{black}\}$ .
- \* The events of interest:  $R_k := kth draw shows red = \{(x_1, x_2, ..., x_k, ...) : x_k = red \}; B_k := (R_k)^c = \{(x_1, x_2, ..., x_k, ...) : x_k = black \}.$
- \* The implicit probability measure P, from initial selection through conditional evolution:

$$\mathbf{P}(R_1) = \frac{r}{r+s}; \qquad \mathbf{P}(R_2 \mid R_1) = \frac{r+a}{r+s+a}; \qquad \mathbf{P}(R_3 \mid R_2 \cap R_1) = \frac{r+2a}{r+s+2a}.$$




- \* Sample space  $\Omega$ : each sequence of ball colours drawn leads to a distinct outcome  $\omega = (x_1, x_2, x_3, ...)$  where  $x_1, x_2, x_3, ... \in \{\text{red}, \text{black}\}$ .
- \* The events of interest:  $R_k := kth draw shows red = \{(x_1, x_2, ..., x_k, ...) : x_k = red \}; B_k := (R_k)^c = \{(x_1, x_2, ..., x_k, ...) : x_k = black \}.$
- \* The implicit probability measure P, from initial selection through conditional evolution:

$$\mathbf{P}(R_1) = \frac{r}{r+s}; \qquad \mathbf{P}(R_2 \mid R_1) = \frac{r+a}{r+s+a}; \qquad \mathbf{P}(R_3 \mid R_2 \cap R_1) = \frac{r+2a}{r+s+2a}.$$




- \* Sample space  $\Omega$ : each sequence of ball colours drawn leads to a distinct outcome  $\omega = (x_1, x_2, x_3, ...)$  where  $x_1, x_2, x_3, ... \in \{\text{red}, \text{black}\}$ .
- \* The events of interest:  $R_k := kth draw shows red = \{(x_1, x_2, ..., x_k, ...) : x_k = red \}; B_k := (R_k)^c = \{(x_1, x_2, ..., x_k, ...) : x_k = black \}.$
- \* The implicit *probability measure* **P**, from initial selection through conditional evolution:

$$\mathbf{P}(R_1) = \frac{r}{r+s}; \qquad \mathbf{P}(R_2 \mid R_1) = \frac{r+a}{r+s+a}; \qquad \mathbf{P}(R_3 \mid R_2 \cap R_1) = \frac{r+2a}{r+s+2a}.$$



- \* Sample space  $\Omega$ : each sequence of ball colours drawn leads to a distinct outcome  $\omega = (x_1, x_2, x_3, ...)$  where  $x_1, x_2, x_3, ... \in \{\text{red}, \text{black}\}$ .
- \* The events of interest:  $R_k := kth draw shows red = \{(x_1, x_2, ..., x_k, ...) : x_k = red \}; B_k := (R_k)^c = \{(x_1, x_2, ..., x_k, ...) : x_k = black \}.$
- \* The implicit probability measure P, from initial selection through conditional evolution:

$$\mathbf{P}(R_1) = \frac{r}{r+s}; \qquad \mathbf{P}(R_2 \mid R_1) = \frac{r+a}{r+s+a}; \qquad \mathbf{P}(R_3 \mid R_2 \cap R_1) = \frac{r+2a}{r+s+2a}.$$



- \* Sample space  $\Omega$ : each sequence of ball colours drawn leads to a distinct outcome  $\omega = (x_1, x_2, x_3, ...)$  where  $x_1, x_2, x_3, ... \in \{\text{red}, \text{black}\}$ .
- \* The events of interest:  $R_k := kth draw shows red = \{(x_1, x_2, ..., x_k, ...) : x_k = red \}; B_k := (R_k)^c = \{(x_1, x_2, ..., x_k, ...) : x_k = black \}.$
- \* The implicit probability measure P, from initial selection through conditional evolution:

$$\mathbf{P}(R_1) = \frac{r}{r+s}; \qquad \mathbf{P}(R_2 \mid R_1) = \frac{r+a}{r+s+a}; \qquad \mathbf{P}(R_3 \mid R_2 \cap R_1) = \frac{r+2a}{r+s+2a}.$$