#### The law of large numbers

Show that the law of large numbers continues to hold if X,  $X_1$ , ...,  $X_n$ , ... represent repeated independent trials of *integer-valued* chance variables with common expectation  $\mu$  and variance  $\sigma^2$ .

#### The law of large numbers

Show that the law of large numbers continues to hold if  $X, X_1, ..., X_n, ...$  represent repeated independent trials of *integer-valued* chance variables with common expectation  $\mu$  and variance  $\sigma^2$ .

Mass function:  $p(k) := P\{X = k\}$   $(k = 0, \pm 1, \pm 2, ...)$ 

#### The law of large numbers

Show that the law of large numbers continues to hold if X,  $X_1$ , ...,  $X_n$ , ... represent repeated independent trials of *integer-valued* chance variables with common expectation  $\mu$  and variance  $\sigma^2$ .

Mass function: 
$$p(k) := P\{X = k\}$$
  $(k = 0, \pm 1, \pm 2, ...)$ 

Expectation: 
$$\mu := \mathbf{E}(X) = \sum_{k=-\infty}^{\infty} k \cdot p(k)$$

#### The law of large numbers

Show that the law of large numbers continues to hold if X,  $X_1$ , ...,  $X_n$ , ... represent repeated independent trials of *integer-valued* chance variables with common expectation  $\mu$  and variance  $\sigma^2$ .

Mass function: 
$$p(k) := P\{X = k\}$$
  $(k = 0, \pm 1, \pm 2, ...)$ 

Expectation: 
$$\mu := \mathbf{E}(X) = \sum_{k=-\infty}^{\infty} k \cdot p(k)$$

Variance: 
$$\sigma^2 := \text{Var}(X) = \sum_{k=-\infty}^{\infty} (k - \mu)^2 \cdot p(k)$$



### Slogan

The law of large numbers comes into effect any time we have a sum of independent random variables sharing a common distribution with a given expectation and variance.