Additivity: conditioning on the first trial

W := you win at craps.
F_k := the sum of face values on the *first* throw is k.
W_n := you win on the nth throw.

k	p_k
2	1/36
3	2/36
4	3/36
5	4/36
6	5/36
7	6/36
8	5/36
9	4/36
10	3/36
11	2/36
12	1/36

Additivity: conditioning on the first trial

W := you win at craps.
F_k := the sum of face values on the *first* throw is k.
W_n := you win on the nth throw.

k	p_k
2	1/36
3	2/36
4	3/36
5	4/36
6	5/36
7	6/36
8	5/36
9	4/36
10	3/36
11	2/36
12	1/36

$$\mathbf{P}(W) = \sum_{k=2}^{12} \mathbf{P}(W \mid F_k)\,\mathbf{P}(F_k)$$

Additivity: conditioning on the first trial

W := you win at craps.
F_k := the sum of face values on the *first* throw is k.
W_n := you win on the nth throw.

k	p_k
2	1/36
3	2/36
4	3/36
5	4/36
6	5/36
7	6/36
8	5/36
9	4/36
10	3/36
11	2/36
12	1/36

Given: $\mathbf{P}(F_k) = p_k \qquad (k = 2, 3, \dots, 12)$

$$\mathbf{P}(W) = \sum_{k=2}^{12} \mathbf{P}(W \mid F_k)\,\mathbf{P}(F_k)$$

Additivity: conditioning on the first trial

$W :=$ you win at craps.
$F_k :=$ the sum of face values on the *first* throw is k.
$W_n :=$ you win on the nth throw.

k	p_k
2	1/36
3	2/36
4	3/36
5	4/36
6	5/36
7	6/36
8	5/36
9	4/36
10	3/36
11	2/36
12	1/36

Given: $\mathbf{P}(F_k) = p_k \qquad (k = 2, 3, \dots, 12)$

$\mathbf{P}(W \mid F_7) = \mathbf{P}(W \mid F_{11}) = 1$

$$\mathbf{P}(W) = \sum_{k=2}^{12} \mathbf{P}(W \mid F_k)\,\mathbf{P}(F_k)$$

Additivity: conditioning on the first trial

W := you win at craps.
F_k := the sum of face values on the *first* throw is k.
W_n := you win on the nth throw.

k	p_k
2	1/36
3	2/36
4	3/36
5	4/36
6	5/36
7	6/36
8	5/36
9	4/36
10	3/36
11	2/36
12	1/36

Given:

$$\mathbf{P}(F_k) = p_k \qquad (k = 2, 3, \dots, 12)$$

$$\mathbf{P}(W \mid F_7) = \mathbf{P}(W \mid F_{11}) = 1$$

$$\mathbf{P}(W \mid F_2) = \mathbf{P}(W \mid F_3) = \mathbf{P}(W \mid F_{12}) = 0$$

$$\mathbf{P}(W) = \sum_{k=2}^{12} \mathbf{P}(W \mid F_k)\, \mathbf{P}(F_k)$$

Additivity: conditioning on the first trial

$W :=$ you win at craps.
$F_k :=$ the sum of face values on the *first* throw is k.
$W_n :=$ you win on the nth throw.

k	p_k
2	1/36
3	2/36
4	3/36
5	4/36
6	5/36
7	6/36
8	5/36
9	4/36
10	3/36
11	2/36
12	1/36

Given:

$$\mathbf{P}(F_k) = p_k \qquad (k = 2, 3, \dots, 12)$$

$$\mathbf{P}(W \mid F_7) = \mathbf{P}(W \mid F_{11}) = 1$$

$$\mathbf{P}(W \mid F_2) = \mathbf{P}(W \mid F_3) = \mathbf{P}(W \mid F_{12}) = 0$$

$$\mathbf{P}(W) = \sum_{k=2}^{12} \mathbf{P}(W \mid F_k)\,\mathbf{P}(F_k) = p_7 + p_{11} + \sum_{k \in \{4,5,6,8,9,10\}} \mathbf{P}(W \mid F_k) p_k$$

Additivity, once more: conditioning on the number of trials

$W :=$ you win at craps.
$F_k :=$ the sum of face values on the *first* throw is k.
$W_n :=$ you win on the nth throw.

k	p_k
2	1/36
3	2/36
4	3/36
5	4/36
6	5/36
7	6/36
8	5/36
9	4/36
10	3/36
11	2/36
12	1/36

$$\mathbf{P}(W) = p_7 + p_{11} + \sum_{k \in \{4,5,6,8,9,10\}} \mathbf{P}(W \mid F_k) p_k$$

Additivity, once more: conditioning on the number of trials

W := you win at craps.
F_k := the sum of face values on the *first* throw is k.
W_n := you win on the nth throw.

k	p_k
2	1/36
3	2/36
4	3/36
5	4/36
6	5/36
7	6/36
8	5/36
9	4/36
10	3/36
11	2/36
12	1/36

$$\mathbf{P}(W) = p_7 + p_{11} + \sum_{k \in \{4,5,6,8,9,10\}} \mathbf{P}(W \mid F_k) p_k$$

For $k \in \{4, 5, 6, 8, 9, 10\}$:

$$\mathbf{P}(W \mid F_k)$$

Additivity, once more: conditioning on the number of trials

$W :=$ you win at craps.
$F_k :=$ the sum of face values on the *first* throw is k.
$W_n :=$ you win on the nth throw.

k	p_k
2	1/36
3	2/36
4	3/36
5	4/36
6	5/36
7	6/36
8	5/36
9	4/36
10	3/36
11	2/36
12	1/36

$$\mathbf{P}(W) = p_7 + p_{11} + \sum_{k\in\{4,5,6,8,9,10\}} \mathbf{P}(W \mid F_k)p_k$$

For $k \in \{4, 5, 6, 8, 9, 10\}$:

$$\mathbf{P}(W \mid F_k) = \mathbf{P}\left(\bigcup_{n\geq 1} W_n \,\middle|\, F_k\right)$$

(decomposition: you win by winning on *some* throw n)

Additivity, once more: conditioning on the number of trials

$W :=$ you win at craps.
$F_k :=$ the sum of face values on the *first* throw is k.
$W_n :=$ you win on the nth throw.

k	p_k
2	1/36
3	2/36
4	3/36
5	4/36
6	5/36
7	6/36
8	5/36
9	4/36
10	3/36
11	2/36
12	1/36

$$\mathbf{P}(W) = p_7 + p_{11} + \sum_{k\in\{4,5,6,8,9,10\}} \mathbf{P}(W \mid F_k)p_k$$

For $k \in \{4, 5, 6, 8, 9, 10\}$:

$$\mathbf{P}(W \mid F_k) = \mathbf{P}\Big(\bigcup_{n\geq 1} W_n \;\Big|\; F_k\Big)$$ (decomposition: you win by winning on *some* throw n)

$$= \sum_{n\geq 1} \mathbf{P}(W_n \mid F_k)$$ (additivity: the events W_n are mutually exclusive)

Additivity, once more: conditioning on the number of trials

$W :=$ you win at craps.
$F_k :=$ the sum of face values on the *first* throw is k.
$W_n :=$ you win on the nth throw.

k	p_k
2	1/36
3	2/36
4	3/36
5	4/36
6	5/36
7	6/36
8	5/36
9	4/36
10	3/36
11	2/36
12	1/36

$$\mathbf{P}(W) = p_7 + p_{11} + \sum_{k \in \{4,5,6,8,9,10\}} \mathbf{P}(W \mid F_k) p_k$$

For $k \in \{4, 5, 6, 8, 9, 10\}$:

$$\mathbf{P}(W \mid F_k) = \mathbf{P}\Big(\bigcup_{n \geq 1} W_n \,\Big|\, F_k\Big)$$ (decomposition: you win by winning on *some* throw n)

$$= \sum_{n \geq 1} \mathbf{P}(W_n \mid F_k)$$ (additivity: the events W_n are mutually exclusive)

$$= \sum_{n \geq 2} \mathbf{P}(W_n \mid F_k)$$ (domain knowledge: you cannot win on the first throw unless you throw 7 or 11)

Additivity, once more: conditioning on the number of trials

$W :=$ you win at craps.
$F_k :=$ the sum of face values on the *first* throw is k.
$W_n :=$ you win on the nth throw.

k	p_k
2	1/36
3	2/36
4	3/36
5	4/36
6	5/36
7	6/36
8	5/36
9	4/36
10	3/36
11	2/36
12	1/36

$$\mathbf{P}(W) = p_7 + p_{11} + \sum_{k \in \{4,5,6,8,9,10\}} \mathbf{P}(W \mid F_k) p_k$$

For $k \in \{4, 5, 6, 8, 9, 10\}$:

$$\mathbf{P}(W \mid F_k) = \mathbf{P}\Big(\bigcup_{n \geq 1} W_n \,\Big|\, F_k \Big)$$ (decomposition: you win by winning on *some* throw n)

$$= \sum_{n \geq 1} \mathbf{P}(W_n \mid F_k)$$ (additivity: the events W_n are mutually exclusive)

$$= \sum_{n \geq 2} \mathbf{P}(W_n \mid F_k)$$ (domain knowledge: you cannot win on the first throw unless you throw 7 or 11)

Evaluate $\mathbf{P}(W_n \mid F_k)$ when $k = 4, 5, 6, 8, 9$, or 10.