

# The statistical estimation of a mean, fair games

---







Random sample:  $X_1, \dots, X_n$



Random sample:  $X_1, \dots, X_n$

Sample mean:  $S_n/n = (X_1 + \dots + X_n)/n$



Random sample:  $X_1, \dots, X_n$

Sample mean:  $S_n/n = (X_1 + \dots + X_n)/n$

$$\mathbf{P}\left\{\left|\frac{S_n}{n} - \mu\right| > \epsilon\right\} \rightarrow 0 \quad (n \rightarrow \infty).$$



Random sample:  $X_1, \dots, X_n$

Sample mean:  $S_n/n = (X_1 + \dots + X_n)/n$

$$\mathbf{P}\left\{\left|\frac{S_n}{n} - \mu\right| > \epsilon\right\} \rightarrow 0 \quad (n \rightarrow \infty).$$

Slogan

The sample mean is approximately equal to the true mean (with high probability).



Random sample:  $X_1, \dots, X_n$

Sample mean:  $S_n/n = (X_1 + \dots + X_n)/n$

$$\mathbf{P}\left\{\left|\frac{S_n}{n} - \mu\right| > \epsilon\right\} \rightarrow 0 \quad (n \rightarrow \infty).$$

Slogan

The sample mean is approximately equal to the true mean (with high probability).

The law of large numbers tells us that the sample mean provides a principled estimate of an underlying unknown true mean (or expectation).



- \* The estimation of a mean

Random sample:  $X_1, \dots, X_n$

Sample mean:  $S_n/n = (X_1 + \dots + X_n)/n$

$$\mathbf{P}\left\{\left|\frac{S_n}{n} - \mu\right| > \epsilon\right\} \rightarrow 0 \quad (n \rightarrow \infty).$$

### Slogan

The sample mean is approximately equal to the true mean (with high probability).

The law of large numbers tells us that the sample mean provides a principled estimate of an underlying unknown true mean (or expectation).



- ✧ The estimation of a mean

- ✧ Polls

Random sample:  $X_1, \dots, X_n$

Sample mean:  $S_n/n = (X_1 + \dots + X_n)/n$

$$\mathbf{P}\left\{\left|\frac{S_n}{n} - \mu\right| > \epsilon\right\} \rightarrow 0 \quad (n \rightarrow \infty).$$

### Slogan

The sample mean is approximately equal to the true mean (with high probability).

The law of large numbers tells us that the sample mean provides a principled estimate of an underlying unknown true mean (or expectation).



- ❖ The estimation of a mean

- ❖ Polls

- ❖ Expected performance: the mileage of a new model electric car

Random sample:  $X_1, \dots, X_n$

Sample mean:  $S_n/n = (X_1 + \dots + X_n)/n$

$$\mathbf{P}\left\{\left|\frac{S_n}{n} - \mu\right| > \epsilon\right\} \rightarrow 0 \quad (n \rightarrow \infty).$$

### Slogan

The sample mean is approximately equal to the true mean (with high probability).

The law of large numbers tells us that the sample mean provides a principled estimate of an underlying unknown true mean (or expectation).



- ❖ The estimation of a mean

- ❖ Polls

- ❖ Expected performance: the mileage of a new model electric car

- ❖ Time to failure: light bulbs, aeroplanes, bridges

Random sample:  $X_1, \dots, X_n$

Sample mean:  $S_n/n = (X_1 + \dots + X_n)/n$

$$\mathbf{P}\left\{\left|\frac{S_n}{n} - \mu\right| > \epsilon\right\} \rightarrow 0 \quad (n \rightarrow \infty).$$

Slogan

The sample mean is approximately equal to the true mean (with high probability).

The law of large numbers tells us that the sample mean provides a principled estimate of an underlying unknown true mean (or expectation).



- ❖ The estimation of a mean

- ❖ Polls
- ❖ Expected performance: the mileage of a new model electric car
- ❖ Time to failure: light bulbs, aeroplanes, bridges
- ❖ Actuarial models: life expectancy

Random sample:  $X_1, \dots, X_n$

Sample mean:  $S_n/n = (X_1 + \dots + X_n)/n$

$$\mathbf{P}\left\{\left|\frac{S_n}{n} - \mu\right| > \epsilon\right\} \rightarrow 0 \quad (n \rightarrow \infty).$$

Slogan

The sample mean is approximately equal to the true mean (with high probability).

The law of large numbers tells us that the sample mean provides a principled estimate of an underlying unknown true mean (or expectation).



## ❖ The estimation of a mean

- ❖ Polls
- ❖ Expected performance: the mileage of a new model electric car
- ❖ Time to failure: light bulbs, aeroplanes, bridges
- ❖ Actuarial models: life expectancy

## ❖ The theory of fair games

Random sample:  $X_1, \dots, X_n$

Sample mean:  $S_n/n = (X_1 + \dots + X_n)/n$

$$\mathbf{P}\left\{\left|\frac{S_n}{n} - \mu\right| > \epsilon\right\} \rightarrow 0 \quad (n \rightarrow \infty).$$

### Slogan

The sample mean is approximately equal to the true mean (with high probability).

The law of large numbers tells us that the sample mean provides a principled estimate of an underlying unknown true mean (or expectation).



## ❖ The estimation of a mean

- ❖ Polls
- ❖ Expected performance: the mileage of a new model electric car
- ❖ Time to failure: light bulbs, aeroplanes, bridges
- ❖ Actuarial models: life expectancy

## ❖ The theory of fair games

- ❖ Gambling: fair entry fees

Random sample:  $X_1, \dots, X_n$

Sample mean:  $S_n/n = (X_1 + \dots + X_n)/n$

$$\mathbf{P}\left\{\left|\frac{S_n}{n} - \mu\right| > \epsilon\right\} \rightarrow 0 \quad (n \rightarrow \infty).$$

### Slogan

The sample mean is approximately equal to the true mean (with high probability).

The law of large numbers tells us that the sample mean provides a principled estimate of an underlying unknown true mean (or expectation).