

Test your understanding

Test your understanding

Which of the following functions is a density?

$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$


Test your understanding

Which of the following functions is a density?

$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$



Test your understanding


Which of the following functions is a density?

$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$



Test your understanding


Which of the following functions is a density?

$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$



Test your understanding


Which of the following functions is a density?

$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$



Test your understanding

Which of the following functions is a density?


$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

$$\int_{-\infty}^{\infty} p_2(x) dx = \int_0^{\infty} xe^{-x} dx$$

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$




Test your understanding

Which of the following functions is a density?

$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$



$$\int_{-\infty}^{\infty} p_2(x) dx = \int_0^{\infty} xe^{-x} dx = \int_0^{\infty} x d(-e^{-x})$$

integration by parts
 $\int u dv = uv - \int v du$

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$


Test your understanding

Which of the following functions is a density?

$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$



$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$
$$\int_{-\infty}^{\infty} p_2(x) dx = \int_0^{\infty} xe^{-x} dx = \int_0^{\infty} x d(-e^{-x})$$

integration by parts
 $\int u dv = uv - \int v du$

$$= -xe^{-x} \Big|_0^{\infty} - \int_0^{\infty} 1 \cdot (-e^{-x}) dx$$


Test your understanding

Which of the following functions is a density?

$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$



$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$

$$\begin{aligned} \int_{-\infty}^{\infty} p_2(x) dx &= \int_0^{\infty} xe^{-x} dx = \int_0^{\infty} x d(-e^{-x}) && \text{integration by parts} \\ &&& \int u dv = uv - \int v du \\ &= -xe^{-x} \Big|_0^{\infty} - \int_0^{\infty} 1 \cdot (-e^{-x}) dx \\ &= \int_0^{\infty} e^{-x} dx \end{aligned}$$


Test your understanding

Which of the following functions is a density?

$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$



$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$

$$\begin{aligned} \int_{-\infty}^{\infty} p_2(x) dx &= \int_0^{\infty} xe^{-x} dx = \int_0^{\infty} x d(-e^{-x}) && \text{integration by parts} \\ &&& \int u dv = uv - \int v du \\ &= -xe^{-x} \Big|_0^{\infty} - \int_0^{\infty} 1 \cdot (-e^{-x}) dx \\ &= \int_0^{\infty} e^{-x} dx = -e^{-x} \Big|_0^{\infty} = -0 + 1 = 1 \end{aligned}$$

Test your understanding

Which of the following functions is a density?


$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

The gamma density; arises in queuing theory; models waiting times

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$



$$\begin{aligned} \int_{-\infty}^{\infty} p_2(x) dx &= \int_0^{\infty} xe^{-x} dx = \int_0^{\infty} x d(-e^{-x}) && \text{integration by parts} \\ &&& \int u dv = uv - \int v du \\ &= -xe^{-x} \Big|_0^{\infty} - \int_0^{\infty} 1 \cdot (-e^{-x}) dx \\ &= \int_0^{\infty} e^{-x} dx = -e^{-x} \Big|_0^{\infty} = -0 + 1 = 1 \end{aligned}$$

Test your understanding

Which of the following functions is a density?


$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

The gamma density; arises in queuing theory; models waiting times

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$



Test your understanding

Which of the following functions is a density?


$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

The gamma density; arises in queuing theory; models waiting times

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$



Test your understanding

Which of the following functions is a density?


$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

The gamma density; arises in queuing theory; models waiting times

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$



$$\int_{-\infty}^{\infty} p_3(x) dx = \int_{-\infty}^{\infty} e^{-x-e^{-x}} dx$$

Test your understanding

Which of the following functions is a density?


$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

The gamma density; arises in queuing theory; models waiting times

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$



$$\int_{-\infty}^{\infty} p_3(x) dx = \int_{-\infty}^{\infty} e^{-x-e^{-x}} dx = \int_{-\infty}^{\infty} e^{-e^{-x}} \cdot e^{-x} dx$$

Test your understanding

Which of the following functions is a density?


$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

The gamma density; arises in queuing theory; models waiting times

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$



$$\int_{-\infty}^{\infty} p_3(x) dx = \int_{-\infty}^{\infty} e^{-x-e^{-x}} dx = \int_{-\infty}^{\infty} e^{-e^{-x}} \cdot e^{-x} dx$$

change of variable
 $t = e^{-x}, \quad dt = -e^{-x} dx$

Test your understanding

Which of the following functions is a density?


$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

The gamma density; arises in queuing theory; models waiting times

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$



$$\begin{aligned} \int_{-\infty}^{\infty} p_3(x) dx &= \int_{-\infty}^{\infty} e^{-x-e^{-x}} dx = \int_{-\infty}^{\infty} e^{-e^{-x}} \cdot e^{-x} dx \\ &= \int_{+\infty}^0 e^{-t} (-dt) \end{aligned}$$

change of variable
 $t = e^{-x}, \quad dt = -e^{-x} dx$

Test your understanding

Which of the following functions is a density?


$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

The gamma density; arises in queuing theory; models waiting times

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$



$$\begin{aligned} \int_{-\infty}^{\infty} p_3(x) dx &= \int_{-\infty}^{\infty} e^{-x-e^{-x}} dx = \int_{-\infty}^{\infty} e^{-e^{-x}} \cdot e^{-x} dx \\ &= \int_{+\infty}^0 e^{-t} (-dt) \\ &= \int_0^{\infty} e^{-t} dt \end{aligned}$$

change of variable
 $t = e^{-x}, \quad dt = -e^{-x} dx$

Test your understanding

Which of the following functions is a density?


$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

The gamma density; arises in queuing theory; models waiting times

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$



$$\begin{aligned} \int_{-\infty}^{\infty} p_3(x) dx &= \int_{-\infty}^{\infty} e^{-x-e^{-x}} dx = \int_{-\infty}^{\infty} e^{-e^{-x}} \cdot e^{-x} dx && \text{change of variable} \\ &&& t = e^{-x}, \quad dt = -e^{-x} dx \\ &= \int_{+\infty}^0 e^{-t} (-dt) \\ &= \int_0^{\infty} e^{-t} dt = -e^{-t} \Big|_0^{\infty} = -0 + 1 = 1 \end{aligned}$$

Test your understanding

Which of the following functions is a density?

$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$


Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

The gamma density; arises in queuing theory; models waiting times

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$

The extreme-value (Gumbel) density; arises in models of extreme events



$$\begin{aligned} \int_{-\infty}^{\infty} p_3(x) dx &= \int_{-\infty}^{\infty} e^{-x-e^{-x}} dx = \int_{-\infty}^{\infty} e^{-e^{-x}} \cdot e^{-x} dx && \text{change of variable} \\ & && t = e^{-x}, \quad dt = -e^{-x} dx \\ &= \int_{+\infty}^0 e^{-t} (-dt) \\ &= \int_0^{\infty} e^{-t} dt = -e^{-t} \Big|_0^{\infty} = -0 + 1 = 1 \end{aligned}$$

Test your understanding

Which of the following functions is a density?

$$(1) \quad p_1(x) = \begin{cases} \frac{5}{4}(2x^4 - 3x^2 + 1) & \text{if } -1 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Positivity violated; not a density.

$$(2) \quad p_2(x) = \begin{cases} xe^{-x} & \text{if } x \geq 0, \\ 0 & \text{if } x < 0. \end{cases}$$

The gamma density; arises in queuing theory; models waiting times

$$(3) \quad p_3(x) = e^{-x-e^{-x}}.$$

The extreme-value (Gumbel) density; arises in models of extreme events

A probability density $p(\cdot)$ is any non-negative function with unit area under the curve:

$$p(x) \geq 0, \quad \int_{-\infty}^{\infty} p(x) \, dx = 1.$$

A probability density $p(\cdot)$ is any non-negative function with unit area under the curve:

$$p(x) \geq 0, \quad \int_{-\infty}^{\infty} p(x) \, dx = 1.$$

Utile erit scribit \int pro omnia
— Gottfried Leibniz