An urn problem

An urn problem

- n balls are randomly distributed into r urns:
  - What is the probability that the *first* urn gets k balls?
  - What is the probability that the *first two* urns get k balls between them?

An urn problem

- n balls are randomly distributed into r urns:
  - What is the probability that the *first* urn gets k balls?
  - What is the probability that the *first two* urns get k balls between them?
- Let S be the number of balls in the first urn and T the number of balls in the first two urns:
  - $S \sim \text{Binomial}(n, 1/r)$.
  - $T \sim \text{Binomial}(n, 2/r)$.

An urn problem

- n balls are randomly distributed into r urns:
  - What is the probability that the *first* urn gets k balls?
  - What is the probability that the *first two* urns get k balls between them?
- Let S be the number of balls in the first urn and T the number of balls in the first two urns:
  - $S \sim \text{Binomial}(n, 1/r)$.
  - $T \sim \text{Binomial}(n, 2/r)$.

$$\mathbf{P}\{S = k\} = b_n(k; 1/r) = \binom{n}{k} \left(\frac{1}{r}\right)^k \left(1 - \frac{1}{r}\right)^{n-k}$$

An urn problem

- n balls are randomly distributed into r urns:
  - What is the probability that the *first* urn gets k balls?
  - What is the probability that the *first two* urns get k balls between them?
- Let S be the number of balls in the first urn and T the number of balls in the first two urns:
  - $S \sim \text{Binomial}(n, 1/r)$.
  - $T \sim \text{Binomial}(n, 2/r)$.

$$\mathbf{P}\{S = k\} = b_n(k; 1/r) = \binom{n}{k} \left(\frac{1}{r}\right)^k \left(1 - \frac{1}{r}\right)^{n-k}$$

$$\mathbf{P}\{T = k\} = b_n(k; 2/r) = \binom{n}{k} \left(\frac{2}{r}\right)^k \left(1 - \frac{2}{r}\right)^{n-k}$$