9/19/2015 Coursera

Feedback — Week 2 Quiz

Help Center

You submitted this quiz on **Sat 19 Sep 2015 9:34 AM PDT**. You got a score of **10.00** out of **10.00**.

Question 1

True or False: Deamination is more likely to occur when DNA is double-stranded than when it is single-stranded.

Your Answer		Score	Explanation
True			
False	~	2.00	
Total		2.00 / 2.00	

Question 2

Compute the Hamming distance between

TGACCCGTTATGCTCGAGTTCGGTCAGAGCGTCATTGCGAGTAGTCGTTTGCTTTCTCAAACTCC and

GAGCGATTAAGCGTGACAGCCCCAGGGAACCCACAAAACGTGATCGCAGTCCATCCGATCATACA.

You entered:

50

Your Answer		Score	Explanation
50	~	2.00	
Total		2.00 / 2.00	

9/19/2015 Coursera

Question 3

Identify the value of *i* for which *Skew_i* (CATTCCAGTACTTCATGATGGCGTGAAGA) attains a maximum value.

You entered:

28			
			,

Your Answer		Score	Explanation
28	~	2.00	
Total		2.00 / 2.00	

Question 4

Compute Count₁(TACGCATTACAAAGCACA, AA).

You entered:

13

Your Answer		Score	Explanation
13	~	2.00	
Total		2.00 / 2.00	

Question 5

The *d*-neighborhood of the *k*-mer *Pattern* is the collection of all *k*-mers that are at most Hamming distance *d* from *Pattern*.

How many 4-mers are in the 3-neighborhood of Pattern = ACGT?

Note that the *d*-neighborhood of *Pattern* includes *Pattern*.

9/19/2015 Coursera

175			
Your Answer		Score	Explanation
175	~	2.00	
Total		2.00 / 2.00	