Your grade: 100%

Your latest: **100%** • Your highest: **100%** • To pass you need at least 80%. We keep your highest score.

Next item →

1. Which are examples of formatted fields often extracted using regular expressions? (Select all that apply) 1 / 1 point

- [x] Age
  - Nice work
  - Age follows templated pattern or structure and is suitable for being extracted using regular expressions.
- [x] Phone numbers
  - Nice work
  - Phone numbers follow templated patterns or structure and are suitable for being extracted using regular expressions.
- [ ] City names
- [x] Dates
  - Nice work
  - Dates follow templated patterns or structure and are suitable for being extracted using regular expressions.

2. Which of the following are examples of “fields of interest” in IE? (Select all that apply) 1 / 1 point

- [x] Medical diagnoses
  - Nice work
  - Correct. Medical diagnoses are named entities and can be a field of interest in a medical IE task.
- [x] Person names
  - Nice work
  - Correct! Person names are classic named entities and fields of interest in an IE task.
- [ ] Weather forecasting
- [x] Dates: correct. Dates are classic named entities and can be a field of interest in an IE task.
  - Nice work

3. Named Entity Recognition (NER) only involves finding proper nouns and capitalized words in a text. 1 / 1 point

- (•) False
- ( ) True
  - Nice work
  - Correct. NER involves identifying and classifying entities, not just spotting capitalized words.

4. Regular expressions can be combined with lists to improve accuracy. 1 / 1 point

- ( ) False
- (•) True
  - Nice work
  - Correct: Combining regex and lists increases precision.

5. Consider the scenario of you building an IE system for travel blogs. When you find a blog article on a destination, you need to find the nearest airport and best months to visit the place. If the article is about an experience, you need to find the address, hours of operation, and fees. What task are you performing as you build your IE system? 1 / 1 point

- (•) Slot filling
- ( ) Text summarization
- ( ) Entity normalization
- ( ) Named entity recognition
  - Nice work
  - Correct: Slot filling refers to finding precise information for the information you need (“slots”) about a named entity.

6. Which approach is best for extracting open-ended fields like person names or company names? 1 / 1 point

- ( ) Lookup tables
- (•) Machine learning
- ( ) Manual annotation
- ( ) String reversal
  - Nice work
  - Correct. A well-trained Machine Learning model would generalize well to unseen names.

7. Which of these tasks is most specific to NER? 1 / 1 point

- ( ) Identifying spans of text that are nouns.
- (•) Identifying spans of text that represent names of people, places, organizations, or other entities of interest.
- ( ) Counting word frequency
- ( ) Determining if a sentence is grammatically correct
  - Nice work
  - Correct. It describes exactly what NER is about.

8. Coreference resolution links different mentions of the same entity. 1 / 1 point

- (•) True
- ( ) False
  - Nice work
  - Co-reference resolution allows multiple mentions of the same referred entity using pronouns, abbreviations, or indirect references to one mentioned entity.

9. Which of these examples best represents a relationship extraction task? 1 / 1 point

- ( ) Spotting the date “September 14, 2017”
- ( ) Recognizing that "Paris" is a location
- ( ) Removing patient names from medical records
- (•) Identifying that "Paris will host the 2024 Olympics" expresses a host-event relationship
  - Nice work
  - Correct: It captures a semantic relation between two entities.

10. What is the goal of information extraction (IE)? 1 / 1 point

- (•) B: Pull relevant information from text into a structured format
- ( ) Convert structured text into unstructured text
- ( ) Translate documents between languages
- ( ) Generate summaries of long texts
  - Nice work
  - Correct! IE turns messy text into structured data by identifying and extracting names, dates, locations, or other similar relevant information from text.

11. Why do list-based methods sometimes fail? 1 / 1 point

- ( ) They can’t be used in English
- ( ) They’re too expensive
- (•) They can miss typos or interpret ambiguous words incorrectly
- ( ) They need a lot of computational power.
  - Nice work
  - Correct. Spelling errors and polysemy can reduce the identification accuracy.

12. What’s true about key-value pair extraction? 1 / 1 point

- ( ) It cannot be automated
- ( ) It doesn’t work in news articles
- ( ) It requires machine learning
- (•) It works well when a delimiter (like a colon) is used
  - Nice work
  - Correct: Colons and equals signs are great indicators that separate the keys from the corresponding values.