



< Previous	 ✓	 ✓	 ✓	 ✓	 ✓	 ✓	 ✓	 ✓	 ✓	 ✓	 ✓	Next >
------------	---	---	---	---	---	---	---	---	---	---	---	--------

### 3.1.6 Finger Exercise: Identifying initial conditions, state evolution, and timestep from an IVP discrete solution

 Bookmark this page

Finger Exercises 1 due Aug 3, 2023 05:00 IST   Completed

Problem: Extract the initial condition, state evolution, and timestep

3/3 points (graded)

- M02.4
- M02.7

Consider an Initial Value Problem (IVP) solver that is described in the documentation below:

```
def solve(N):
    """
    Solves an IVP using a timestep dt and method.

    Input:
        N: number of timesteps (including initial state)

    Returns:
        t (float list): time values at which u(t) is approximated. The nth item in
            the list is the time of the nth step, tn = t[n].
        u (list of float lists): The values of the states at each step. The nth
            item in the list is the values of the states at tn. i.e. u(tn) = u[n]
            where u[n] is a float list. So, if there are three equations being integrated,
            then
                u[n][0], u[n][1], and u[n][2] are the values of the three states at time t=t[n]
    """

    # #####
    # ... some algorithm here ...
    # #####

    return t, u
```

Supposed we call `t, u = solve(3)` and the result gives:


```
t= [0.0, 0.8, 1.6]
u= [[2.7, 3.1, 4.2], [1.2, 1.8, 4.5], [0.4, 2.8, 9.2]]
```


If  $\underline{u} = [p, q, r]$ , what were the initial conditions  $p(0)$ ,  $q(0)$ , and  $r(0)$  for this IVP?

- ☐  $p(0) = 0.0, q(0) = 0.0,$  and  $r(0) = 0.0$
- ☒  $p(0) = 2.7, q(0) = 3.1,$  and  $r(0) = 4.2$
- ☐  $p(0) = 2.7, q(0) = 1.2,$  and  $r(0) = 0.4$
- ☐ Not enough information to answer



Consider the figure below:





Which line is a plot of  $p(t)$  using the results given above from calling `solve(3)` ?

- ☐ A
- ☐ B
- ☐ C
- ☒ D
- ☐ E
- ☐ F
- ☐ Not enough information to answer



What was the timestep  $\Delta t$  used by the solver? Enter  $-1$  if there is not enough information to determine  $\Delta t$ .

0.8

✓ Answer: 0.8

Submit

**i** Answers are displayed within the problem

**SOLUTION:** The solution will be available shortly after the due date in Section 3.2.6.

< Previous

Next >

# edX

- [About](#)
- [Affiliates](#)
- [edX for Business](#)
- [Open edX](#)
- [Careers](#)
- [News](#)

---

## Legal

- [Terms of Service & Honor Code](#)
- [Privacy Policy](#)
- [Accessibility Policy](#)
- [Trademark Policy](#)
- [Sitemap](#)
- [Cookie Policy](#)
- [Your Privacy Choices](#)

---

## Connect

- [Blog](#)
- [Contact Us](#)
- [Help Center](#)
- [Security](#)
- [Media Kit](#)



© 2023 edX LLC. All rights reserved.  
深圳市恒宇博科技有限公司 [粤ICP备17044299号-2](#)