## We're updating the default styles for Matplotlib 2.0

Learn what to expect in the **new updates** 



Fox ne or Giffub

home | examples | gallery | pyplot | docs » Matplotlib Examples » mplot3d Examples »

previous | next | modules | index

## mplot3d example code: text3d\_demo.py

(Source code, png, hires.png, pdf)

Depsy 100th percentile

Travis-CI: build passing

**Related Topics** 


## Documentation overview

- Matplotlib Examples
  - mplot3d Examples
    - Previous: mplot3d example code: surface3d\_radial\_demo.py
    - Next: mplot3d example code: tricontour3d demo.py

This Page

**Show Source** 

Quick search



```
from mpl_toolkits.mplot3d import Axes3D
import matplotlib.pyplot as plt

fig = plt.figure()
ax = fig.gca(projection='3d')

zdirs = (None, 'x', 'y', 'z', (1, 1, 0), (1, 1, 1))
xs = (1, 4, 4, 9, 4, 1)
ys = (2, 5, 8, 10, 1, 2)
zs = (10, 3, 8, 9, 1, 8)

for zdir, x, y, z in zip(zdirs, xs, ys, zs):
    label = '(%d, %d, %d), dir=%s' % (x, y, z, zdir)
    ax.text(x, y, z, label, zdir)

ax.text(9, 0, 0, "red", color='red')
ax.text2D(0.05, 0.95, "2D Text", transform=ax.transAxes)
ax.set_xlim3d(0, 10)
```

Go

Enter search terms or a module, class or function name.

```
ax.set_ylim3d(0, 10)
ax.set_zlim3d(0, 10)

ax.set_xlabel('X axis')
ax.set_ylabel('Y axis')
ax.set_zlabel('Z axis')

plt.show()
```

Keywords: python, matplotlib, pylab, example, codex (see Search examples)

© Copyright 2002 - 2012 John Hunter, Darren Dale, Eric Firing, Michael Droettboom and the matplotlib development team; 2012 - 2014 The matplotlib development team. Last updated on Jun 18, 2016. Created using Sphinx 1.3.5.