

[Course](#)

[Progress](#)

[Dates](#)

[Discussion](#)

[MO Index](#)

 [Course](#) / [3 Finger Exercises \(FE\)](#) / [3.7 Finger Exercises 4 \(FE4\)](#)






You are taking "[5.2 Exam 2](#)" as a timed exam. [Show more](#)

End My Exam

05:46:45



< Previous

Next >

3.7.3 Finger Exercise: A single step of gradient descent on a two variable problem

Bookmark this page

Finger Exercises 4 due Sep 7, 2023 05:00 IST Completed

Problem: Determine objective function after one step

4.0/4.0 points (graded)

MO2.11

MO2.12

Consider the objective function

$$J(x,y) = \sin(\pi x) + \cos(\pi y)$$

(3.36)

and the initial point $(x^0,y^0) = (1.0, 0.5)$. Apply gradient descent for one iteration with a step size of $\alpha = 1/(2\pi)$ to find (x^1,y^1) and $J(x^1,y^1)$.

What is x^1 ?

1.5

Answer: 1.5

What is y^1 ?

1.0

Answer: 1

What is $J(x^1,y^1)$?

-2

Answer: -2

Submit

Answers are displayed within the problem

< Previous

Next >

Discussions

Posting in discuss

All posts sorted by recent activity



edX

- [About](#)
- [Affiliates](#)
- [edX for Business](#)
- [Open edX](#)
- [Careers](#)
- [News](#)

Legal

- [Terms of Service & Honor Code](#)
- [Privacy Policy](#)
- [Accessibility Policy](#)
- [Trademark Policy](#)
- [Sitemap](#)
- [Cookie Policy](#)
- [Your Privacy Choices](#)

Connect

- [Idea Hub](#)
- [Contact Us](#)
- [Help Center](#)
- [Security](#)
- [Media Kit](#)



© 2023 edX LLC. All rights reserved.
深圳市恒宇博科技有限公司 [粤ICP备17044299号-2](#)